



**JARCHEM INDUSTRIES, INC.**

*An ISO 9001:2015 Company*

414 Wilson Avenue

Newark, NJ 07105

Tel# (973) 344-0600

Fax# (973) 344-5743

E-Mail: [info@jarchem.com](mailto:info@jarchem.com)

Website: [www.jarchem.com](http://www.jarchem.com)

## FORMULATION

### Jarchem™ Calming Cleansing Stick Formula No. DJT01069-J

| PHASE | INGREDIENTS            | INCI NAME   | %    | SUPPLIER |
|-------|------------------------|---|------|----------|
| A     | Stick Forming Compound | Proprietary   | 45.0 | Jarchem  |
| B     | Jarcol™ I-20CG         | Octyldodecanol  | 5.0  | Jarchem  |
|       | Jarcol™ I-18CG         | Isostearyl Alcohol  | 5.0  | Jarchem  |
|       | Jarplex™ MUR           | Isopropyl Shea Butterate (and)<br>Dodecane (and) Hexadecane                   | 43.5 | Jarchem  |
|       | Actique™ Shikon        | Caprylic/Capric Triglyceride (and)<br>Lithospermum Erythrorhizon Root Extract | 1.0  | Jarchem  |
|       | Jaroil™ EPO            | Evening Primrose Oil  | 0.5  | Jarchem  |

#### Procedure:

1. Add Phase A to main vessel and heat to 95°C with stirring.
2. Add Phase B to separate vessel and heat to 95°C with stirring.
3. Once both phases are at temperature, add Phase B to Phase A.
4. Mix until homogenous for 15 minutes.
5. Package material in desired material while hot and let cool to room temperature.

Effective: 04/25/19

The above supersedes any provision in your forms, letters, and papers. JARCHEM INDUSTRIES makes no warranty, whether expressed or implied, including warranties of merchantability or fitness for a particular purpose, for the chemicals it sells. Under no circumstances shall JARCHEM INDUSTRIES be liable for incidental, consequential, or other damages from alleged negligence, breach of warranty, strict liability, or any other theory arising from the use or handling of the chemicals it sells. The sole liability, if any, of JARCHEM INDUSTRIES for any claims arising out of the manufacture, use, or sale of its chemicals shall be for the return of the buyer's purchase price. The information contained herein is to our best knowledge true and accurate. Recommendations and suggestions are made without guarantee of favorable results since conditions of use are beyond our control. These data shall not be construed as a recommendation to use any product in conflict with existing patents covering any material or use.