



# 2018 SUPPLIES CATALOG

INDUSTRIAL • DESKTOP • MOBILE



## LIST PRICING - NORTH AMERICA

### **TSC Auto ID Technology America**

3040 Saturn Street

Suite 200

Brea, CA 92821

Tel: (657) 258-0808

Fax: (657) 258-0809

[supplies@tscprinters.com](mailto:supplies@tscprinters.com)

[www.tscprinters.com](http://www.tscprinters.com)



# STERN TREN CO

---

**4** Genuine TSC Supplies

---

**6** Custom Product Manufacturing

- FlexShip Program

---

**7** Industrial Printing Solutions

- Thermal Transfer Labels
- Direct Thermal Labels
- Thermal Transfer Ribbons

---

**18** Desktop Printing Solutions

- Thermal Transfer Labels
- Direct Thermal Labels
- Thermal Transfer Ribbons

---

**26** Mobile Printing Solutions

- Receipt Media
- Label Media

---

**29** Printer/Printhead Cleaning Supplies

---

**30** Tools and Resources

- Thermal Transfer Ribbon Formulations
- Marketing Resources
- Custom Label Quote Form

---

**33** Terms and Conditions

---

You've chosen the best printer for the job. Now it's time to choose the best supplies for your printer.

At TSC, our commitment to your particular application doesn't end at your printer. Our commitment continues throughout the life of your application and with each and every printout.

We understand that your complete satisfaction is based on efficiency, quality and total solution support. This is why we offer a comprehensive selection of Genuine TSC Supplies that will provide GUARANTEED performance through your TSC Industrial, Desktop or Mobile printer.

- Labels for Industrial, Desktop and Mobile printer applications
- Tags and Tickets
- Receipt/Transaction supplies for Mobile printer applications
- Specialty/Custom Labels, Tags and Tickets for any application
- Thermal Transfer Ribbons

All of our supplies have been thoroughly tested and qualified through our printers so that we can offer the "perfect match." This means that through the optimized combination of your TSC printer and Genuine TSC Supplies, you will enhance your efficiency, minimize your costs and enjoy a "no-worry" printing solution.

Genuine TSC Supplies are available to support virtually any type of application:

- Healthcare
- Transportation
- Retail
- Logistics
- Manufacturing
- Entertainment and Hospitality



### Why choose Genuine TSC Supplies?

#### **Guaranteed Quality**

Genuine TSC Supplies are manufactured to strict quality standards to ensure optimum performance and user satisfaction.

#### **Guaranteed compatibility**

From core to cut, Genuine TSC Supplies are designed to work flawlessly through your TSC printer.

#### **Consistent Performance**

From the first label to the last and from one order to the next, Genuine TSC Supplies will provide clear, crisp imaging and consistent performance.

#### **"No Worry" Reliability**

TSC's quality control, manufacturing and component standards ensure "No Worry" reliability.

#### **Comprehensive Product Portfolio**

A wide selection of Genuine TSC Supplies are available for all TSC printer models. Most items are in stock and available to ship within 24 hours.

#### **Product Availability**

With multiple product distribution points throughout North America, your supplies will be where you need them, when you need them.

#### **Maximum Hardware Performance**

Genuine TSC Supplies are designed to optimize the performance of your TSC printer.

## WE'RE HERE TO HELP

At TSC, we're all about supporting our valued partners at all levels and in any way we can. Our product expertise runs deep and our supplies knowledge base is comprehensive. With product experts that can help and guide you through all stages of your consumables application, you can be assured that your printer supplies will be optimized in form, fit and function.


In addition to exceptional product support, we also offer an ever-expanding suite of resource materials to help you communicate and promote Genuine TSC Supplies to your customers. We're happy to supply application-specific and product-specific flyers to you in hardcopy or electronic format. We will also include your branding, if desired.

Need help with material testing? We can support your requirements and make proper material and application recommendations through testing and diagnostics.

Need something else? Let us know! We're here to help.

## EFFICIENT, NATIONWIDE DISTRIBUTION

With manufacturing and distribution located throughout North America, we're in a position to deliver Genuine TSC Supplies fast and efficiently. This means shorter transit times and lower freight costs.



## CUSTOM PRODUCTS

From design to delivery, TSC is your partner for applications requiring a custom supply solution. With our extensive manufacturing capabilities and our access to a wide range of materials and adhesives, our product experts can help provide the proper solution to your unique label, tag or receipt requirement.



### CAPABILITIES

- Flexographic printing up to 12 colors
- Digital printing for short run and multi-lot requirements
- Full prepress support – design to proof to plate
- Wide range of papers, films and adhesives
- Laminates, varnishes and specialty coatings

We're here to help you choose a product construction best suited to the demands of your application and we'll work with you through the entire process, providing material samples and design proofs as required. With manufacturing facilities located throughout the U.S., your custom supplies can be delivered fast and cost effectively.

Looking for additional ways to obtain the lowest possible price for your custom supplies? Check out TSC's FlexShip Program. With this program you can take advantage of volume pricing...and only take delivery of product as you need it. We'll warehouse your product and invoice only what you release, when you release it. Contact your TSC sales representative for program details.

## FLEXSHIP PROGRAM

At TSC, we're committed to bringing you the most cost effective solution to your custom label application. This is why we offer our FlexShip Program.

With this program, you'll enjoy the lowest possible price by allowing us to run your product in volume...up to your semi-annual (180 day) usage amount. Additionally, we'll only ship and invoice your product when you tell us to release it. This means that you not only save money, you can also save valuable warehouse space by only bringing in what you need, when you need it.

### THE PROGRAM IS SIMPLE:

- Applies to custom run product only, not stock product
- Program is supported from most TSC label distribution locations
- We'll warehouse your product for up to 180 days
- We'll release what you want when you want it, anytime within the 180-day period
- You will only be invoiced as we release your product



Whether you need custom supplies for your desktop or Industrial printer application, TSC's FLEXSHIP PROGRAM is a great way to take advantage of our extensive manufacturing capabilities:

- Flexographic printing up to 12 colors
- Digital printing for short run and multi-lot requirements
- Full prepress support – design to proof to plate
- Wide range of papers, films and adhesives
- Laminates, varnishes and specialty coatings

Ask your TSC sales representative for the program sign-up form and detailed Terms and Conditions.

TSC industrial grade printers provide the best solution for high volume, high quality printing in support of a wide range of industries and applications. Genuine TSC Supplies are a crucial component of this solution. We understand the important relationship between the printer and the media in terms of print quality, print speeds and efficient, cost-effective functionality.

By choosing Genuine TSC Supplies, the guesswork is taken out of your choice of supplies.

Looking for a perfect match and “No Worry” reliability? You’ve found it with Genuine TSC Supplies.



## INDUSTRIAL PRINTING SUPPLIES:

- Thermal Transfer Labels (8" o.d. rolls) .....Pg. 8
- Thermal Transfer Labels (Fanfold) .....Pg. 9
- Direct Thermal Labels (8" o.d. rolls) .....Pg. 11
- Direct Thermal Labels (Fanfold) .....Pg. 13
- Thermal Transfer Ribbons (450M length) .....Pg. 14
- Thermal Transfer Ribbons (600M length) .....Pg. 16

## Applications

- Shipping and Receiving
- Inventory Management
- Order Fulfillment
- Cross Dock
- Asset Identification
- Compliance Labeling
- Track and trace
- Work-in-Process labels
- Reverse Logistics
- Chemical Drum Labeling
- Pallet Labeling



## HELPFUL TIP

Matching the proper ribbon formulation to your label material is the most important step in making sure your thermal transfer printing operation is successful. Your TSC Supplies Expert can recommend the correct ribbon product for your application and will be more than happy to send a free sample of any ribbon formulation we offer so that you can test.



## THERMAL TRANSFER LABEL ROLLS

8.0" outside diameter rolls / 3.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 4" label width - ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M

Up to 6" label width - TTP-2610MT, TTP-268M, TTP-366M, TTP-368MT

All label width - TTP-286MT, TTP-384MT

| PART NO.            | LABEL WIDTH | x | LENGTH           | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|---------------------|-------------|---|------------------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCCT-150100-8-03   | 1.50        | x | 1.00             | 5,500           | 8             | 18            | \$ 80.41           | \$ 10.05            |
| TSCCT-200100-8-03   | 2.00        | x | 1.00             | 5,500           | 8             | 23            | \$ 99.33           | \$ 12.42            |
| TSCCT-200100-2-8-03 | 2.00        | x | 1.00             | 11,000          | 4             | 22            | \$ 99.33           | \$ 24.83            |
| TSCCT-200200-8-03   | 2.00        | x | 2.00             | 3,000           | 8             | 23            | \$ 99.07           | \$ 12.38            |
| TSCCT-300100-8-03   | 3.00        | x | 1.00             | 5,500           | 6             | 30            | \$ 104.30          | \$ 17.38            |
| TSCCT-300200-8-03   | 3.00        | x | 2.00             | 3,000           | 6             | 25            | \$ 98.69           | \$ 16.45            |
| TSCCT-300300-8-03   | 3.00        | x | 3.00             | 1,900           | 6             | 25            | \$ 101.47          | \$ 16.91            |
| TSCCT-300500-8-03   | 3.00        | x | 5.00             | 1,250           | 6             | 25            | \$ 96.23           | \$ 16.04            |
| TSCCT-350100-8-03   | 3.50        | x | 1.00             | 5,500           | 6             | 30            | \$ 139.06          | \$ 23.18            |
| TSCCT-350800-8-03   | 3.50        | x | 8.00             | 750             | 6             | 31            | \$ 137.19          | \$ 22.87            |
| TSCCT-400100-8-03   | 4.00        | x | 1.00             | 5,500           | 4             | 22            | \$ 94.13           | \$ 23.53            |
| TSCCT-400150-8-03   | 4.00        | x | 1.50             | 3,600           | 4             | 21            | \$ 61.61           | \$ 15.40            |
| TSCCT-400200-8-03   | 4.00        | x | 2.00             | 3,000           | 4             | 22            | \$ 82.82           | \$ 20.70            |
| TSCCT-400250-8-03   | 4.00        | x | 2.50             | 2,500           | 4             | 22            | \$ 92.02           | \$ 23.01            |
| TSCCT-400300-8-03   | 4.00        | x | 3.00             | 1,900           | 4             | 25            | \$ 76.47           | \$ 19.12            |
| TSCCT-400300Y-8-03  | 4.00        | x | 3.00 (yellow)    | 1,900           | 4             | 25            | \$ 120.92          | \$ 30.23            |
| TSCCT-400300B-8-03  | 4.00        | x | 3.00 (Blue)      | 1,900           | 4             | 25            | \$ 120.92          | \$ 30.23            |
| TSCCT-400400-8-03   | 4.00        | x | 4.00             | 1,500           | 4             | 25            | \$ 81.65           | \$ 20.41            |
| TSCCT-400500-8-03   | 4.00        | x | 5.00             | 1,250           | 4             | 25            | \$ 89.12           | \$ 22.28            |
| TSCCT-400600-8-03   | 4.00        | x | 6.00             | 1,000           | 4             | 25            | \$ 73.50           | \$ 18.38            |
| TSCCT-400600Y-8-03  | 4.00        | x | 6.00 (Yellow)    | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400600B-8-03  | 4.00        | x | 6.00 (Blue)      | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400600G-8-03  | 4.00        | x | 6.00 (Fl. Green) | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400600P-8-03  | 4.00        | x | 6.00 (Pink)      | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400600O-8-03  | 4.00        | x | 6.00 (Orange)    | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400600R-8-03  | 4.00        | x | 6.00 (Fl. Red)   | 1,000           | 4             | 25            | \$ 103.11          | \$ 25.78            |
| TSCCT-400650-8-03   | 4.00        | x | 6.50             | 900             | 4             | 23            | \$ 73.94           | \$ 18.48            |
| TSCCT-400800-8-03   | 4.00        | x | 8.00             | 750             | 4             | 23            | \$ 77.92           | \$ 19.48            |
| TSCCT-4001300-8-03  | 4.00        | x | 13.00            | 475             | 4             | 23            | \$ 94.36           | \$ 23.59            |
| TSCCT-500300-8-03   | 5.00        | x | 3.00             | 1,900           | 4             | 32            | \$ 101.14          | \$ 25.29            |
| TSCCT-600400-8-03   | 6.00        | x | 4.00             | 1,500           | 4             | 34            | \$ 126.16          | \$ 31.54            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.



## THERMAL TRANSFER FANFOLD LABELS

Fanfold stacks / Permanent adhesive (acrylic)

**For use in the following TSC printers:**

ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-2610M, TTP-286MT, TTP-644M, TTP-368MT, TTP-384MT,

| PART NO.            | LABEL WIDTH | x | LENGTH           | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|---------------------|-------------|---|------------------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCCT-400200-FF-03  | 4.00        | x | 2.00             | 6,000             | 2              | 23            | \$ 80.24           | \$ 40.12             |
| TSCCT-400300-FF-03  | 4.00        | x | 3.00             | 4,000             | 2              | 23            | \$ 78.78           | \$ 39.39             |
| TSCCT-400400-FF-03  | 4.00        | x | 4.00             | 3,000             | 2              | 23            | \$ 82.30           | \$ 41.15             |
| TSCCT-400600-FF-03  | 4.00        | x | 6.00             | 2,000             | 2              | 23            | \$ 74.39           | \$ 37.20             |
| TSCCT-400600B-FF-03 | 4.00        | x | 6.00 (Blue)      | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600G-FF-03 | 4.00        | x | 6.00 (Fl. Green) | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600O-FF-03 | 4.00        | x | 6.00 (Orange)    | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600P-FF-03 | 4.00        | x | 6.00 (Pink)      | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600Y-FF-03 | 4.00        | x | 6.00 (Yellow)    | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400650-FF-03  | 4.00        | x | 6.50             | 2,000             | 2              | 24            | \$ 83.25           | \$ 41.62             |
| TSCCT-400800-FF-03  | 4.00        | x | 8.00             | 1,250             | 2              | 19            | \$ 64.39           | \$ 32.20             |

*Sold in full case quantities only.*

## WE'VE GOT YOU COLORED!

Looking for ways to make your labels stand out? Check out the wide array of vibrant colors we have to offer....many of which are in stock and ready for immediate shipment.

Thermal transfer colored labels are available in:

- 4" x 2"
- 4" x 3"
- 4" x 4"
- 4" x 6"
- 4" x 6.5"

Direct thermal label sizes are also available.



### NON-TOPCOATED VS. TOPCOATED DIRECT THERMAL MATERIAL

Direct thermal materials utilize a heat sensitive, direct thermal coating that produces an image when in contact with the energized thermal printhead within your printer. The direct thermal coating is also sensitive to other environmental factors such as chemical contact, humidity, UV exposure and abrasion. These factors can destroy or degrade the quality of your printed image.

To help protect your printed image from these environmental factors, materials are available with a clear, protective top-coating. This top coat acts as a barrier to help resist the effects of image-degrading environmental factors.

#### Which is right for your application?

##### NON-TOPCOATED PRODUCT

The most economical choice, non-topcoated materials are acceptable for short duration labeling applications requiring limited environmental resistance.

##### TOPCOATED PRODUCT

Best for applications where the label will be subjected to abrasion, sunlight, moisture or light chemical contact.



## DIRECT THERMAL LABEL ROLLS - Premium Top Coated Direct Thermal Stock

8.0" outside diameter rolls / 3.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 4" label width - ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M

Up to 6" label width - TTP-2610MT, TTP-268M, TTP-366M, TTP-368MT

All label width - TTP-286MT, TTP-384MT

| PART NO.           | LABEL WIDTH | x | LENGTH        | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|--------------------|-------------|---|---------------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCDT-100100-8-01  | 1.00        | x | 1.00          | 5,500           | 8             | 12            | \$ 142.04          | \$ 17.76            |
| TSCDT-100400-8-01  | 1.00        | x | 4.00          | 1,500           | 8             | 12            | \$ 144.39          | \$ 18.05            |
| TSCDT-150100-8-01  | 1.50        | x | 1.00          | 5,500           | 8             | 18            | \$ 178.79          | \$ 22.35            |
| TSCDT-150125-8-01  | 1.50        | x | 1.25          | 4,450           | 8             | 19            | \$ 211.37          | \$ 26.42            |
| TSCDT-150150-8-01  | 1.50        | x | 1.50          | 3,600           | 8             | 17            | \$ 174.24          | \$ 21.78            |
| TSCDT-200100-8-01  | 2.00        | x | 1.00          | 5,500           | 8             | 23            | \$ 159.92          | \$ 19.99            |
| TSCDT-200200-8-01  | 2.00        | x | 2.00          | 2,900           | 8             | 24            | \$ 212.11          | \$ 26.51            |
| TSCDT-200300-8-01  | 2.00        | x | 3.00          | 1,900           | 8             | 23            | \$ 203.48          | \$ 25.44            |
| TSCDT-225125-8-01  | 2.25        | x | 1.25          | 4,450           | 8             | 25            | \$ 272.44          | \$ 34.06            |
| TSCDT-250100-8-01  | 2.50        | x | 1.00          | 5,500           | 8             | 29            | \$ 305.94          | \$ 38.24            |
| TSCDT-250200-8-01  | 2.50        | x | 2.00          | 2,900           | 8             | 29            | \$ 302.74          | \$ 37.84            |
| TSCDT-300100-8-01  | 3.00        | x | 1.00          | 5,500           | 8             | 33            | \$ 352.62          | \$ 44.08            |
| TSCDT-300150-8-01  | 3.00        | x | 1.50          | 3,600           | 8             | 32            | \$ 307.56          | \$ 38.44            |
| TSCDT-300200-8-01  | 3.00        | x | 2.00          | 2,900           | 8             | 36            | \$ 332.57          | \$ 41.57            |
| TSCDT-300300-8-01  | 3.00        | x | 3.00          | 1,900           | 8             | 35            | \$ 308.14          | \$ 38.52            |
| TSCDT-300500-8-01  | 3.00        | x | 5.00          | 1,200           | 8             | 35            | \$ 210.87          | \$ 26.36            |
| TSCDT-3125500-8-01 | 3.125       | x | 5.00          | 1,200           | 4             | 18            | \$ 152.35          | \$ 38.09            |
| TSCDT-350100-8-01  | 3.50        | x | 1.00          | 5,500           | 4             | 20            | \$ 184.75          | \$ 46.19            |
| TSCDT-350150-8-01  | 3.50        | x | 1.50          | 3,600           | 4             | 19            | \$ 188.22          | \$ 47.06            |
| TSCDT-400100-8-01  | 4.00        | x | 1.00          | 5,500           | 4             | 23            | \$ 228.46          | \$ 57.11            |
| TSCDT-400150-8-01  | 4.00        | x | 1.50          | 3,600           | 4             | 21            | \$ 200.25          | \$ 50.06            |
| TSCDT-400200-8-01  | 4.00        | x | 2.00          | 2,900           | 4             | 23            | \$ 139.05          | \$ 34.76            |
| TSCDT-400250-8-01  | 4.00        | x | 2.50          | 2,500           | 4             | 26            | \$ 222.82          | \$ 55.70            |
| TSCDT-400300-8-01  | 4.00        | x | 3.00          | 1,900           | 4             | 22            | \$ 135.37          | \$ 33.84            |
| TSCDT-400400-8-01  | 4.00        | x | 4.00          | 1,500           | 4             | 23            | \$ 138.43          | \$ 34.61            |
| TSCDT-400600-8-01  | 4.00        | x | 6.00          | 1,000           | 4             | 24            | \$ 120.19          | \$ 30.05            |
| TSCDT-400600B-8-01 | 4.00        | x | 6.00 (blue)   | 1,000           | 4             | 24            | \$ 246.16          | \$ 61.64            |
| TSCDT-400600Y-8-01 | 4.00        | x | 6.00 (yellow) | 1,000           | 4             | 24            | \$ 246.16          | \$ 61.64            |
| TSCDT-400600O-8-01 | 4.00        | x | 6.00 (orange) | 1,000           | 4             | 24            | \$ 234.44          | \$ 58.61            |
| TSCDT-400650-8-01  | 4.00        | x | 6.50          | 900             | 4             | 23            | \$ 124.10          | \$ 31.02            |
| TSCDT-400800-8-01  | 4.00        | x | 8.00          | 750             | 4             | 24            | \$ 132.40          | \$ 33.10            |
| TSCDT-450250-8-01  | 4.50        | x | 2.50          | 2,500           | 4             | 30            | \$ 230.94          | \$ 57.74            |
| TSCDT-450450-8-01  | 4.50        | x | 4.50          | 1,400           | 4             | 27            | \$ 189.50          | \$ 47.38            |
| TSCDT-450600-8-01  | 4.50        | x | 6.00          | 1,000           | 4             | 26            | \$ 148.09          | \$ 37.02            |
| TSCDT-600400-8-01  | 6.00        | x | 4.00          | 1,500           | 4             | 35            | \$ 302.46          | \$ 75.61            |
| TSCDT-600600-8-01  | 6.00        | x | 6.00          | 1,000           | 4             | 38            | \$ 251.67          | \$ 62.92            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.

TSC Auto I.D. Technology America / 657-258-0808 / supplies@tscprinters.com / www.tscprinters.com

## DIRECT THERMAL LABEL ROLLS - Premium Uncoated Direct Thermal Stock

8.0" outside diameter rolls / 3.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 4" label width - ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M

Up to 6" label width - TTP-2610MT, TTP-268M, TTP-366M, TTP-368MT

All label width - TTP-286MT, TTP-384MT

| PART NO.            | LABEL WIDTH | x | LENGTH     | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|---------------------|-------------|---|------------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCUDT-200100-8-03  | 2.00        | x | 1.00       | 5,500           | 8             | 23            | \$ 149.68          | \$ 18.71            |
| TSCUDT-300200-8-03  | 3.00        | x | 2.00       | 2,900           | 8             | 24            | \$ 276.24          | \$ 34.53            |
| TSCUDT-400200-8-03  | 4.00        | x | 2.00       | 3,000           | 4             | 22            | \$ 130.80          | \$ 32.70            |
| TSCUDT-400300-8-03  | 4.00        | x | 3.00       | 1,900           | 4             | 25            | \$ 124.48          | \$ 31.12            |
| TSCUDT-400400-8-03  | 4.00        | x | 4.00       | 1,500           | 4             | 25            | \$ 126.52          | \$ 31.63            |
| TSCUDT-400600-8-03  | 4.00        | x | 6.00       | 1,000           | 4             | 25            | \$ 104.00          | \$ 26.00            |
| TSCUDT-400600P-8-03 | 4.00        | x | 6 (Pink)   | 1,000           | 4             | 24            | \$ 228.80          | \$ 57.20            |
| TSCUDT-400600B-8-03 | 4.00        | x | 6 (Blue)   | 1,000           | 4             | 24            | \$ 228.80          | \$ 57.20            |
| TSCUDT-400600Y-8-03 | 4.00        | x | 6 (Yellow) | 1,000           | 4             | 24            | \$ 228.80          | \$ 57.20            |
| TSCUDT-400600O-8-03 | 4.00        | x | 6 (Orange) | 1,000           | 4             | 24            | \$ 228.80          | \$ 57.20            |
| TSCUDT-400650-8-03  | 4.00        | x | 6.50       | 900             | 4             | 23            | \$ 110.52          | \$ 27.63            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.



## DIRECT THERMAL FANFOLD LABELS - Premium Top Coated Direct Thermal Stock

Fanfold stacks / Permanent adhesive (acrylic)

### For use in the following TSC printers:

4" width - ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-2610M, TTP-286MT, TTP-644M, TTP-368MT, TTP-384MT,

| PART NO.           | LABEL WIDTH | x | LENGTH | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|--------------------|-------------|---|--------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCDT-400600-FF-02 | 4.00        | x | 6.00   | 2,000             | 2              | 22            | \$ 117.48          | \$ 58.74             |
| TSCDT-400650-FF-01 | 4.00        | x | 6.50   | 2,000             | 2              | 24            | \$ 164.17          | \$ 82.09             |

*Sold in full case quantities only.*

## DIRECT THERMAL FANFOLD LABELS - Premium Uncoated Direct Thermal Stock

Fanfold stacks / Permanent adhesive (acrylic)

### For use in the following TSC printers:

4" width - ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-2610M, TTP-286MT, TTP-644M, TTP-368MT, TTP-384MT,

| PART NO.            | LABEL WIDTH | x | LENGTH | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|---------------------|-------------|---|--------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCUDT-400200-FF-03 | 4.00        | X | 2.00   | 6,000             | 2              | 24            | \$ 134.88          | \$ 67.41             |
| TSCUDT-400400-FF-03 | 4.00        | X | 4.00   | 3,000             | 2              | 25            | \$ 125.22          | \$ 62.62             |
| TSCUDT-400600-FF-03 | 4.00        | x | 6.00   | 2,000             | 2              | 26            | \$ 103.16          | \$ 51.58             |
| TSCUDT-400650-FF-03 | 4.00        | x | 6.50   | 2,000             | 2              | 26            | \$ 121.96          | \$ 60.98             |

*Sold in full case quantities only.*



# INDUSTRIAL PRINTING SOLUTIONS

## THERMAL TRANSFER RIBBONS - 450M

1.0" core / Ink side OUT

For use with the following TSC printers:

Up to 110mm wide - ME240, ME340

Up to 165mm wide - TTP-2610MT, TTP-368MT

**NEED SAMPLES?**  
We provide at no charge!

Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W060450-20CA | 60.0 / 2.36              | x | 450 / 1476        | Standard Wax- SWX        | 24            | 15            | \$ 167.25          | \$ 6.97             |
| 35-W060450-20CB | 60.0 / 2.36              | x | 450 / 1476        | Premium Wax - PWX        | 24            | 16            | \$ 204.83          | \$ 8.53             |
| 35-S060450-20CC | 60.0 / 2.36              | x | 450 / 1476        | Standard Wax/Resin - SWR | 12            | 8             | \$ 133.42          | \$ 11.12            |
| 35-S060450-20CD | 60.0 / 2.36              | x | 450 / 1476        | Premium Wax/Resin - PWR  | 12            | 7             | \$ 159.73          | \$ 13.31            |
| 35-R060450-20CE | 60.0 / 2.36              | x | 450 / 1476        | Standard Resin - SRE     | 12            | 7             | \$ 262.15          | \$ 21.85            |
| 35-R060450-20CF | 60.0 / 2.36              | x | 450 / 1476        | Premium Resin - PRE      | 12            | 7             | \$ 389.93          | \$ 32.49            |
| 35-W076450-20CA | 76.0 / 3.00              | x | 450 / 1476        | Standard Wax- SWX        | 24            | 19            | \$ 211.85          | \$ 8.83             |
| 35-W076450-20CB | 76.0 / 3.00              | x | 450 / 1476        | Premium Wax - PWX        | 24            | 20            | \$ 259.45          | \$ 10.81            |
| 35-S076450-20CC | 76.0 / 3.00              | x | 450 / 1476        | Standard Wax/Resin - SWR | 12            | 10            | \$ 169.00          | \$ 14.08            |
| 35-S076450-20CD | 76.0 / 3.00              | x | 450 / 1476        | Premium Wax/Resin - PWR  | 12            | 9             | \$ 202.33          | \$ 16.86            |
| 35-R076450-20CE | 76.0 / 3.00              | x | 450 / 1476        | Standard Resin - SRE     | 12            | 9             | \$ 332.05          | \$ 27.67            |
| 35-R076450-20CF | 76.0 / 3.00              | x | 450 / 1476        | Premium Resin - PRE      | 12            | 9             | \$ 493.92          | \$ 41.16            |
| 35-W083450-20CA | 83.0 / 3.27              | x | 450 / 1476        | Standard Wax- SWX        | 12            | 11            | \$ 115.68          | \$ 9.64             |
| 35-W083450-20CB | 83.0 / 3.27              | x | 450 / 1476        | Premium Wax - PWX        | 24            | 21            | \$ 283.44          | \$ 11.81            |
| 35-S083450-20CC | 83.0 / 3.27              | x | 450 / 1476        | Standard Wax/Resin - SWR | 12            | 11            | \$ 184.57          | \$ 15.38            |
| 35-S083450-20CD | 83.0 / 3.27              | x | 450 / 1476        | Premium Wax/Resin - PWR  | 12            | 10            | \$ 220.96          | \$ 18.41            |
| 35-R083450-20CE | 83.0 / 3.27              | x | 450 / 1476        | Standard Resin - SRE     | 6             | 5             | \$181.32           | \$ 30.22            |
| 35-R083450-20CF | 83.0 / 3.27              | x | 450 / 1476        | Premium Resin - PRE      | 6             | 5             | \$ 269.70          | \$ 44.95            |
| 35-W090450-20CA | 90.0 / 3.54              | x | 450 / 1476        | Standard Wax- SWX        | 12            | 11            | \$ 125.44          | \$ 10.45            |
| 35-W090450-20CB | 90.0 / 3.54              | x | 450 / 1476        | Premium Wax - PWX        | 12            | 12            | \$ 153.62          | \$ 12.80            |
| 35-S090450-20CC | 90.0 / 3.54              | x | 450 / 1476        | Standard Wax/Resin - SWR | 12            | 12            | \$ 200.13          | \$ 16.68            |
| 35-S090450-20CD | 90.0 / 3.54              | x | 450 / 1476        | Premium Wax/Resin - PWR  | 12            | 11            | \$ 239.60          | \$ 19.97            |
| 35-R090450-20CE | 90.0 / 3.54              | x | 450 / 1476        | Standard Resin - SRE     | 6             | 5             | \$ 196.61          | \$ 32.77            |
| 35-R090450-20CF | 90.0 / 3.54              | x | 450 / 1476        | Premium Resin - PRE      | 6             | 5             | \$ 292.45          | \$ 48.74            |
| 35-W110450-20CA | 110.0 / 4.33             | x | 450 / 1476        | Standard Wax- SWX        | 12            | 14            | \$ 153.31          | \$ 12.78            |
| 35-W110450-20CB | 110.0 / 4.33             | x | 450 / 1476        | Premium Wax - PWX        | 12            | 14            | \$ 187.76          | \$ 15.65            |
| 35-S110450-20CC | 110.0 / 4.33             | x | 450 / 1476        | Standard Wax/Resin - SWR | 12            | 14            | \$ 244.61          | \$ 20.38            |
| 35-S110450-20CD | 110.0 / 4.33             | x | 450 / 1476        | Premium Wax/Resin - PWR  | 12            | 13            | \$ 292.84          | \$ 24.40            |
| 35-R110450-20CE | 110.0 / 4.33             | x | 450 / 1476        | Standard Resin - SRE     | 6             | 6             | \$ 240.30          | \$ 40.05            |
| 35-R110450-20CF | 110.0 / 4.33             | x | 450 / 1476        | Premium Resin - PRE      | 6             | 6             | \$ 366.44          | \$59.57             |

Not seeing the exact size you want? Call us! Sold in full case quantities only.

## THERMAL TRANSFER RIBBONS - 450M

1.0" core / Ink side OUT

**NEED SAMPLES?**  
We provide at no charge!

**For use with the following TSC printers:**

Up to 110mm wide - ME240, ME340

Up to 165mm wide - TTP-2610MT, TTP-368MT

**Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations**

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W130450-20CA | 130.0 / 5.12             | x | 450 / 1476        | Standard Wax- SWX        | 12            | 16            | \$ 181.19          | \$ 15.10            |
| 35-W130450-20CB | 130.0 / 5.12             | x | 450 / 1476        | Premium Wax - PWX        | 12            | 17            | \$ 221.90          | \$ 18.49            |
| 35-S130450-20CC | 130.0 / 5.12             | x | 450 / 1476        | Standard Wax/Resin - SWR | 6             | 8             | \$ 144.54          | \$ 24.09            |
| 35-S130450-20CD | 130.0 / 5.12             | x | 450 / 1476        | Premium Wax/Resin - PWR  | 6             | 8             | \$ 173.04          | \$ 28.84            |
| 35-R130450-20CE | 130.0 / 5.12             | x | 450 / 1476        | Standard Resin - SRE     | 6             | 7             | \$ 283.99          | \$ 47.33            |
| 35-R130450-20CF | 130.0 / 5.12             | x | 450 / 1476        | Premium Resin - PRE      | 6             | 7             | \$ 422.43          | \$ 70.40            |
| 35-W154450-20CA | 154.0 / 6.06             | x | 450 / 1476        | Standard Wax- SWX        | 12            | 19            | \$ 214.64          | \$ 17.89            |
| 35-W154450-20CB | 154.0 / 6.06             | x | 450 / 1476        | Premium Wax - PWX        | 12            | 20            | \$ 262.87          | \$ 21.91            |
| 35-S154450-20CC | 154.0 / 6.06             | x | 450 / 1476        | Standard Wax/Resin - SWR | 6             | 10            | \$ 171.23          | \$ 28.54            |
| 35-S154450-20CD | 154.0 / 6.06             | x | 450 / 1476        | Premium Wax/Resin - PWR  | 6             | 9             | \$ 204.99          | \$ 34.16            |
| 35-R154450-20CE | 154.0 / 6.06             | x | 450 / 1476        | Standard Resin - SRE     | 6             | 9             | \$ 336.42          | \$ 56.07            |
| 35-R154450-20CF | 154.0 / 6.06             | x | 450 / 1476        | Premium Resin - PRE      | 6             | 9             | \$ 500.42          | \$ 83.40            |
| 35-W165450-20CA | 165.0 / 6.50             | x | 450 / 1476        | Standard Wax- SWX        | 12            | 21            | \$ 229.97          | \$ 19.16            |
| 35-W165450-20CB | 165.0 / 6.50             | x | 450 / 1476        | Premium Wax - PWX        | 12            | 21            | \$ 281.65          | \$ 23.47            |
| 35-S165450-20CC | 165.0 / 6.50             | x | 450 / 1476        | Standard Wax/Resin - SWR | 6             | 11            | \$ 183.46          | \$ 30.58            |
| 35-S165450-20CD | 165.0 / 6.50             | x | 450 / 1476        | Premium Wax/Resin - PWR  | 6             | 10            | \$ 219.63          | \$ 36.61            |
| 35-R165450-20CE | 165.0 / 6.50             | x | 450 / 1476        | Standard Resin - SRE     | 6             | 9             | \$ 360.45          | \$ 60.08            |
| 35-R165450-20CF | 165.0 / 6.50             | x | 450 / 1476        | Premium Resin - PRE      | 6             | 9             | \$ 536.16          | \$ 89.36            |

*Not seeing the exact size you want? Call us! Sold in full case quantities only.*



# INDUSTRIAL PRINTING SOLUTIONS

## THERMAL TRANSFER RIBBONS - 600M

1.0" core / Ink side OUT

**NEED SAMPLES?**  
We provide at no charge!

**For use with the following TSC printers:**

Up to 110mm wide - MX240, MX340, MX640, TTP-2410MT, TTP-246M PRO, TTP-344M PRO, TTP-346MT, TTP-644MT

Up to 220mm wide - TTP-286MT, TTP-384MT

**Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations**

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W064600-20CA | 64.0 / 2.51              | x | 600 / 1968        | Standard Wax- SWX        | 12            | 10            | \$ 118.93          | \$ 9.91             |
| 35-W064600-20CB | 64.0 / 2.51              | x | 600 / 1968        | Premium Wax - PWX        | 12            | 11            | \$ 145.66          | \$ 12.14            |
| 35-S064600-20CC | 64.0 / 2.51              | x | 600 / 1968        | Standard Wax/Resin - SWR | 12            | 11            | \$ 189.76          | \$ 15.81            |
| 35-S064600-20CD | 64.0 / 2.51              | x | 600 / 1968        | Premium Wax/Resin - PWR  | 12            | 10            | \$ 227.17          | \$ 18.93            |
| 35-R064600-20CE | 64.0 / 2.51              | x | 600 / 1968        | Standard Resin - SRE     | 12            | 9             | \$ 372.83          | \$ 31.07            |
| 35-R064600-20CF | 64.0 / 2.51              | x | 600 / 1968        | Premium Resin - PRE      | 12            | 9             | \$ 554.57          | \$ 46.21            |
| 35-W076600-20CA | 76.0 / 3.00              | x | 600 / 1968        | Standard Wax- SWX        | 12            | 12            | \$ 141.23          | \$ 11.77            |
| 35-W076600-20CB | 76.0 / 3.00              | x | 600 / 1968        | Premium Wax - PWX        | 12            | 13            | \$ 172.97          | \$ 14.41            |
| 35-S076600-20CC | 76.0 / 3.00              | x | 600 / 1968        | Standard Wax/Resin - SWR | 12            | 13            | \$ 225.34          | \$ 18.78            |
| 35-S076600-20CD | 76.0 / 3.00              | x | 600 / 1968        | Premium Wax/Resin - PWR  | 12            | 12            | \$ 269.77          | \$ 22.48            |
| 35-R076600-20CE | 76.0 / 3.00              | x | 600 / 1968        | Standard Resin - SRE     | 12            | 11            | \$ 442.74          | \$ 36.89            |
| 35-R076600-20CF | 76.0 / 3.00              | x | 600 / 1968        | Premium Resin - PRE      | 12            | 11            | \$ 658.56          | \$ 54.88            |
| 35-W083600-20CA | 83.0 / 3.27              | x | 600 / 1968        | Standard Wax- SWX        | 12            | 14            | \$ 154.24          | \$ 12.85            |
| 35-W083600-20CB | 83.0 / 3.27              | x | 600 / 1968        | Premium Wax - PWX        | 12            | 14            | \$ 188.90          | \$ 15.74            |
| 35-S083600-20CC | 83.0 / 3.27              | x | 600 / 1968        | Standard Wax/Resin - SWR | 12            | 14            | \$ 246.09          | \$ 20.51            |
| 35-S083600-20CD | 83.0 / 3.27              | x | 600 / 1968        | Premium Wax/Resin - PWR  | 12            | 13            | \$ 294.62          | \$ 24.55            |
| 35-R083600-20CE | 83.0 / 3.27              | x | 600 / 1968        | Standard Resin - SRE     | 6             | 6             | \$ 241.76          | \$ 40.29            |
| 35-R083600-20CF | 83.0 / 3.27              | x | 600 / 1968        | Premium Resin - PRE      | 6             | 6             | \$ 359.61          | \$ 59.93            |
| 35-W090600-20CA | 90.0 / 3.54              | x | 600 / 1968        | Standard Wax- SWX        | 12            | 15            | \$ 167.25          | \$ 13.94            |
| 35-W090600-20CB | 90.0 / 3.54              | x | 600 / 1968        | Premium Wax - PWX        | 12            | 15            | \$ 204.83          | \$ 17.07            |
| 35-S090600-20CC | 90.0 / 3.54              | x | 600 / 1968        | Standard Wax/Resin - SWR | 12            | 15            | \$ 266.85          | \$ 22.24            |
| 35-S090600-20CD | 90.0 / 3.54              | x | 600 / 1968        | Premium Wax/Resin - PWR  | 12            | 15            | \$ 319.46          | \$ 26.62            |
| 35-R090600-20CE | 90.0 / 3.54              | x | 600 / 1968        | Standard Resin - SRE     | 6             | 7             | \$ 262.15          | \$ 43.69            |
| 35-R090600-20CF | 90.0 / 3.54              | x | 600 / 1968        | Premium Resin - PRE      | 6             | 7             | \$ 389.93          | \$ 64.99            |
| 35-W110600-20CA | 110.0 / 4.33             | x | 600 / 1968        | Standard Wax- SWX        | 12            | 18            | \$ 204.42          | \$ 17.03            |
| 35-W110600-20CB | 110.0 / 4.33             | x | 600 / 1968        | Premium Wax - PWX        | 12            | 19            | \$ 250.35          | \$ 20.86            |
| 35-S110600-20CC | 110.0 / 4.33             | x | 600 / 1968        | Standard Wax/Resin - SWR | 12            | 19            | \$ 326.16          | \$ 27.18            |
| 35-S110600-20CD | 110.0 / 4.33             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 9             | \$ 195.23          | \$ 32.54            |
| 35-R110600-20CE | 110.0 / 4.33             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 8             | \$ 320.40          | \$ 53.40            |
| 35-R110600-20CF | 110.0 / 4.33             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 8             | \$ 476.59          | \$ 79.43            |

*Not seeing the exact size you want? Call us! Sold in full case quantities only.*

## THERMAL TRANSFER RIBBONS - 600M

1.0" core / Ink side OUT



**For use with the following TSC printers:**

Up to 110mm wide - MX240, MX340, MX640, TTP-2410MT, TTP-246M PRO, TTP-344M PRO, TTP-346MT, TTP-644MT

Up to 220mm wide - TTP-286MT, TTP-384MT

**Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations**

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W130600-20CA | 130.0 / 5.12             | x | 600 / 1968        | Standard Wax- SWX        | 6             | 11            | \$ 120.79          | \$ 20.13            |
| 35-W130600-20CB | 130.0 / 5.12             | x | 600 / 1968        | Premium Wax - PWX        | 6             | 11            | \$ 147.93          | \$ 24.66            |
| 35-S130600-20CC | 130.0 / 5.12             | x | 600 / 1968        | Standard Wax/Resin - SWR | 6             | 11            | \$ 192.72          | \$ 32.12            |
| 35-S130600-20CD | 130.0 / 5.12             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 11            | \$ 230.72          | \$ 38.45            |
| 35-R130600-20CE | 130.0 / 5.12             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 10            | \$ 378.66          | \$ 63.11            |
| 35-R130600-20CF | 130.0 / 5.12             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 10            | \$ 563.24          | \$ 93.87            |
| 35-W154600-20CA | 154.0 / 6.06             | x | 600 / 1968        | Standard Wax- SWX        | 6             | 13            | \$ 143.09          | \$ 23.85            |
| 35-W154600-20CB | 154.0 / 6.06             | x | 600 / 1968        | Premium Wax - PWX        | 6             | 13            | \$ 175.25          | \$ 29.21            |
| 35-S154600-20CC | 154.0 / 6.06             | x | 600 / 1968        | Standard Wax/Resin - SWR | 6             | 13            | \$ 228.30          | \$ 38.05            |
| 35-S154600-20CD | 154.0 / 6.06             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 12            | \$ 273.32          | \$ 45.55            |
| 35-R154600-20CE | 154.0 / 6.06             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 11            | \$ 448.57          | \$ 74.76            |
| 35-R154600-20CF | 154.0 / 6.06             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 11            | \$ 667.22          | \$ 111.20           |
| 35-W165600-20CA | 165.0 / 6.50             | x | 600 / 1968        | Standard Wax- SWX        | 6             | 14            | \$ 153.31          | \$ 25.55            |
| 35-W165600-20CB | 165.0 / 6.50             | x | 600 / 1968        | Premium Wax - PWX        | 6             | 14            | \$ 187.76          | \$ 31.29            |
| 35-S165600-20CC | 165.0 / 6.50             | x | 600 / 1968        | Standard Wax/Resin - SWR | 6             | 14            | \$ 244.61          | \$ 40.77            |
| 35-S165600-20CD | 165.0 / 6.50             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 13            | \$ 292.84          | \$ 48.81            |
| 35-R165600-20CE | 165.0 / 6.50             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 12            | \$ 480.61          | \$ 80.10            |
| 35-R165600-20CF | 165.0 / 6.50             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 12            | \$ 714.88          | \$ 119.15           |
| 35-W170600-20CA | 170.0 / 6.70             | x | 600 / 1968        | Standard Wax- SWX        | 6             | 14            | \$ 157.96          | \$ 26.33            |
| 35-W170600-20CB | 170.0 / 6.70             | x | 600 / 1968        | Premium Wax - PWX        | 6             | 15            | \$ 193.45          | \$ 32.24            |
| 35-S170600-20CC | 170.0 / 6.70             | x | 600 / 1968        | Standard Wax/Resin - SWR | 6             | 15            | \$ 252.02          | \$ 42.00            |
| 35-S170600-20CD | 170.0 / 6.70             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 14            | \$ 301.72          | \$ 50.29            |
| 35-R170600-20CE | 170.0 / 6.70             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 13            | \$ 495.17          | \$ 82.53            |
| 35-R170600-20CF | 170.0 / 6.70             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 13            | \$ 736.54          | \$ 122.76           |
| 35-W220600-20CA | 220.0 / 8.66             | x | 600 / 1968        | Standard Wax- SWX        | 6             | 18            | \$ 204.42          | \$ 34.07            |
| 35-W220600-20CB | 220.0 / 8.66             | x | 600 / 1968        | Premium Wax - PWX        | 6             | 19            | \$ 250.35          | \$ 41.73            |
| 35-S220600-20CC | 220.0 / 8.66             | x | 600 / 1968        | Standard Wax/Resin - SWR | 6             | 19            | \$ 326.15          | \$ 54.36            |
| 35-S220600-20CD | 220.0 / 8.66             | x | 600 / 1968        | Premium Wax/Resin - PWR  | 6             | 18            | \$ 390.46          | \$ 65.08            |
| 35-R220600-20CE | 220.0 / 8.66             | x | 600 / 1968        | Standard Resin - SRE     | 6             | 16            | \$ 640.81          | \$ 106.80           |
| 35-R220600-20CF | 220.0 / 8.66             | x | 600 / 1968        | Premium Resin - PRE      | 6             | 16            | \$ 953.17          | \$ 158.86           |

*Not seeing the exact size you want? Call us! Sold in full case quantities only.*

# DESKTOP PRINTING SOLUTIONS

Known for their reliability, compact footprint and user-friendly capabilities, TSC desktop printers provide an unmatched solution for lighter volume printing needs. Genuine TSC Supplies are a crucial component of this solution. We understand the important relationship between the printer and the media in terms of print quality, print speeds and efficient, cost-effective functionality.

By choosing Genuine TSC Supplies, the guesswork is taken out of your choice of supplies.

Looking for a perfect match and “No Worry” reliability? You’ve found it with Genuine TSC Supplies.



## DESKTOP PRINTING SUPPLIES:

- Thermal Transfer Labels (5" o.d. rolls) .....Pg. 19
- Thermal Transfer Labels (Fanfold) .....Pg. 19
- Direct Thermal Labels (5" o.d. rolls) .....Pg. 21
- Direct Thermal Labels (Fanfold) .....Pg. 22
- Thermal Transfer Ribbons (90M length) .....Pg. 23
- Thermal Transfer Ribbons (110M length) .....Pg. 24
- Thermal Transfer Ribbons (300M length) .....Pg. 25

## Applications

- Address labels
- Component labeling
- Lab sample tracking
- Jewelry identification
- Work-in Process labels
- Retail shelf labels
- Patient Tracking
- Point-of-Sale
- Product Marking
- Pharmaceutical labels
- Medical Records labeling



## HELPFUL TIP

Direct Thermal or Thermal Transfer printing– which is right for you? For short term labeling applications in which the label is not exposed to harsh physical or environmental conditions, Direct Thermal may be the best option. If your label needs to last for an extended period of time and/or will be subjected to moisture, chemicals, high heat or direct sunlight...then Thermal Transfer should be considered. Your TSC Supplies Expert is trained to ask the right questions to help you determine what’s right for YOUR application.

## THERMAL TRANSFER LABEL ROLLS

5.0" outside diameter rolls / 1.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 2" width - TTP-225, TTP-323

Up to 4" width - TA200, TA210, TA300, TA310, TE200, TE300, TTP-244CE, TTP-245, TTP-245C, TTP-247, TTP-343C, TTP-345, TX200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.          | LABEL WIDTH | x | LENGTH | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-------------------|-------------|---|--------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCCT-200100-5-03 | 2.00        | x | 1.00   | 2,300           | 4             | 7             | \$ 34.62           | \$ 8.65             |
| TSCCT-225125-5-03 | 2.25        | x | 1.25   | 1,900           | 4             | 7             | \$ 40.03           | \$ 10.01            |
| TSCCT-300200-5-03 | 3.00        | x | 2.00   | 1,240           | 4             | 10            | \$ 51.72           | \$ 12.93            |
| TSCCT-300300-5-03 | 3.00        | x | 3.00   | 850             | 4             | 10            | \$ 46.35           | \$ 11.59            |
| TSCCT-350100-5-03 | 3.50        | x | 1.00   | 2,300           | 4             | 11            | \$ 60.13           | \$ 15.03            |
| TSCCT-400100-5-03 | 4.00        | x | 1.00   | 2,300           | 4             | 12            | \$ 59.14           | \$ 14.79            |
| TSCCT-400200-5-03 | 4.00        | x | 2.00   | 1,250           | 4             | 12            | \$ 64.72           | \$ 16.18            |
| TSCCT-400300-5-03 | 4.00        | x | 3.00   | 850             | 4             | 13            | \$ 56.73           | \$ 14.18            |
| TSCCT-400400-5-03 | 4.00        | x | 4.00   | 700             | 4             | 13            | \$ 58.88           | \$ 14.72            |
| TSCCT-400600-5-03 | 4.00        | x | 6.00   | 450             | 4             | 13            | \$ 56.77           | \$ 14.19            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.

## THERMAL TRANSFER FANFOLD LABELS

Fanfold stacks / Permanent adhesive (acrylic)

### For use in the following TSC printers:

TA200, TA 210, TA300, TA310, TTP-244CE, TTP-245C, TTP-343C, TTP345, TX200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.            | LABEL WIDTH | x | LENGTH           | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|---------------------|-------------|---|------------------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCCT-400200-FF-03  | 4.00        | x | 2.00             | 6,000             | 2              | 23            | \$ 80.24           | \$ 40.12             |
| TSCCT-400300-FF-03  | 4.00        | x | 3.00             | 4,000             | 2              | 23            | \$ 78.78           | \$ 39.39             |
| TSCCT-400400-FF-03  | 4.00        | x | 4.00             | 3,000             | 2              | 23            | \$ 82.30           | \$ 41.15             |
| TSCCT-400600-FF-03  | 4.00        | x | 6.00             | 2,000             | 2              | 23            | \$ 74.39           | \$ 37.20             |
| TSCCT-400600B-FF-03 | 4.00        | x | 6.00 (Blue)      | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600G-FF-03 | 4.00        | x | 6.00 (Fl. Green) | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600O-FF-03 | 4.00        | x | 6.00 (Orange)    | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600P-FF-03 | 4.00        | x | 6.00 (Pink)      | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400600Y-FF-03 | 4.00        | x | 6.00 (Yellow)    | 2,000             | 2              | 23            | \$ 107.07          | \$ 53.54             |
| TSCCT-400650-FF-03  | 4.00        | x | 6.50             | 2,000             | 2              | 24            | \$ 83.25           | \$ 41.62             |
| TSCCT-400800-FF-03  | 4.00        | x | 8.00             | 1,250             | 2              | 19            | \$ 64.39           | \$ 32.20             |

Sold in full case quantities only.

### NON-TOPCOATED VS. TOPCOATED DIRECT THERMAL MATERIAL

Direct thermal materials utilize a heat sensitive, direct thermal coating that produces an image when in contact with the energized thermal printhead within your printer. The direct thermal coating is also sensitive to other environmental factors such as chemical contact, humidity, UV exposure and abrasion. These factors can destroy or degrade the quality of your printed image.

To help protect your printed image from these environmental factors, materials are available with a clear, protective top-coating. This top coat acts as a barrier to help resist the effects of image-degrading environmental factors.

#### Which is right for your application?

##### NON-TOPCOATED PRODUCT

The most economical choice, non-topcoated materials are acceptable for short duration labeling applications requiring limited environmental resistance.

##### TOPCOATED PRODUCT

Best for applications where the label will be subjected to abrasion, sunlight, moisture or light chemical contact.



## DIRECT THERMAL LABEL ROLLS - Premium Top Coated Direct Thermal Stock

5.0" outside diameter rolls / 1.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 2" width - TDP-225, TDP-323, TDP-324, TTP-225, TTP-323

Up to 4" width - DA200, DA300, TDP-244, TDP-245, TDP-247, TDP-343, TDP-345, TA200, TA210, TA300, TA310, TE200, TE300, TTP-244CE, TTP-245, TTP-245C, TTP-247, TTP-343C, TTP-345, TX200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.          | LABEL WIDTH | x | LENGTH | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-------------------|-------------|---|--------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCDT-200100-5-01 | 2.00        | x | 1.00   | 2,500           | 12            | 18            | \$ 165.25          | \$ 13.77            |
| TSCDT-225125-5-01 | 2.25        | x | 1.25   | 2,100           | 12            | 21            | \$ 196.27          | \$ 16.36            |
| TSCDT-250100-5-01 | 2.50        | x | 1.00   | 2,500           | 12            | 22            | \$ 241.10          | \$ 20.09            |
| TSCDT-300100-5-01 | 3.00        | x | 1.00   | 2,500           | 12            | 25            | \$ 240.42          | \$ 20.04            |
| TSCDT-300300-5-01 | 3.00        | x | 3.00   | 890             | 12            | 26            | \$ 210.48          | \$ 17.54            |
| TSCDT-350100-5-01 | 3.50        | x | 1.00   | 2,500           | 12            | 29            | \$ 270.22          | \$ 22.52            |
| TSCDT-400100-5-01 | 4.00        | x | 1.00   | 2,500           | 12            | 32            | \$ 316.95          | \$ 26.41            |
| TSCDT-400150-5-01 | 4.00        | x | 1.50   | 1,800           | 12            | 32            | \$ 336.95          | \$ 28.08            |
| TSCDT-400200-5-01 | 4.00        | x | 2.00   | 1,320           | 12            | 34            | \$ 281.42          | \$ 23.45            |
| TSCDT-400300-5-01 | 4.00        | x | 3.00   | 890             | 12            | 23            | \$ 250.99          | \$ 20.92            |
| TSCDT-400400-5-01 | 4.00        | x | 4.00   | 700             | 12            | 35            | \$ 292.60          | \$ 24.38            |
| TSCDT-400600-5-01 | 4.00        | x | 6.00   | 460             | 12            | 35            | \$ 195.39          | \$ 16.28            |
| TSCDT-400650-5-01 | 4.00        | x | 6.50   | 380             | 12            | 31            | \$ 217.31          | \$ 18.11            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.

## DIRECT THERMAL LABEL ROLLS - Premium Uncoated Direct Thermal Stock

5.0" outside diameter rolls / 1.0" inside diameter core / Permanent adhesive (acrylic)

### For use in the following TSC printers:

Up to 2" width - TDP-225, TDP-323, TDP-324, TTP-225, TTP-323

Up to 4" width - DA200, DA300, TDP-244, TDP-245, TDP-247, TDP-343, TDP-345, TA200, TA210, TA300, TA310, TE200, TE300, TTP-244CE, TTP-245, TTP-245C, TTP-247, TTP-343C, TTP-345, TX200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.           | LABEL WIDTH | x | LENGTH | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|--------------------|-------------|---|--------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCUDT-125100-5-03 | 1.25        | x | 1.00   | 2,340           | 4             | 5             | \$ 33.80           | \$ 8.45             |
| TSCUDT-200100-5-03 | 2.00        | x | 1.00   | 2,300           | 4             | 7             | \$ 43.84           | \$ 10.96            |
| TSCUDT-225125-5-03 | 2.25        | x | 1.25   | 1,900           | 4             | 8             | \$ 48.36           | \$ 12.09            |
| TSCUDT-300200-5-03 | 3.00        | x | 2.00   | 1,240           | 4             | 10            | \$ 65.72           | \$ 16.43            |
| TSCUDT-400100-5-03 | 4.00        | x | 1.00   | 2,300           | 4             | 13            | \$ 76.12           | \$ 19.03            |
| TSCUDT-400200-5-03 | 4.00        | x | 2.00   | 1,250           | 4             | 13            | \$ 77.16           | \$ 19.29            |
| TSCUDT-400300-5-03 | 4.00        | x | 3.00   | 850             | 4             | 13            | \$ 65.32           | \$ 16.33            |
| TSCUDT-400600-5-03 | 4.00        | x | 6.00   | 450             | 4             | 14            | \$ 61.44           | \$ 15.36            |

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.



## DIRECT THERMAL FANFOLD LABELS - Premium Top Coated Direct Thermal Stock

Fanfold stacks / Permanent adhesive (acrylic)

### For use in the following TSC printers:

DA200, DA300, TDP-244, TDP-245, TDP-247, TDP-343, TDP-345, TA200, TA210, TA300, TA310, TTP-244CE, TTP-245, TTP-245C, TTP-247, TTP-343C, TTP-345, TE200, TE300, X200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.           | LABEL WIDTH | x | LENGTH | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|--------------------|-------------|---|--------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCDT-400600-FF-02 | 4.00        | x | 6.00   | 2,000             | 2              | 22            | \$ 117.48          | \$ 58.74             |
| TSCDT-400650-FF-01 | 4.00        | x | 6.50   | 2,000             | 2              | 24            | \$ 164.17          | \$ 82.09             |

*Sold in full case quantities only.*

## DIRECT THERMAL FANFOLD LABELS - Premium Uncoated Direct Thermal Stock

Fanfold stacks / Permanent adhesive (acrylic)

### For use in the following TSC printers:

DA200, DA300, TDP-244, TDP-245, TDP-247, TDP-343, TDP-345, TA200, TA210, TA300, TA310, TTP-244CE, TTP-245, TTP-245C, TTP-247, TTP-343C, TTP-345, TE200, TE300, X200, TX300, TX600, TC200, TC300, TC210 & TC310

| PART NO.            | LABEL WIDTH | x | LENGTH | LABELS/<br>STACKS | STACKS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>STACK |
|---------------------|-------------|---|--------|-------------------|----------------|---------------|--------------------|----------------------|
| TSCUDT-400200-FF-03 | 4.00        | X | 2.00   | 6,000             | 2              | 24            | \$ 134.88          | \$ 67.41             |
| TSCUDT-400400-FF-03 | 4.00        | X | 4.00   | 3,000             | 2              | 25            | \$ 125.22          | \$ 62.62             |
| TSCUDT-400600-FF-03 | 4.00        | x | 6.00   | 2,000             | 2              | 26            | \$ 103.16          | \$ 51.58             |
| TSCUDT-400650-FF-03 | 4.00        | x | 6.50   | 2,000             | 2              | 26            | \$ 121.96          | \$ 60.98             |

*Sold in full case quantities only.*





## THERMAL TRANSFER RIBBONS - 90M

0.5" notched core / Ink side OUT

For use with the following TSC printers:

TTP-225, TTP-323

**NEED SAMPLES?**

We provide at no charge!

Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W058090-24CA | 58.0 / 2.28              | x | 90 / 295          | Standard Wax- SWX        | 48            | 6             | \$ 120.95          | \$ 2.52             |
| 35-W058090-24CB | 58.0 / 2.28              | x | 90 / 295          | Premium Wax - PWX        | 48            | 6             | \$ 138.58          | \$ 2.89             |
| 35-S058090-24CC | 58.0 / 2.28              | x | 90 / 295          | Standard Wax/Resin - SWR | 48            | 6             | \$ 168.41          | \$ 3.51             |
| 35-S058090-24CD | 58.0 / 2.28              | x | 90 / 295          | Premium Wax/Resin - PWR  | 48            | 6             | \$ 192.82          | \$ 4.02             |
| 35-R058090-24CE | 58.0 / 2.28              | x | 90 / 295          | Standard Resin - SRE     | 48            | 6             | \$ 348.76          | \$ 7.27             |
| 35-R058090-24CF | 58.0 / 2.28              | x | 90 / 295          | Premium Resin - PRE      | 48            | 6             | \$ 407.06          | \$ 8.48             |

*Not seeing the exact size you want? Call us! Sold in full case quantities only.*

### HELPFUL TIP

The proper heat/energy setting of your printhead is crucial to optimizing your print quality when using thermal transfer ribbons.



# DESKTOP PRINTING SOLUTIONS

## THERMAL TRANSFER RIBBONS - 110M

0.5" notched core / Ink side OUT

NOTE: Ribbon widths less than 110mm will have the ribbon centered on the core.

**NEED SAMPLES?**  
We provide at no charge!

For use with the following TSC printers:

TC200, TC300, TC210, TC310, TE200, TE300, TTP-244CE, TTP-245C

Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W060110-23CA | 60.0 / 2.36              | x | 110 / 361         | Standard Wax- SWX        | 48            | 8             | \$ 127.70          | \$ 2.66             |
| 35-W060110-23CB | 60.0 / 2.36              | x | 110 / 361         | Premium Wax - PWX        | 48            | 9             | \$ 146.08          | \$ 3.04             |
| 35-S060110-23CC | 60.0 / 2.36              | x | 110 / 361         | Standard Wax/Resin - SWR | 24            | 4             | \$ 88.08           | \$ 3.67             |
| 35-S060110-23CD | 60.0 / 2.36              | x | 110 / 361         | Premium Wax/Resin - PWR  | 24            | 4             | \$ 101.06          | \$ 4.21             |
| 35-R060110-23CE | 60.0 / 2.36              | x | 110 / 361         | Standard Resin - SRE     | 24            | 4             | \$ 151.13          | \$ 6.30             |
| 35-R060110-23CF | 60.0 / 2.36              | x | 110 / 361         | Premium Resin - PRE      | 24            | 4             | \$ 213.60          | \$ 8.90             |
| 35-W076110-23CA | 76.0 / 3.00              | x | 110 / 361         | Standard Wax- SWX        | 24            | 5             | \$ 80.88           | \$ 3.37             |
| 35-W076110-23CB | 76.0 / 3.00              | x | 110 / 361         | Premium Wax - PWX        | 24            | 5             | \$ 92.40           | \$ 3.85             |
| 35-S076110-23CC | 76.0 / 3.00              | x | 110 / 361         | Standard Wax/Resin - SWR | 24            | 5             | \$ 111.60          | \$ 4.65             |
| 35-S076110-23CD | 76.0 / 3.00              | x | 110 / 361         | Premium Wax/Resin - PWR  | 24            | 5             | \$ 127.92          | \$ 5.33             |
| 35-R076110-23CE | 76.0 / 3.00              | x | 110 / 361         | Standard Resin - SRE     | 24            | 5             | \$ 191.52          | \$ 7.98             |
| 35-R076110-23CF | 76.0 / 3.00              | x | 110 / 361         | Premium Resin - PRE      | 24            | 5             | \$ 270.48          | \$ 11.27            |
| 35-W083110-23CA | 83.0 / 3.27              | x | 110 / 361         | Standard Wax- SWX        | 24            | 5             | \$ 88.33           | \$ 3.68             |
| 35-W083110-23CB | 83.0 / 3.27              | x | 110 / 361         | Premium Wax - PWX        | 24            | 6             | \$ 101.04          | \$ 4.21             |
| 35-S083110-23CC | 83.0 / 3.27              | x | 110 / 361         | Standard Wax/Resin - SWR | 24            | 6             | \$ 122.01          | \$ 5.08             |
| 35-S083110-23CD | 83.0 / 3.27              | x | 110 / 361         | Premium Wax/Resin - PWR  | 24            | 5             | \$ 139.80          | \$ 5.82             |
| 35-R083110-23CE | 83.0 / 3.27              | x | 110 / 361         | Standard Resin - SRE     | 24            | 5             | \$ 209.06          | \$ 8.71             |
| 35-R083110-23CF | 83.0 / 3.27              | x | 110 / 361         | Premium Resin - PRE      | 24            | 5             | \$ 295.48          | \$ 12.31            |
| 35-W090110-23CA | 90.0 / 3.54              | x | 110 / 361         | Standard Wax- SWX        | 24            | 6             | \$ 95.78           | \$ 3.99             |
| 35-W090110-23CB | 90.0 / 3.54              | x | 110 / 361         | Premium Wax - PWX        | 24            | 6             | \$ 109.56          | \$ 4.56             |
| 35-S090110-23CC | 90.0 / 3.54              | x | 110 / 361         | Standard Wax/Resin - SWR | 24            | 6             | \$ 132.30          | \$ 5.51             |
| 35-S090110-23CD | 90.0 / 3.54              | x | 110 / 361         | Premium Wax/Resin - PWR  | 24            | 6             | \$ 151.59          | \$ 6.32             |
| 35-R090110-23CE | 90.0 / 3.54              | x | 110 / 361         | Standard Resin - SRE     | 12            | 3             | \$ 113.35          | \$ 9.45             |
| 35-R090110-23CF | 90.0 / 3.54              | x | 110 / 361         | Premium Resin - PRE      | 12            | 3             | \$ 160.20          | \$ 13.35            |
| 35-W110110-23CA | 110.0 / 4.33             | x | 110 / 361         | Standard Wax- SWX        | 24            | 7             | \$ 117.06          | \$ 4.88             |
| 35-W110110-23CB | 110.0 / 4.33             | x | 110 / 361         | Premium Wax - PWX        | 24            | 7             | \$ 133.90          | \$ 5.58             |
| 35-S110110-23CC | 110.0 / 4.33             | x | 110 / 361         | Standard Wax/Resin - SWR | 24            | 7             | \$ 161.76          | \$ 6.74             |
| 35-S110110-23CD | 110.0 / 4.33             | x | 110 / 361         | Premium Wax/Resin - PWR  | 24            | 7             | \$ 185.28          | \$ 7.72             |
| 35-R110110-23CE | 110.0 / 4.33             | x | 110 / 361         | Standard Resin - SRE     | 12            | 3             | \$ 138.54          | \$ 11.54            |
| 35-R110110-23CF | 110.0 / 4.33             | x | 110 / 361         | Premium Resin - PRE      | 12            | 3             | \$ 195.80          | \$ 16.32            |

Not seeing the exact size you want? Call us! Sold in full case quantities only.

## THERMAL TRANSFER RIBBONS - 300M

1.0" core / Ink side OUT

**NEED SAMPLES?**  
We provide at no charge!

**For use with the following TSC printers:**

TA200, TA210, TA300, TA310, TE200, TE300, TTP-243 PRO, TTP-244 PRO, TTP-247, TTP-345, TX200, TX300, TX600

**Please refer to page 30 for listing/description of all TSC Thermal Transfer Ribbon formulations**

| PART NO.        | RIBBON WIDTH<br>mm / in. | x | LENGTH<br>M / ft. | FORMULATION              | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|--------------------------|---|-------------------|--------------------------|---------------|---------------|--------------------|---------------------|
| 35-W060300-20CA | 60.0 / 2.36              | x | 300 / 984         | Standard Wax- SWX        | 24            | 11            | \$ 111.50          | \$ 4.65             |
| 35-W060300-20CB | 60.0 / 2.36              | x | 300 / 984         | Premium Wax - PWX        | 24            | 12            | \$ 136.56          | \$ 5.69             |
| 35-S060300-20CC | 60.0 / 2.36              | x | 300 / 984         | Standard Wax/Resin - SWR | 24            | 12            | \$ 177.90          | \$ 7.41             |
| 35-S060300-20CD | 60.0 / 2.36              | x | 300 / 984         | Premium Wax/Resin - PWR  | 24            | 11            | \$ 212.98          | \$ 8.87             |
| 35-R060300-20CE | 60.0 / 2.36              | x | 300 / 984         | Standard Resin - SRE     | 12            | 5             | \$ 174.77          | \$ 14.56            |
| 35-R060300-20CF | 60.0 / 2.36              | x | 300 / 984         | Premium Resin - PRE      | 12            | 5             | \$ 259.96          | \$ 21.66            |
| 35-W076300-20CA | 76.0 / 3.00              | x | 300 / 984         | Standard Wax- SWX        | 12            | 7             | \$ 70.56           | \$ 5.88             |
| 35-W076300-20CB | 76.0 / 3.00              | x | 300 / 984         | Premium Wax - PWX        | 12            | 8             | \$ 86.52           | \$ 7.21             |
| 35-S076300-20CC | 76.0 / 3.00              | x | 300 / 984         | Standard Wax/Resin - SWR | 12            | 8             | \$ 112.68          | \$ 9.39             |
| 35-S076300-20CD | 76.0 / 3.00              | x | 300 / 984         | Premium Wax/Resin - PWR  | 12            | 7             | \$ 134.88          | \$ 11.24            |
| 35-R076300-20CE | 76.0 / 3.00              | x | 300 / 984         | Standard Resin - SRE     | 12            | 7             | \$ 221.37          | \$ 18.45            |
| 35-R076300-20CF | 76.0 / 3.00              | x | 300 / 984         | Premium Resin - PRE      | 12            | 7             | \$ 329.28          | \$ 27.44            |
| 35-W083300-20CA | 83.0 / 3.27              | x | 300 / 984         | Standard Wax- SWX        | 24            | 15            | \$ 154.24          | \$ 6.43             |
| 35-W083300-20CB | 83.0 / 3.27              | x | 300 / 984         | Premium Wax - PWX        | 24            | 16            | \$ 188.90          | \$ 7.87             |
| 35-S083300-20CC | 83.0 / 3.27              | x | 300 / 984         | Standard Wax/Resin - SWR | 24            | 16            | \$ 246.09          | \$ 10.25            |
| 35-S083300-20CD | 83.0 / 3.27              | x | 300 / 984         | Premium Wax/Resin - PWR  | 12            | 8             | \$ 147.31          | \$ 12.28            |
| 35-R083300-20CE | 83.0 / 3.27              | x | 300 / 984         | Standard Resin - SRE     | 12            | 7             | \$ 241.76          | \$ 20.15            |
| 35-R083300-20CF | 83.0 / 3.27              | x | 300 / 984         | Premium Resin - PRE      | 12            | 7             | \$ 359.61          | \$ 29.97            |
| 35-W090300-20CA | 90.0 / 3.54              | x | 300 / 984         | Standard Wax- SWX        | 24            | 17            | \$ 167.25          | \$ 6.97             |
| 35-W090300-20CB | 90.0 / 3.54              | x | 300 / 984         | Premium Wax - PWX        | 24            | 17            | \$ 204.83          | \$ 8.53             |
| 35-S090300-20CC | 90.0 / 3.54              | x | 300 / 984         | Standard Wax/Resin - SWR | 24            | 17            | \$ 266.85          | \$ 11.12            |
| 35-S090300-20CD | 90.0 / 3.54              | x | 300 / 984         | Premium Wax/Resin - PWR  | 12            | 8             | \$ 159.73          | \$ 13.31            |
| 35-R090300-20CE | 90.0 / 3.54              | x | 300 / 984         | Standard Resin - SRE     | 12            | 8             | \$ 262.15          | \$ 21.85            |
| 35-R090300-20CF | 90.0 / 3.54              | x | 300 / 984         | Premium Resin - PRE      | 12            | 8             | \$ 389.93          | \$ 32.49            |
| 35-W110300-20CA | 110.0 / 4.33             | x | 300 / 984         | Standard Wax- SWX        | 12            | 10            | \$ 102.21          | \$ 8.52             |
| 35-W110300-20CB | 110.0 / 4.33             | x | 300 / 984         | Premium Wax - PWX        | 12            | 11            | \$ 125.18          | \$ 10.43            |
| 35-S110300-20CC | 110.0 / 4.33             | x | 300 / 984         | Standard Wax/Resin - SWR | 12            | 11            | \$ 163.07          | \$ 13.59            |
| 35-S110300-20CD | 110.0 / 4.33             | x | 300 / 984         | Premium Wax/Resin - PWR  | 12            | 10            | \$ 195.23          | \$ 16.27            |
| 35-R110300-20CE | 110.0 / 4.33             | x | 300 / 984         | Standard Resin - SRE     | 12            | 9             | \$ 320.40          | \$ 26.70            |
| 35-R110300-20CF | 110.0 / 4.33             | x | 300 / 984         | Premium Resin - PRE      | 12            | 9             | \$ 476.59          | \$ 39.72            |

**Not seeing the exact size you want? Call us!** Sold in full case quantities only.

Mobile printing applications present some of the toughest and most varied printing environments. This is why we've introduced a comprehensive line of receipt papers designed to meet the demands of any environment in which your mobile printer operates.

With five options to choose from, our receipt grades are designed to maximize the output and efficiency of our Alpha Series Mobile Printers. Ensuring a perfect match for your mobile receipt application, Genuine TSC Alpha Receipt Supplies will also provide the most cost-effective, no-hassle solution available.



## STANDARD

Standard sensitivity receipt grade with good overall imaging characteristics. Designed for general purpose printing applications. Provides an excellent balance between quality and economy.

## PREMIUM

High sensitivity receipt grade that produces clean, dark images. Recommended for barcode and graphics printing where image quality is crucial.

## PREMIUM DURABLE

Top coated for excellent environmental resistance and made with a heavier paper stock for durability and a premium feel. High sensitivity for dark, crisp images.

## ARCHIVAL

Excellent environmental resistance along with industry-leading archival properties. 25-year image life when stored under proper conditions.

## ALL WEATHER

Top coated, synthetic grade offering maximum durability and excellent print quality. Highly weather/moisture resistant and tearproof.

## Applications

- Inventory Management
- Process Compliance
- Direct Store Delivery
- Cross-Dock Operations
- Fleet Management
- Field Service
- Electronic Citations/Parking Violations
- Ticketing Operations
- Linebusting
- Product Picking and Shipping

## MOBILE PRINTING SUPPLIES:

- Alpha-2R Receipt.....Pg. 27
- Alpha 3R Receipt.....Pg. 27
- Alpha-4L Receipt .....Pg. 27
- Alpha-4L Label .....Pg. 28

## HELPFUL TIP

Increasing the energy level of the printhead in your mobile printer will yield a darker image. But there's a tradeoff...the higher energy setting will drain the battery faster and result in a shorter duty cycle between charges. Optimizing your printer settings to the media you use will yield the perfect balance. Your TSC Supplies Expert can help.

**ALPHA-2R RECEIPT MEDIA**

2.00" outside diameter rolls / 0.50" inside diameter core

| PART NO.                | ROLL WIDTH<br>(in.) | x | LENGTH<br>(ft.) | MATERIAL GRADE  | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST<br>PRICE/CTN | MIN ORDER<br>QTY. |
|-------------------------|---------------------|---|-----------------|-----------------|---------------|---------------|-------------------|-------------------|
| TSCMR-200100-S-03       | 2.00                | x | 100             | STANDARD        | 50            | 10            | <b>PLEASE</b>     | <b>5 CTN</b>      |
| TSCMR-200095-P-03       | 2.00                | x | 95              | PREMIUM         | 50            | 11            | <b>CALL</b>       | <b>5 CTN</b>      |
| TSCMR-200070-PD-03      | 2.00                | x | 70              | PREMIUM DURABLE | 50            | 13            | <b>FOR</b>        | <b>5 CTN</b>      |
| TSCMR-200100-A-03       | 2.00                | x | 100             | ARCHIVAL        | 50            | 10            | <b>PRICING</b>    | <b>5 CTN</b>      |
| CUSTOM RUN PRODUCT ONLY | 2.00                | x | 70              | ALL WEATHER     | -             | -             | -                 | -                 |

*Sold in full case quantities only.***ALPHA-3R RECEIPT MEDIA**

2.25" outside diameter rolls / 0.50" inside diameter core

| PART NO.                | ROLL WIDTH<br>(in.) | x | LENGTH<br>(ft.) | MATERIAL GRADE  | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST<br>PRICE/CTN | MIN ORDER<br>QTY. |
|-------------------------|---------------------|---|-----------------|-----------------|---------------|---------------|-------------------|-------------------|
| TSCMR-300130-S-03       | 3.00                | x | 130             | STANDARD        | 50            | 18            | <b>PLEASE</b>     | <b>5 CTN</b>      |
| TSCMR-300125-P-03       | 3.00                | x | 125             | PREMIUM         | 50            | 18            | <b>CALL</b>       | <b>5 CTN</b>      |
| TSCMR-300095-PD-03      | 3.00                | x | 95              | PREMIUM DURABLE | 50            | 20            | <b>FOR</b>        | <b>5 CTN</b>      |
| TSCMR-300130-A-03       | 3.00                | x | 130             | ARCHIVAL        | 50            | 18            | <b>PRICING</b>    | <b>5 CTN</b>      |
| CUSTOM RUN PRODUCT ONLY | 3.00                | x | 90              | ALL WEATHER     | -             | -             | -                 | -                 |

*Sold in full case quantities only.***ALPHA-4L RECEIPT MEDIA**

2.625" outside diameter rolls / 0.50" inside diameter core

| PART NO.                | ROLL WIDTH<br>(in.) | x | LENGTH<br>(ft.) | MATERIAL GRADE  | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST<br>PRICE/CTN | MIN ORDER<br>QTY. |
|-------------------------|---------------------|---|-----------------|-----------------|---------------|---------------|-------------------|-------------------|
| TSCMR-400180-S-03       | 4.00                | x | 180             | STANDARD        | 50            | 31            | <b>PLEASE</b>     | <b>5 CTN</b>      |
| TSCMR-400175-P-03       | 4.00                | x | 175             | PREMIUM         | 50            | 33            | <b>CALL</b>       | <b>5 CTN</b>      |
| TSCMR-400135-PD-03      | 4.00                | x | 135             | PREMIUM DURABLE | 50            | 35            | <b>FOR</b>        | <b>5 CTN</b>      |
| TSCMR-400180-A-03       | 4.00                | x | 180             | ARCHIVAL        | 50            | 33            | <b>PRICING</b>    | <b>5 CTN</b>      |
| CUSTOM RUN PRODUCT ONLY | 4.00                | x | 125             | ALL WEATHER     | -             | -             | -                 | -                 |

*Sold in full case quantities only.*

## NON-TOPCOATED VS. TOPCOATED DIRECT THERMAL MATERIAL

Direct thermal materials utilize a heat sensitive, direct thermal coating that produces an image when in contact with the energized thermal printhead within your printer. The direct thermal coating is also sensitive to other environmental factors such as chemical contact, humidity, UV exposure and abrasion. These factors can destroy or degrade the quality of your printed image.

To help protect your printed image from these environmental factors, materials are available with a clear, protective top-coating. This top coat acts as a barrier to help resist the effects of image-degrading environmental factors.

### Which is right for your application?

#### NON-TOPCOATED PRODUCT

The most economical choice, non-topcoated materials are acceptable for short duration labeling applications requiring limited environmental resistance.

#### TOPCOATED PRODUCT

Best for applications where the label will be subjected to abrasion, sunlight, moisture or light chemical contact.

Your TSC supplies expert can help you determine the proper choice for your receipt or label application.

## ALPHA-4L LABEL MEDIA - Premium Top Coated Direct Thermal Stock

2.625" outside diameter rolls / 0.75" inside diameter core

| PART NO.        | LABEL WIDTH | x | LENGTH | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|-----------------|-------------|---|--------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCML-400100-03 | 4.00        | x | 1.00   | 620             | 36            | 22            | <b>\$ 234.00</b>   | <b>\$ 6.50</b>      |
| TSCML-400200-03 | 4.00        | x | 2.00   | 325             | 36            | 22            | <b>\$ 234.00</b>   | <b>\$ 6.50</b>      |
| TSCML-400300-03 | 4.00        | x | 3.00   | 220             | 36            | 22            | <b>\$ 234.00</b>   | <b>\$ 6.50</b>      |
| TSCML-400400-03 | 4.00        | x | 4.00   | 165             | 36            | 22            | <b>\$ 234.00</b>   | <b>\$ 6.50</b>      |
| TSCML-400600-03 | 4.00        | x | 6.00   | 105             | 36            | 22            | <b>\$ 234.00</b>   | <b>\$ 6.50</b>      |

*Sold in full case quantities only.*

## ALPHA-4L LABEL MEDIA - Premium Uncoated Direct Thermal Stock

2.625" outside diameter rolls / 0.75" inside diameter core

| PART NO.         | LABEL WIDTH | x | LENGTH | LABELS/<br>ROLL | ROLLS/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN | LIST PRICE/<br>ROLL |
|------------------|-------------|---|--------|-----------------|---------------|---------------|--------------------|---------------------|
| TSCML-400100U-03 | 4.00        | x | 1.00   | 620             | 36            | 22            | <b>\$ 194.40</b>   | <b>\$ 5.40</b>      |
| TSCML-400200U-03 | 4.00        | x | 2.00   | 325             | 36            | 22            | <b>\$ 194.40</b>   | <b>\$ 5.40</b>      |
| TSCML-400300U-03 | 4.00        | x | 3.00   | 220             | 36            | 22            | <b>\$ 194.40</b>   | <b>\$ 5.40</b>      |
| TSCML-400400U-03 | 4.00        | x | 4.00   | 165             | 36            | 22            | <b>\$ 194.40</b>   | <b>\$ 5.40</b>      |
| TSCML-400600U-03 | 4.00        | x | 6.00   | 105             | 36            | 22            | <b>\$ 194.40</b>   | <b>\$ 5.40</b>      |

*Sold in full case quantities only.*



TSC's line of thermal printer cleaning supplies are designed to support two crucial objectives:

1. Ensure clean, consistent printing with optimal image clarity and density
2. Maximize the life of the thermal printhead and printing mechanism

With a simple cleaning routine, you can be rewarded with optimum operational efficiencies, reduced service calls and maximum equipment life.



Adhesive, dust and environmental contaminants all contribute to:

- Print voids
- Barcode scan issues
- Paper and label jams
- Poor print quality
- Printhead failure

## CLEANING CARDS

Designed to remove the most stubborn contaminants from the thermal printhead and the full circumference of the rollers.

## CLEANING SWABS

Effectively cleans the thermal printhead, platen roller and other interior surfaces. A foam tip on a slender, 5" applicator makes this an easy-to-use solution.

## CLEANING PENS

Effectively removes dirt, ink and other environmental contaminants from easily accessible printheads.

## CLEANING WIPES

Pre-Saturated wipes designed for cleaning the interior of the printer as well as the thermal printerhead.

### HELPFUL TIP

Cleaning your printhead on a regular basis will greatly reduce the occurrence of voids, image pitting and inconsistent image quality due to dust and other contaminants. Cleaning is a quick and simple process that will also maximize the life of your printhead.

## CLEANING SUPPLIES

| PART NO.   | ITEM              | DESCRIPTION                                              | QTY/<br>CTN | CTN<br>WEIGHT | LIST PRICE/<br>CTN |
|------------|-------------------|----------------------------------------------------------|-------------|---------------|--------------------|
| TSCCC-3-15 | Cleaning Card, 3" | Presaturated cleaning card, 3"W x 6"L                    | 15          | 1             | \$ 19.26           |
| TSCCC-4-15 | Cleaning Card, 4" | Presaturated cleaning card, 4"W x 6"L                    | 15          | 1             | \$ 19.90           |
| TSCCS-50   | Cleaning Swab     | Presaturated, foam tipped cleaning swab, 6" total length | 50          | 1             | \$ 60.28           |
| TSCCP-12   | Cleaning Pen      | Presaturated cleaning pen with 6" barrel                 | 12          | 1             | \$ 23.10           |
| TSCCW-50   | Cleaning Wipe     | Presaturated cleaning wipes                              | 50          | 1             | \$ 26.90           |



## THERMAL TRANSFER RIBBONS

Supported by a full range of ink formulations, you can be confident that your Genuine TSC Ribbon will meet the demands of your label printing application. Enjoy consistent, premium quality and optimized performance through your TSC printer.

### The TSC range of thermal transfer ribbons:

#### SWX – TSC STANDARD WAX

- Widely used for barcode applications. Provides excellent print quality
- Suitable for standard labeling applications
- Compatible with most coated and non-coated paper labels

#### PWX – TSC PREMIUM WAX

- Resin-enhanced wax
- Best scratch and smudge resistance for a wax ribbon
- Supports high speed printing
- Excellent print quality on all papers and some film materials

#### SWR – TSC STANDARD WAX/RESIN

- General purpose wax/resin formulation
- Superior print quality on common papers and films. Our most versatile formulation
- Good scratch and smudge resistance

#### PWR – TSC PREMIUM WAX/RESIN

- Designed to print on a wide range of coated papers and films
- Very sharp print quality, enabling ladder and rotated barcode printing simultaneously
- Enhanced abrasion and scratch resistance

#### SRE – TSC STANDARD RESIN

- Excellent mechanical resistance, including abrasion and scratch
- Extensive adaptability to a wide range of film materials
- Supports higher print speeds


#### PRE – TSC PREMIUM RESIN

- Designed for the most extreme environmental conditions
- Highest abrasion, scratch and solvent resistance
- Compatible with a wide range of synthetic materials

### Ribbons available for TSC ME240 Series

Supported by a full range of ink formulations, you can be confident that your Genuine TSC ribbon will meet the demands of your label printing application. Enjoy consistent, premium quality and optimized performance through your TSC printer.


#### SWX - TSC Standard Wax



- Widely used for barcode application. Provides excellent print quality.
- Suitable for standard labeling applications
- Compatible with most coated and non-coated paper labels

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 24              | 24              | 24              | 12              | 12              |
| Your P/N      | 35-W060450-20CA | 35-W076450-20CA | 35-W083450-20CA | 35-W090450-20CA | 35-W110450-20CA |


#### PWX - TSC Premium Wax



- Resin-enhanced wax
- Best scratch and smudge resistance for a wax ribbon
- Supports high speed printing
- Excellent print quality on all papers and some film materials

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 24              | 24              | 24              | 12              | 12              |
| Your P/N      | 35-W060450-20CB | 35-W076450-20CB | 35-W083450-20CB | 35-W090450-20CB | 35-W110450-20CB |


#### SWR - TSC Standard Wax/Resin



- General purpose wax/resin formulation
- Superior print quality on all common papers and films. Our most versatile formulation.
- Good scratch and smudge resistance

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 12              | 12              | 12              | 12              | 12              |
| Your P/N      | 35-S060450-20CB | 35-S076450-20CB | 35-S083450-20CB | 35-S090450-20CB | 35-S110450-20CB |


#### PWR - TSC Premium Wax/Resin



- Designed to print on a wide range of coated papers and films
- Very sharp print quality, enabling ladder and rotated barcode printing simultaneously
- Enhanced abrasion and scratch resistance

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 12              | 12              | 12              | 12              | 12              |
| Your P/N      | 35-P060450-20CB | 35-P076450-20CB | 35-P083450-20CB | 35-P090450-20CB | 35-P110450-20CB |


#### SRE - TSC Standard Resin



- Excellent mechanical resistance, including abrasion and scratch
- Extensive adaptability to a wide range of film materials
- Supports higher print speeds

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 12              | 12              | 6               | 6               | 6               |
| Your P/N      | 35-R060450-20CB | 35-R076450-20CB | 35-R083450-20CB | 35-R090450-20CB | 35-R110450-20CB |

#### PRE - TSC Premium Resin



- Designed for the most extreme environmental conditions
- Highest abrasion, scratch and solvent resistance
- Compatible with a wide range of synthetic materials

|               |                 |                 |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Width (mm)    | 60              | 76              | 83              | 90              | 110             |
| Length (m)    | 450             | 450             | 450             | 450             | 450             |
| No. rolls/box | 12              | 12              | 6               | 6               | 6               |
| Your P/N      | 35-P060450-20CB | 35-P076450-20CB | 35-P083450-20CB | 35-P090450-20CB | 35-P110450-20CB |

**CORPORATE HEADQUARTERS**  
12 Ave. D Technology Co., Ltd.  
Tel: +86 21 2121 8159  
Email: sales\_usa@tscprinters.com

**AMERICA**  
12 Ave. D Technology Co., Ltd.  
Tel: +1 857 238 8888  
Email: sales\_usa@tscprinters.com

**BRASIL**  
12 Ave. D Technology Co., Ltd.  
Tel: +55 11 9151 8298  
Email: sales\_brazil@tscprinters.com

**RUSSIA**  
12 Ave. D Technology Co., Ltd.  
Tel: +7 495 249 9023  
Email: sales\_russia@tscprinters.com

**ASIA PACIFIC**  
12 Ave. D Technology Co., Ltd.  
Tel: +86 21 2121 8159  
Email: sales\_asia@tscprinters.com

**MEXICO**  
12 Ave. D Technology Co., Ltd.  
Tel: +52 55 5165 3779  
Email: sales\_mexico@tscprinters.com

**EMEA**  
12 Ave. D Technology Co., Ltd.  
Tel: +49 89 836 3779  
Email: sales\_emea@tscprinters.com

**MIDDLE EAST**  
12 Ave. D Technology Co., Ltd.  
Tel: +91 4 203 300  
Email: sales\_mideast@tscprinters.com

**CHINA**  
12 Ave. D Technology Co., Ltd.  
Tel: +86 21 2121 8159  
Email: sales\_china@tscprinters.com

### BE SURE TO REFER TO OUR TTR DATASHEETS FOR:

- TSC printer compatibility
- Part number and item specifications
- Label material compatibility charts
- Ribbon formulation characteristics

### SPECIALTY RIBBONS

- A variety of colors are available for our wax, wax/resin and resin formulations
- Textile applications
- Extreme heat resistance
- Many other solutions available...ask us!

**YOUR TSC SUPPLIES EXPERT WILL WORK WITH YOU  
TO DETERMINE THE CORRECT RIBBON FORMULATION FOR YOUR NEEDS.**

## MARKETING RESOURCES

Our goal is to provide our valued partners with comprehensive supplies support...before, during and after the sale. As part of this goal, we offer a continuously expanding “library” of marketing support material to help communicate the scope and value of Genuine TSC Supplies. Available in .pdf and hard copy format.

Additionally, we offer supplies product and application training – from basic “101” tutorials to more in-depth training that targets specific products or product lines. Our supplies expertise runs deep and we welcome the opportunity to share our knowledge and advice with our partners.

Contact us to let us know how we can support your sales effort...we're here to help!



**TSC**  
GENUINE SUPPLIES

**TSC has 300+ stocking agents**  
**Reliable** Since 1968, TSC has been a leading supplier of office supplies.  
 186-881-1000 (toll-free) 800-225-1000 (toll-free)  
 www.tscusa.com  
 email: [supplies@tscusa.com](mailto:supplies@tscusa.com)  
 fax: [supplies@tscusa.com](mailto:supplies@tscusa.com)

**YOU'VE CHOSEN THE BEST PRINTER FOR THE JOB.**  
**NOW IT'S TIME TO CHOOSE THE BEST SUPPLIES FOR YOUR PRINTER.**

We understand that your complete satisfaction is based on effective quality and fast solution support. This is why we offer a comprehensive selection of Genuine TSC Supplies that can **GUARANTEE** performance through your TSC Individual, Desktop or Mobile printer.



- Stock Labels
- Thermal Transfer Labels
- Thermally-Transfer Supplies for Specialty/Custom Labels, Tags and Identification
- Specialty/Custom Labels, Tags and Identification
- Thermal Transfer Ribbons

**Why choose Genuine TSC Supplies?**

TSC Genuine Supplies are available to support **YOUR** application:

- Thermalfax
- Thermalprint
- Labeling
- Identification and Hospitality

Our products perform throughout the life of your application and with each and every printout.

**Consistent Performance**  
 Genuine TSC Supplies consistently meet performance intentions as required by TSC customers.

**Consistent Quality**  
 This ensures consistent performance through TSC products, every time you print.

**Comprehensive Product Portfolio**  
 A total selection of TSC Genuine Supplies are available for the Individual, Desktop and Mobile printer markets. Most items are in stock and available for immediate shipment.

**Worldwide Distribution**  
 With multiple product distribution points within the United States, you can get what you need when, where you need them.

For pricing or samples, contact your regional sales representative.

**By using Genuine TSC supplies through your TSC printer, you're making "The Smarter Choice."**

## GENUINE TSC SUPPLIES



**TSC**  
GENUINE SUPPLIES

**TSC Asia Pacific Technology Division**  
 4700 Anson Road, #01-201, Anson Road, Singapore 439603  
 Tel: 4875 2266/4875 2267 Fax: 4875 2268  
 Email: [geninfo@tsc.com.sg](mailto:geninfo@tsc.com.sg)  
[www.tsc.com.sg](http://www.tsc.com.sg)

**GENUINE TSC SUPPLIES**

## THERMAL TRANSFER RIBBONS

Supported by a full range of its formulations, you can be confident your genuine TSC products will meet the demands of your label printing application. These come with excellent quality and sustained performance for your TSC printer.



The TSC range of thermal transfer ribbons:

- An economically priced ink formulation providing excellent print quality
- Suitable for standard labeling applications
- Compatible with most coated and non-coated paper labels
- Excellent print quality
- Excellent print life
- Resistant to wear
- Based on acrylic and ultraviolet resistant for a low ribbon
- Superior high speed printing
- Excellent print life on a wide variety of paper and film substrates
- General purpose and high performance
- Excellent print quality
- Gold scratch and scratch resistance
- Superior print quality
- Designed for use on a wide range of coated and uncoated papers and films
- Superior print quality
- Superior print life
- Superior high speed printing
- Excellent abrasion and solvent resistance
- Superior print quality
- Superior print life on a wide range of film materials
- Superior high speed printing
- Designed for the most extreme environmental conditions
- Superior scratch and solvent resistance
- Superior print quality
- Compatible with a wide range of specialty/specialty materials
- Superior print quality
- Colored and wax resin
- Excellent heat resistance
- Permanent color

By using Genuine TSC supplies through your TSC printer, you're making "The Smarter Choice."

## THERMAL TRANSFER RIBBONS



**100 Day 100% Satisfaction Guarantee**  
 No questions asked. No hassles. No money back.  
 1-800-828-8888

## GENUINE GRADE PRINTER PAPER FOR ALPHA 2/3/4 MOBILE PRINTERS

With the best choice in TSC, TSC comprehensive line of mobile prints offers a perfect match to your mobile printer. We offer a wide range of mobile prints for all TSC Alpha Series mobile printers. Genuine mobile prints will provide the most effective, true-to-life color reproduction.



| Applications                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Professional Photographs</li> <li>• Process Composites</li> <li>• Street Scene Photography</li> <li>• Close-Down Photography</li> <li>• Close-Down Photography</li> <li>• Close-Down Photography</li> </ul> | <ul style="list-style-type: none"> <li>• Customer Catalogs /</li> <li>• Printing Journals</li> <li>• Printing Journals</li> <li>• Labeling</li> <li>• Printing Journals and Planning</li> <li>• Printing Journals and Planning</li> </ul> |

|                                                                                                                                                                                                          | Colors (mls./in.)                                    | Black Weight                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>STANDARD</b><br>Standard resolution weight grade with good overall image reproduction. Designed for general purpose print applications. Provides an excellent balance between cost and image quality. | <b>mls: 20 x 0.15</b><br><b>inches: 18.0</b>         | <b>17" x 22-00" (mls) 12.7 x 1.0</b><br><b>17" x 22-00" (inches) 12.7 x 1.0</b> |
| <b>POLARIS</b><br>Polaris is a weight grade that produces more vibrant images. Recommended for business and graphics printing applications. Recommended for use in color.                                | <b>mls: 100 x 0.15</b><br><b>inches: 18.0</b>        | <b>17" x 22-00" (mls) 14.0 x 0.7</b><br><b>17" x 22-00" (inches) 14.0 x 0.7</b> |
| <b>PREMIUM DUAL</b><br>Premium Dual is a weight grade that produces more vibrant images with a heavier weight option for durability and a premium finish. Recommended for use in color, drop shipping.   | <b>mls: 1.25 x 0.15</b><br><b>inches: 22.5 x 1.8</b> | <b>17" x 22-00" (mls) 21.0 x 1.2</b><br><b>17" x 22-00" (inches) 21.0 x 1.2</b> |
| <b>ARCHIVAL</b><br>Durable and resistant to fading, archival quality. Ideal for long-term storage and reproduction.                                                                                      | <b>mls: 2.0 x 0.15</b><br><b>inches: 28.0 x 4.0</b>  | <b>17" x 22-00" (mls) 14.0 x 0.5</b><br><b>17" x 22-00" (inches) 14.0 x 0.5</b> |
| <b>ALL WEATHER</b><br>The toughest, synthetic grade offering maximum durability and excellent print quality. All-weather materials resistant to water/moisture.                                          | <b>mls: 2.0 x 0.25</b><br><b>inches: 33.0 x 0.4</b>  | <b>17" x 22-00" (mls) 18.1 x 0.9</b><br><b>17" x 22-00" (inches) 18.1 x 0.9</b> |

By using Genuine TSC supplies through your TSC partner, you'll "Get the Smarter Choice."

## RECEIPT GRADE PAPER

# TSC

## GENUINE SUPPLIES

**TSC Ink & Cartridge Advertising**  
 3430 Sandoz Ave., Suite 200, Boca Raton, FL 33432  
 Tel: 561-995-1100 Fax: 561-995-1101  
[sales@tscgenuine.com](mailto:sales@tscgenuine.com)  
[www.tscgenuine.com](http://www.tscgenuine.com)

## GENUINE TSC SUPPLIES – MANUFACTURING

Exposed to solvents and chemicals, subjected to temperature extremes or applied to hostile and irregular surfaces – perhaps even one of the above – TSC can provide the manufacturing equipment firm in the most demanding of environments.

With a wide range of available facemasks and adhesives, TSC can provide the correct label construction for your particular manufacturing operation.

- Durable labels for extreme environment applications
- Product labeling
- Work in process labeling
- Parts inventory management
- Compliance labeling
- Chemical labeling
- Item identification

## Why choose Genuine TSC Supplies?

**Guaranteed Performance**  
 Genuine TSC Supplies ensure that performance labels are as required by TSC customers. TSC's advanced label construction, TSC's advanced adhesive and label construction, to ensure maximum label life and performance. TSC's advanced label construction, TSC's advanced adhesive and label construction, to ensure maximum label life and performance.

**Guaranteed Quality**  
 Genuine TSC Supplies ensure that performance labels are as required by TSC customers. TSC's advanced label construction, TSC's advanced adhesive and label construction, to ensure maximum label life and performance.

**Comprehensive Product Portfolio**  
 Genuine TSC Supplies ensure that performance labels are as required by TSC customers. TSC's advanced label construction, TSC's advanced adhesive and label construction, to ensure maximum label life and performance.

**Guaranteed Support**  
 Genuine TSC Supplies ensure that performance labels are as required by TSC customers. TSC's advanced label construction, TSC's advanced adhesive and label construction, to ensure maximum label life and performance.

where you are labeling a printed circuit board, identifying glass components or plating metal racks, by using Genuine TSC Supplies.

And, if your product will be properly identified and tracked from WIP to ship.

For more information or consultation of your product labeling and Genuine TSC Supplies, you will enhance your production and give a "Genuine" printing solution.

## MANUFACTURING SUPPLIES

[illegible]

## HOSPITALITY SUPPLIES



## GENUINE TSC SUPPLIES – TRANSPORTATION LOGISTICS

**Performance, Reliability and Accuracy.** These key elements make up an efficient logistics supply chain. From the urban and multi-modal infrastructure network to the latest in vehicle technology, TSC's fleet is designed to meet the challenges of the transportation environment, whether navigating through congested urban centers, backcountry and rough terrain or navigating the most demanding and unpredictable of weather conditions. Failure to do so will leave your customers, truckers and fleet managers waiting for the next day of lost time and money.

Only Genuine TSC Supplies is required for Transportation-Logistics applications, and the extensive range of tools, supplies and parts that we offer for accurate and consistent results. From the most basic, weather-resistant tape to the strength of the label (which is never meant to hang together like all of the others).



- Cross dock labels
- Pallet labels
- Driver's address labels
- Pallet labels
- 360° labels
- Beach labels
- Carton/Shipping labels

For the complete combination of your TSC Transportation-Logistics Supplies, you will experience your efficiency and enjoy a "no worry" driving experience.

**TSC Auto & Technology Center**  
 9495 South 14th Avenue, Suite 200  
 Aurora, CO 80014  
 303.733.7272  
[www.tscsupply.com](http://www.tscsupply.com)





## Why Choose Genuine TSC Supplies?

### Guaranteed Performance

Only Genuine TSC Supplies is the performance standard as required by TSC partners. From the most basic, weather-resistant tape to the strength of the label (which is never meant to hang together like all of the others), Genuine TSC Supplies are manufactured for the most demanding and unpredictable of weather conditions.

### Guaranteed Quality

This extensive product portfolio through your TSC partner, we can provide, we can guarantee, we can stand behind.

### Comprehensive Product Portfolio

A wide selection of TSC products. Supplies are available for all types of vehicles and are suitable for all weather conditions. From the most basic, weather-resistant tape to the strength of the label (which is never meant to hang together like all of the others), Genuine TSC Supplies are manufactured for the most demanding and unpredictable of weather conditions.

### Availability

We have product distribution points within North America, so you will always have what you need, when you need them.

By using Genuine TSC supplies through your TSC partner, you're making "The Smarter Choice."

## TRANSPORTATION/LOGISTICS SUPPLIES



**TSC**  
GENUINE SUPPLIES

## TSC CUSTOM SUPPLIES SOLUTIONS

Thanks to delivery, TSC is your partner for applications requiring a custom supply solution. With our extensive manufacturing capabilities and our services in a wide range of materials and finishes, we can create the perfect solution to your unique label, tag, or marked requirements.

**Personalize printing up to 12 colors**  
 • Custom colors and finishes  
 • Custom materials and substrates

**Wide range of sizes and shapes**  
 • Wide range of papers, films, and adhesives  
 • Custom shapes and sizes to meet your design

We have the tools to choose a product construction best suited to the demands of your application and we work with you to create the precise, processing material through our state-of-the-art facilities, with worldwide facilities located throughout the U.S., your custom supplies can be delivered fast and cost-effectively.

TSC Talk to a Salesperson Today!  
 240.646.4444  
 800.451.4444  
 800.451.4444  
 800.451.4444  
 800.451.4444



## Why choose genuine TSC supplies?

**Guaranteed Performance**  
 TSC supplies are proven to perform consistently in required by TSC programs.

**Consistent Quality**  
 The extensive application experience through our manufacturing facilities ensures consistent quality.

**Comprehensive Support Portfolio**  
 TSC supplies are available for all applications. Designing and building your application with TSC supplies are easy and available for immediate shipment.

**Availability**  
 TSC's custom distribution process allows you to receive product quantities when you need them, when you need them.

**Costing**  
 Looking for a solution means to obtain the lowest possible price for your custom supplies? TSC's **Smartest Choice Program**. With this program you can take advantage of program pricing, and only deliver a product you say you need. Contact your TSC sales representative for program details.

To make Genuine TSC supplies through your TSC supplier, we make you the **"Smartest Choice"**.

## CUSTOM SUPPLIES



2400 South 17th Street  
 Suite 200, Dallas, Texas 75215  
 Tel: 214-343-7200  
 Fax: 214-343-7201  
 e-mail: [info@tsc.com](mailto:info@tsc.com)  
[www.tsc.com](http://www.tsc.com)



# GENUINE SUPPLIES

## TSC CUSTOM SUPPLIES SOLUTIONS – FLEXSHIP PROGRAM

At TSC, we are committed to bringing you the most effective solution to your custom label applications. This is why we offer the **FlexShip Program**.

With this program, you'll enjoy faster lead times, price flexibility as well as your quantity (30 day) usage amount. And you'll only ship and receive your product when you need it. This means you won't only save money, you can also save valuable time by only bringing in what you need, when you need it.



### FLEXSHIP PROGRAM

### Why choose Genuine TSC Supply?

**Guaranteed Performance**  
 Genuine TSC Supplies have the performance and quality you need from TSC Products.

**Consistent Quality**  
 This ensures complete performance through your TSC partner, every product, every time.

**Comprehensive Product Portfolio**  
 A wide selection of TSC Custom Supplies are available for all labels, Dairies and Mobile Labels. Mobile Labels are TSC's most innovative for immediate innovation.

**Multiple product distribution points**  
 With multiple product distribution points, you will have the product you need, when you need it.



The program is simple.

1. Choose an product you. Program is not available for stock product.

2. Program is supported from all TSC distribution locations.

3. Your order volume must be at least \$1000.00.

4. We warehouse your product for a 30 day period.

5. We invoice you when you need it, you need it.

6. You only pay for product as you require your product.

As a TSC Supplies representative for the program sign-up and detailed Terms and Conditions.

Join the Genuine TSC Supplies for your TSC, we make, what's the "Smartest Choice"

## FLEXSHIP PROGRAM

**LOOKING FOR SOMETHING ELSE?** Let us know so we can help.



# CUSTOM LABEL QUOTE REQUEST FORM

TSC GENUINE SUPPLIES

DATE: \_\_\_\_\_

COMPANY NAME: \_\_\_\_\_  
 CONTACT NAME: \_\_\_\_\_  
 PHONE#: \_\_\_\_\_  
 EMAIL ADDRESS: \_\_\_\_\_

Maximize your savings through our FlexShipProgram.  
 Order in volume and we'll release and invoice your product as you  
 need it over a 180 day period. Ask your sales representative for  
 program details.

TSC PRINTER MODEL\*: \_\_\_\_\_

\* Please state the TSC printer model in which these labels will be used. This information will allow us to determine core size, roll o.d. and maximum labels per roll. If you would like a non-standard roll configuration quoted, please note under SPECIAL REQUIREMENTS within the LABEL CHARACTERISTICS section below.

QUANTITY OF LABELS TO QUOTE: \_\_\_\_\_

| LABEL CHARACTERISTICS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | APPLICATION / ENVIRONMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|-------------------------------------|---------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------------------|--------------------------------|--------------------------------|-------------------------------|-------------------------------|---------------------------------------|---------------------------------------|
| <b>DIMENSIONS:</b><br>WIDTH: _____ inches<br>LENGTH: _____ inches<br><br><b>MATERIAL :</b><br><input type="checkbox"/> THERMAL TRANSFER<br><input type="checkbox"/> STANDARD DIRECT THERMAL (NON-TOPCOATED)<br><input type="checkbox"/> PREMIUM DIRECT THERMAL (TOPCOATED)<br><input type="checkbox"/> FILM<br><input type="checkbox"/> OTHER: _____<br><br><b>ADHESIVE:</b><br><input type="checkbox"/> PERMANENT<br><input type="checkbox"/> REMOVABLE<br><input type="checkbox"/> ALL TEMP / FREEZER<br><br><b>FINISHING:</b><br><input type="checkbox"/> ROLL<br><input type="checkbox"/> FANFOLD<br><br><b>COLOR:</b><br><input type="checkbox"/> BLANK<br><input type="checkbox"/> FLOODCOAT / TINTED<br><input type="checkbox"/> SPOT COLOR<br># OF COLORS: _____<br><br><b>PERFORATION:</b><br><input type="checkbox"/> PERFORATED<br><input type="checkbox"/> NO PERFORATION<br><br><b>SPECIAL REQUIREMENTS:</b> _____ | <b>WHAT CHEMICAL RESISTANCE IS NEEDED? (check all that apply)</b><br><input type="checkbox"/> ALCOHOL<br><input type="checkbox"/> OIL<br><input type="checkbox"/> GREASE<br><input type="checkbox"/> SOLVENTS<br><input type="checkbox"/> NONE<br><input type="checkbox"/> OTHER: _____<br><br><b>IN WHAT ENVIRONMENT WILL THE LABEL BE USED? (check all that apply)</b><br><input type="checkbox"/> INDOORS<br><input type="checkbox"/> OUTDOORS COVERED<br><input type="checkbox"/> OUTDOORS UNCOVERED<br><input type="checkbox"/> COLD TEMPERATURE (ie: freezer)<br><input type="checkbox"/> HOT TEMPERATURE (ie: oven)<br><input type="checkbox"/> ROOM TEMPERATURE<br><input type="checkbox"/> OTHER: _____<br><br><b>WHAT SURFACES MUST THE LABEL ADHERE TO? (check all that apply)</b><br><table border="0"> <tr> <td><b>TYPE:</b></td> <td><b>CONDITION:</b></td> </tr> <tr> <td><input type="checkbox"/> CORRUGATED</td> <td><input type="checkbox"/> CURVED</td> </tr> <tr> <td><input type="checkbox"/> GLASS</td> <td><input type="checkbox"/> DIRTY</td> </tr> <tr> <td><input type="checkbox"/> PAPER</td> <td><input type="checkbox"/> FROZEN / WET</td> </tr> <tr> <td><input type="checkbox"/> METAL</td> <td><input type="checkbox"/> MOIST</td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td><input type="checkbox"/> OILY</td> </tr> <tr> <td><input type="checkbox"/> OTHER: _____</td> <td><input type="checkbox"/> OTHER: _____</td> </tr> </table><br><br><b>LIFE EXPECTANCY OF THE LABEL:</b> _____<br><br><b>SPECIAL REQUIREMENTS:</b> _____ | <b>TYPE:</b> | <b>CONDITION:</b> | <input type="checkbox"/> CORRUGATED | <input type="checkbox"/> CURVED | <input type="checkbox"/> GLASS | <input type="checkbox"/> DIRTY | <input type="checkbox"/> PAPER | <input type="checkbox"/> FROZEN / WET | <input type="checkbox"/> METAL | <input type="checkbox"/> MOIST | <input type="checkbox"/> WOOD | <input type="checkbox"/> OILY | <input type="checkbox"/> OTHER: _____ | <input type="checkbox"/> OTHER: _____ |
| <b>TYPE:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>CONDITION:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> CORRUGATED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <input type="checkbox"/> CURVED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> GLASS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <input type="checkbox"/> DIRTY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> PAPER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <input type="checkbox"/> FROZEN / WET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> METAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <input type="checkbox"/> MOIST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> WOOD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <input type="checkbox"/> OILY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <input type="checkbox"/> OTHER: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <input type="checkbox"/> OTHER: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <b>PACKAGING REQUIREMENTS</b><br>We will package your custom labels in a configuration best suited for ease of handling and efficient transport. However, if you would like your product packaged to specific guidelines (ie: bagged, shrink wrapped, masterpacked, #/pallet etc.), please note your requirements within this section:<br><br>_____<br>_____<br>_____<br>_____<br><b>PLEASE FAX OR EMAIL FORM TO:</b><br><b>TSC SUPPLIES ESTIMATING</b><br><b>FAX: 657-258-0809</b><br><b>EMAIL: <a href="mailto:supplies@tscprinters.com">supplies@tscprinters.com</a></b>                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |
| <b>PRINT DIRECTION (circle)</b><br><br><div style="text-align: center;"> <b>LABEL SIDE OUT</b><br/> </div> <div style="text-align: center;"> <b>LABEL SIDE IN</b><br/> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |              |                   |                                     |                                 |                                |                                |                                |                                       |                                |                                |                               |                               |                                       |                                       |

### **PAYMENT TERMS**

- NET 30 upon credit approval

### **MINIMUM ORDER POLICY**

- For catalog items - \$50.00
- For custom run orders - \$250.00
- All product is sold in full case quantity only
- Orders not meeting the minimum order amount are subject to a \$25.00 handling fee

### **SHIPPING**

- All products are FOB TSC and will be shipped from the closest TSC distribution point where the product is available.
- All product will ship Best Way via TSC carrier unless otherwise noted on the purchase order.
- Freight charges are prepaid and added to the invoice unless otherwise specified on customer purchase order.

### **PRICING VALIDITY**

- Catalog pricing is subject to change without notice.
- Custom product quotes are valid for 30 days unless otherwise noted.

### **PRODUCT LEAD TIME**

- In-stock product usually ships within 24 hours. If a “stock out” situation occurs, product will be replenished within 72 hours. Call to confirm product availability.
- Custom-run product usually ships in 10-12 business days but lead times can vary depending on materials and product complexity. Lead time is based on date of artwork approval (as applicable).

### **RETURNS**

- Custom and special order products are non-returnable.
- Stock items may be returned within 60 days of invoice date, subject to a 15% restocking fee and return freight charges. Product must be returned in original packaging that is in saleable condition. All returns must be authorized by TSC.

**NOTES**

[illegible]

[illegible]



