




Drought Conditions in Central Oklahoma



**Water Resources Division
Association of Central Oklahoma Governments
March 1, 2017**

Temperature and Precipitation Plot for Oklahoma City, Oklahoma for 2017



<http://xmacis.rcc-acis.org/>

Rainfall Summaries by Oklahoma Climate Division

Calendar Year 01-Jan-2017 through 27-Feb-2017

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 per-	Driest on Record	Wettest on Record
W. Central	4.32"	+2.30"	214%	4th wettest	0.13" (1970)	5.04" (1949)
Central	4.92"	+1.76"	156%	10th wettest	0.40" (1963)	7.74" (1949)
S. Central	5.87"	+1.63"	138%	13th wettest	0.43" (1963)	11.02" (1932)
Statewide	4.56"	+1.25"	138%	16th wettest	0.59" (1976)	7.56" (1949)


Water Year: 01-Oct-2016 through 27-Feb-2017

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 per-	Driest on Record	Wettest on Record
W. Central	6.70"	-0.86"	89%	41st wettest	1.47" (1966-67)	15.79" (1986-87)
Central	8.14"	-3.13"	72%	36th driest	3.00" (1921-22)	22.08" (1984-85)
S. Central	10.81"	-3.12"	78%	37th driest	3.74" (1966-67)	25.67" (2000-01)
Statewide	8.47"	-2.92"	74%	33rd driest	3.56" (1966-67)	18.93" (1984-85)


Winter: 01-Dec-2016 through 27-Feb-2017

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 per-	Driest on Record	Wettest on Record
W. Central	5.17"	+1.93"	160%	11th wettest	0.54" (2005-06)	7.90" (1959-60)
Central	5.60"	+0.45"	109%	25th wettest	0.90" (2005-06)	14.01" (1984-85)
S. Central	6.75"	-0.08"	99%	39th wettest	1.98" (1958-59)	13.14" (1937-38)
Statewide	5.37"	-0.01"	100%	34th wettest	1.51" (2005-06)	10.38" (1984-85)

The climate divisions shown include statewide totals, central Oklahoma totals, and totals for the two divisions which have Canton Lake and Lake Atoka—major water sources for central Oklahoma.




NOAA One-Month Outlook



<http://www.cpc.ncep.noaa.gov/products/predictions/30-day/>

White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another. That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.


Statewide Precipitation Monthly Totals vs. Normal



http://climate.ok.gov/index.php/climate/summary/reports_summaries

OKLAHOMA
CLIMATOLOGICAL SURVEY


Annual Precipitation History with 5-Year Tendencies



This graph shows the cyclical nature of wet and drought periods in Oklahoma. The black dots represent the annual precipitation for that particular year. The line represents the annual precipitation data smoothed over five years. This smoothed line shows well the wet periods (shaded green) and the drought periods (shaded brown). The drought cycles appear to average about five to eight years in length.

Drought Severity Index by Climate Division

Palmer Weekly Value for Period FEB 2017



The Palmer Drought Index (PDI) maps show long-term (cumulative) meteorological drought and wet conditions. The maps show how the geographical pattern of the long-term (meteorological) moisture conditions has changed over the last 12 months. On these maps, the red shading denotes drought conditions while the green shading indicates wet conditions.

For an animated gif of the long term PDI see <http://www.ncdc.noaa.gov/oa/climate/research/prelim/drought/pdiimage.html>.


U.S. Drought Monitor

Regional Map Week of 21 FEB 2017

Week	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current 2017-02-21	11.49	88.51	67.93	26.61	0.18	0.00
Last Week 2017-02-14	5.15	94.85	73.84	30.14	3.34	0.00
3 Months Ago 2016-11-22	30.20	69.80	47.61	18.55	3.48	0.00
Start of Calendar Year 2016-12-27	5.63	94.37	72.32	45.73	3.14	0.00
Start of Water Year 2016-09-27	57.82	42.18	19.04	3.05	0.00	0.00
One Year Ago 2016-02-23	98.99	1.01	0.00	0.00	0.00	0.00

U.S. Drought Monitor Oklahoma

Estimated Population in Drought Areas: **3,116,205**




Intensity:

■ D0 - Abnormally Dry
■ D1 - Moderate Drought
■ D2 - Severe Drought

■ D3 - Extreme Drought
■ D4 - Exceptional Drought

<http://droughtmonitor.unl.edu/Home/StateDroughtMonitor.aspx?OK>

U.S. Drought Monitor Nationwide Map




U.S. Drought Monitor

Monthly Drought Outlook Map

U.S. Monthly Drought Outlook Drought Tendency During the Valid Period

Valid for March 2017
Released February 28, 2017



Author:
Brad Pugh
NOAA/NWS/NCEP/Climate Prediction Center



Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

- Drought persists
- Drought remains but improves
- Drought removal likely
- Drought development likely



<http://go.usa.gov/3eZGd>




http://www.cpc.ncep.noaa.gov/products/expert_assessment/mdo_summary.php

U.S. Drought Monitor

Seasonal Drought Outlook Map

U.S. Seasonal Drought Outlook Drought Tendency During the Valid Period

Valid for February 16 - May 31, 2017
Released February 16, 2017



Author:
Brad Pugh
NOAA/NWS/NCEP/Climate Prediction Center

Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

- Drought persists
- Drought remains but improves
- Drought removal likely
- Drought development likely




<http://go.usa.gov/3eZ73>

http://www.cpc.ncep.noaa.gov/products/expert_assessment/sdo_summary.php


USGS Streamflow Data

Tuesday, February 28, 2017 15:30ET



Explanation - Percentile classes							
●	●	●	●	●	●	●	○
Low	<10 Much below normal	10-24 Below normal	25-75 Normal	76-90 Above normal	>90 Much above normal	High	Not-ranked

Monday, February 27, 2017




Below normal 28-day average streamflow

Explanation - Percentile classes				
				
Low	<=5	6-9	10-24	Insufficient data for a hydrologic region
Extreme hydrologic drought	Severe hydrologic drought	Moderate hydrologic drought	Below normal	

<https://waterdata.usgs.gov/ok/nwis/rt>

<http://ok.water.usgs.gov/drought/>

SOIL MOISTURE MAP



1-day Average 24-inch Fractional Water Index


February 27, 2017

Created 6:30:14 AM February 28, 2017 CST. © Copyright 2017



http://www.mesonet.org/index.php/weather/map/24-inch_fractional_water_index/soil_moisture

CONSECUTIVE DAYS WITHOUT RAINFALL MAP



Consecutive Days With Less Than 0.25" Rainfall


February 27, 2017

Created 7:15:02 AM February 28, 2017 CST. © Copyright 2017

<http://www.mesonet.org/index.php/weather/map/>

[consecutive days with less than 0.25 inches Rainfall/rainfall](#)

Percent of Surface Water Conservation Storage Central OK Reservoirs



Lake Hefner and Lake Overholser are terminal storage for Canton Lake. Lake Draper is terminal storage for McGee Creek and Atoka Lakes.


LAKE	% CAPACITY	% CHANGE FROM 1/27/2017
Canton	100.0	0.0
Arcadia	100.0	0.0
Lake Thunderbird	90.9	1.8
McGee Creek	77.1	-3.3
Lake Atoka	69.0	-1.7
TOTAL % CAPACITY	84.3	-0.8

http://www.swt-wc.usace.army.mil/old_resv rept.htm http://waterdata.usgs.gov/ok/nwis/dv/?site_no=07333010&agency_cd=USGS&referred_module=sw

The graph is the amount of water stored in five major lakes that supply water to central Oklahoma as a percent of capacity over the past year.


Oklahoma Surface Water Resources

Reservoir Levels and Storage as of 2/21/2017



http://www.owrb.ok.gov/maps/pdf_map/Monthly%20Reservoir%20Storage.pdf

Groundwater Levels Spencer Mesonet Station





<http://www.mesonet.org/index.php/weather/groundwater>



ENSO Cycle

Recent Evolution, Current Status and Predictions



Summary

ENSO Alert System Status: La Niña Advisory

- ENSO-neutral conditions are present.
- Equatorial sea surface temperatures (SSTs) are near-average across the central and east-central Pacific. They are above-average in the eastern Pacific Ocean.
- ENSO-neutral conditions have returned and are favored to continue through at least the Northern Hemisphere spring 2017.