

COMPACT

MICO PRO®

MODULAR CURRENT MONITORING

Mico Pro is Murrelektronik's new, innovative current monitoring system. This modular system enables you to adapt Mico systems to suit specific applications while meeting both space and cost requirements.

Mico Pro guarantees reliable a power supply system. It consistently monitors all load and control currents and identifies critical moments at the right time. The patented tripping process that follows the rule of "as late as possible, as early as necessary" assures optimum machine availability while the integrated potential distribution significantly declutters the switch cabinet wiring.

Mico Pro stands for:

Modularity – use only what you need for each installation

Integrated Potential Distribution – significantly simplifies switch cabinet wiring

Practical – no tools required for assembly

Diagnostics – LEDs on each module or via the PLC


Channel-specific Switching – replaces the coupling level

Available From:




MODULARITY: Precise down to the last channel

- Modular system for 12 and 24V DC operating voltages
- Tool-free assembly for a closed system
- Fixed modules with 1, 2 or 4 channels for tripping currents of 2, 4, 6, 8, 10 and 16A
- Flex modules with 1, 2 or 4 channels for tripping currents of 1-10A or 11-20A - adjustable in 1A increments with the press of a button
- Minimum space required - modules are 8, 12 or 24mm wide



CONVENIENT: Tool-Free Assembly

- Innovative, two rail bridging system connects the system
- Trim to length with diagonal cutters and plug into place
- Signal contacts for diagnostics and control signal via lateral spring contacts
- Spring clamp terminals
- Clear view of all label plates and status LEDs



CASCADED DESIGN: Fully selective

Another Mico Pro station can be connected on a Mico channel with a tripping current of more than 10A



DIAGNOSTICS: On the module or via the controls

- LED status display on each channel
- Group diagnostics on the power module for the entire system
- Modules with flexible settings offer channel-specific diagnostic signals
- 90% early warning
- Reactivation of tripped channels with the press of a button or via control signal

INTEGRATED: Built in potential distribution

- 24V and 0V Connection options on every channel
- External terminals are a thing of the past - the 0V/GND potential is connected by Mico Pro
- Declutters installations, reduces wiring efforts, saves cabinet space
- Connect up to 2 x 12 potentials with potential distributors

PRACTICAL FUNCTIONS IN THE DETAILS

- Channel current monitoring (up to 20A) in a modular system
- Label plates keep the cabinet layout clear and simple
- High inrush capacity (up to 30mF) per channel at full load
- Compatible with 5A power supplies
- Time delayed start of individual channels on multiple-channel modules to prevent current peaks




PRECISE CHANNEL SWITCHING:

Replaces the coupling level

- Flex modules have a channel-specific switching function via a PLC signal
- Implementation of short switching frequencies (up to 10Hz) as well as longer standby periods (e.g. for machine areas during non production times)

HIGH TOTAL COST



SPACE & COST SAVING



COMPACT

Power Module	Description			Article Number
	Mico Pro PM 24V DC/40A	Power Module, 24V DC, max. 40A		9000-41190-0000000
Modules with Fixed Tripping Current	Number of Channels	Tripping Current	Article Number	
	1	2A	9000-41011-0200000	
		4A	9000-41011-0400000	
		6A	9000-41011-0600000	
		8A	9000-41011-0800000	
		10A	9000-41011-1000000	
		16A	9000-41011-1600000	
	2	2A	9000-41012-0200000	
		4A	9000-41012-0400000	
		6A	9000-41012-0600000	
	4	2A	9000-41014-0200000	
		4A	9000-41014-0400000	
		6A	9000-41014-0600000	
Modules with Adjustable Tripping Current	Number of Channels	Tripping Current	Article Number	
	1	1-10A in 1A Increments		9000-41091-0101000
		11-20A in 1A Increments		9000-41091-1102000
	2	9000-41092-0101000		
	4	1-10A in 1A Increments		9000-41094-0101000
Accessories	Description			Article Number
	Mico Pro 2x12	2 X 12 Potential Distributors, 20A max.		9000-41000-0000212
	Mico Pro 2 x Blue	Unlimited expansion, 40A max., 500mm length		9000-41000-0000000
	Mico Pro 2 x Red			9000-41000-0000001
	Mico Pro 1 x Blue, 1 x Red			9000-41000-0000002