



# M D SERIES

MODULAR DESIGN LED PARS



# MOD SERIES



The ADJ Lighting Modular Series LED Pars allow lighting designers more flexibility when it comes to features, plus more power to create brilliant washes for stages, installations or mobile events. The Mod Pars are “modular” in two ways. First, the body moves so that you can create a snoot to eliminate side glare if desired. Second, designers can remove the black metal housing and replace it with a pearl white housing kit. In this way, LED Par owners can switch between black or white fixtures depending on the application without having to inventory two different fixtures.



# MOD HEX100

105W HEX  
(RGBWA+UV) PAR



The MOD HEX100 comes equipped with seven 15-Watt RGBWA+UV (6-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

#### Light Source:

- 7x 15-Watt RGBWA+UV (4-IN-1 – Red, Green, Blue, White, Amber + UV) LEDs
- 50,000 Hour Average LED Life

#### Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

#### Output:

- Total Lumens: <1800
- LUX: 2665 @ 3M (9.8 ft.)
- Beam angle: 17-degrees

#### Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

#### Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 6, 8, 11 or 12
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

#### Electrical:

- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 118W

#### Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

#### Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote

# MOD QW100



105W QUAD  
(RGBW) PAR

RED/GREEN  
 BLUE/WHITE  
 (4-IN-1) LED CHIP

The MOD QW100 comes equipped with seven 15-Watt RGBW (4-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

#### Light Source:

- 7x 15-Watt RGBW (4-IN-1 – Red, Green, Blue & White) LEDs
- 50,000 Hour Average LED Life

#### Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

#### Output:

- Total Lumens: <2300
- LUX: 3887 @ 3M (9.8 ft.)
- Beam angle: 17-degrees

#### Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

#### Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 4, 5, 6, 9 or 10
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

#### Electrical:


- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 114W

#### Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

#### Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote



# MOD QA60



60W QUAD  
(RGB) PAR

RED/GREEN  
BLUE/AMBER  
(4-IN-1) LED CHIP

The MOD QA60 comes equipped with four 15-Watt RGBA (4-IN-1) LED diodes (for a total output of 60W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

#### Light Source:

- 4x 15-Watt RGBA (4-IN-1 – Red, Green, Blue & Amber) LEDs
- 50,000 Hour Average LED Life

#### Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

#### Output:

- Total Lumens: <750
- LUX: 3026 @ 3M [9.8 ft.]
- Beam angle: 17-degrees

#### Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

#### Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 4, 5, 6, 9 or 10
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

#### Electrical:


- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 74W

#### Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

#### Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote





# MOD TW100

105W QUAD  
(CW/WW/WW/AMBER)  
PAR

 CW/WW/WW/AMBER  
 EXCLUSIVE ADJ LIGHTING  
LED CHIP

The MOD TW100 comes equipped with seven 15-Watt CW/WW/WW/Amber (4-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

#### Light Source:

- 7x 15-Watt CW/WW/WW/Amber (4-IN-1 – Cool White, Warm White, Warm White & Amber) LEDs
- 50,000 Hour Average LED Life

#### Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

#### Output:

- Total Lumens: <2400
- LUX: 2973 @ 3M (9.8 ft.)
- CRI: 92 (Cool White); 97 (Warm White)
- Color Temperature: 6000K (Cool White); 2700K (Warm White)
- Beam angle: 17-degrees

#### Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

#### Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 6, 8, 11 or 12
- Built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

#### Electrical:


- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 111W


#### Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

#### Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote





### **Lens Kit**

Each model includes easy to  
replace lens kit -  
20, 40 or 60-degree



### **Barn Doors**

Easy to add/remove Barn Door



### **Rear Panel**

- 4-button Control Menu with Digital Display
- 3-pin & 5-pin In/Out
- powerCON In/Out



### **Modular Case**

The body moves so that you can create a snoot  
to eliminate side glare if desired

# MID SERIE



pure LIGHTING EXCITEMENT

[www.ADJ.com](http://www.ADJ.com)

Specifications subject to change with out notice.  
Los Angeles, USA • Miami, USA • Kerkrade, Netherlands  
Manchester, UK • Mexico City, Mexico