

# Superchips Flashpaq F5 Programmer [12-14 Wrangler JK]

Installation Time: 30 Minutes

## Tools Required:

- ✓ Computer & Internet Access
- ✓ Flashpaq F5 Tuner
- ✓ USB cord (provided)
- ✓ Ignition Key



Read through the user manual thoroughly before starting this install. It is advised to update your tuner through Superchips.com prior to tuning. Follow prompts on screen as they appear. This guide will function as a general walkthrough for first time installation of your tuner with basic adjustments made. Please reference the user manual for any parameter adjustment question you may have before making changes.

## Installation Instructions:


1. Update device: Open [www.superchips.com](http://www.superchips.com) on your web browser and click > **UPDATES** > **DOWNLOAD IGNITION** > Once downloaded, open the Ignition shortcut on your desktop and plug in your USB to Flashpaq tuner cord. The program will prompt you to plug in device & fill out the registration info. Select YES when prompted to update. You will see the third screen once complete.




2. With your Tuner updated, go to your vehicle with the tuner in hand. Quick navigation key for using the Tuner;




3. Locate your OBDII plug below the driver side kick panel and plug in the OBDII plug from the Tuner. BE CAREFUL not to bump or unplug the OBDII plug at any point while using the Flashpaq to flash your ECU.




4. Use the ◀ & ▶ Arrows to toggle between the three main menus; Tune, Scan, & Info.



5. Select Tune, follow the prompts for ignition. The next screen will offer Tune Vehicle or Quick Options. Selecting Tune Vehicle for the first time will prompt the tuner to download 2 files (saving stock ECU). Follow prompts. Once completed select the tune you would like to run and follow the prompts. You will also be prompted if you would like to customize options; this will allow you to adjust tire size, gear ratio, and more (see last pic). It will let you know the tune has successfully installed. FYI – You will key On & Off several times during this process.




6. If you wish to adjust parameters without changing your tune, Select the Tune menu > Quick Options. This will bring up all of the adjustable parameters. (more options then with the Customize feature during tuning)



7. If you wish to scan for Check engine codes select SCAN from the main menu. You will be prompted with three options; Read/Clear DTCs, Gauges/Datalog, & Battery Voltage. By selecting Read/Clear DTCs you will follow the prompts to display codes and descriptions. Gauges/Datalog option will provide live data and datalog. Battery Voltage will display voltage.



8. The Info menu will allow you to view both vehicle and tuner info such as VIN# for your Jeep and Version # for the tuner.



9. To return to stock tune, select Tune from the main menu > Stock > and follow key prompts until the tuner tells you it has completed the install by saying STOCK File Installed. (Stock is not available in my second pic as I was changing from stock to mileage tune)



10. When finished with adjusting parameters, ensure that the tuner is completely finished transferring info. You should be back to the main menu (Tune, Scan, Info). Key the ignition OFF and unplug the OBDII.



Enjoy!

Installation Instructions Written by ExtremeTerrain Customer BobbyD 12/17/2016