

" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description		P	ayment Rate								
		2007	2015	2016	2017	2018	2019	% of C	0007			
20526	Injection, therapeutic	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	2018 1.1%	2017 7.2%	2016 11%	2015 17%	2007 78%
20550	tendon sheath, ligament injection	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20551	Tendon origin/insertion injection	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20600	Small joint injection	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20605	Intermediate joint injection	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
20610	Major joint injection	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
22510	Vertebroplasty (Cervicothoracic)	\$1,545	\$2,601.1	\$2,395.6	\$2,437.3	\$2,645.0	\$2,623.3	-0.8%	7.6%	10%	1%	70%
22511	Vertebroplasty (Lumbosacral)	\$1,545	\$2,601.1	\$2,395.6	\$2,437.3	\$2,645.0	\$2,623.3	-0.8%	7.6%	10%	1%	70%
22513	Kyphoplasty, thoracic	\$4,093	\$6,320.3	\$7,064.1	\$5,219.4	\$5,606.0	\$5,699.6	1.7%	9.2%	-19%	-10%	39%
22514	Kyphoplasty, lumbar	\$4,093	\$6,320.3	\$7,064.1	\$5,219.4	\$5,606.0	\$5,699.6	1.7%	9.2%	-19%	-10%	39%
22869	Insj stablj dev w/o dcmprn					\$15,369.9	\$15,402.5	0.2%				
27279	Sacroiliac joint Fusion					\$15,369.9	\$15,402.5	0.2%				
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	2%
62264	Percutaneous epidural adhesiolysis – 1 day	\$748	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	2%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	316%
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$1,052.2	\$942.0	\$1,236.1	\$1,347.9	\$1,375.5	2.0%	11.3%	46%	31%	265%
62270	Spinal puncture, diagnostic	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%



" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description		Р	ayment Rate								
		2007	2015	2016 2017		2018	2019	% of 0				
	Calical autochura, tharan autic							2018	2017	2016	2015	2007
62272	Spinal puncture, therapeutic	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%
62273	Epidural, blood patch	\$352	\$671.8	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	-11%	70%
62280	Subarachnoid neurolytic injection	\$391	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	96%
62281	Neurolytic epidural, C/T	\$391	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	96%
62282	Neurolytic epidural, L/S	\$391	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	96%
62287	Disc decompression	\$2,038	\$2,946.4	\$3,396.8	\$4,150.1	\$4,627.3	\$4,566.1	-1.3%	10.0%	34%	55%	124%
62292	Chemonucleolysis	\$184	\$1,469.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	11%	787%
62320	Cervical/Thoracic epidural without imaging guidance				\$507.0	\$543.3	\$598.8	10.2%	18.1%			
62321	Cervical/Thoracic epidural WITH imaging guidance				\$507.0	\$543.3	\$598.8	10.2%	18.1%			<u>+</u>
62322	Lumbar/Caudal epidural without imaging guidance				\$507.0	\$543.3	\$598.8	10.2%	18.1%			<u>+</u>
62323	Lumbar/Caudal epidural WITH imaging guidance				\$507.0	\$543.3	\$598.8	10.2%	18.1%			
62324	Epidural or subarachnoid, catheterization, C/T without imaging guidance				\$638.7	\$672.1	\$764.8	13.8%	19.8%			
62325	Epidural or subarachnoid, catheterization, C/T WITH imaging guidance				\$638.7	\$672.1	\$764.8	13.8%	19.8%			
62326	Epidural or subarachnoid, catheterization, L/S without imaging guidance				\$638.7	\$672.1	\$764.8	13.8%	19.8%			
62327	Epidural or subarachnoid, catheterization, L/S WITH imaging guidance				\$638.7	\$672.1	\$764.8	13.8%	19.8%			
62350	Tunneled intrathecal or epidural catheter	\$1,896	\$3,661.1	\$3,396.8	\$4,150.1	\$4,627.3	\$4,566.1	-1.3%	10.0%	34%	25%	141%
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$1,469.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	11%	118%
62360	Implant or replacement of subcutaneous reservoir	\$6,923	\$3,661.1	\$15,350.2	\$15,616.0	\$16,439.7	\$16,067.4	-2.3%	2.9%	5%	339%	132%
62361	Implantation or replacement of non-programmable pump	\$10,720	\$15,566.3	\$15,350.2	\$15,616.0	\$16,439.7	\$16,067.4	-2.3%	2.9%	5%	3%	50%



" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description		F	ayment Rate	-							
		2007	2015	2016	2017	2018	2019	% of C	0007			
62362	Implant spine infusion pump	\$10,720	\$15,566.3	\$15,350.2	\$15,616.0	\$16,439.7	\$16,067.4	2018 -2.3%	2017 2.9%	2016 5%	2015 3%	2007 50%
62365	Remove spine infusion device	\$2,038	\$2,946.4	\$3,396.8	\$4,150.1	\$4,627.3	\$4,566.1	-1.3%	10.0%	34%	55%	124%
62367	Electronic analysis of programmable pump	\$178	\$247.5	\$241.2	\$252.5	\$261.9	\$280.4	7.1%	11.0%	16%	13%	58%
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$247.5	\$241.2	\$252.5	\$261.9	\$280.4	7.1%	11.0%	16%	13%	58%
62380	Endoscopic Decompression of Lumbar Spine				\$5,219.4	\$5,606.0	\$5,699.6	1.7%	9.2%			
63650	Implant neuroelectrodes	\$3,477	\$5,288.6	\$5,244.4	\$5,742.7	\$6,055.2	\$5,979.5	-1.2%	4.1%	14%	13%	72%
63655	Implant neuroelectrodes	\$5,175	\$17,099.4	\$17,359.4	\$17,795.9	\$18,367.6	\$18,707.2	1.8%	5.1%	8%	9%	261%
63661	Remove spine eltrd perq aray		\$1,383.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	18%	
63662	Remove spine eltrd plate		\$2,128.0	\$2,188.6	\$2,689.3	\$2,879.2	\$2,879.8	0.0%	7.1%	32%	35%	
63663	Remove spine eltrd perq aray		\$5,288.6	\$5,244.4	\$5,742.7	\$6,055.2	\$5,979.5	-1.2%	4.1%	14%	13%	
63664	Remove spine eltrd plate				\$17,795.9	\$18,367.6	\$18,707.2	1.8%	5.1%			
63685	Implant neuroreceiver	\$11,164	\$26,152.2	\$26,728.4	\$27,035.7	\$27,889.9	\$27,697.9	-0.7%	2.4%	4%	6%	148%
63688	Revise/remove neuroreceiver	\$2,186	\$2,128.0	\$2,188.6	\$2,689.3	\$2,879.2	\$2,879.8	0.0%	7.1%	32%	35%	32%
64400	Injection, Trigeminal nerve	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
64402	Facial nerve	\$139	\$131.7	\$91.2	\$263.5	\$105.0	\$106.5	1.4%	-59.6%	17%	-19%	-23%
64405	Greater occipital nerve	\$139	\$372.6	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	-34%	78%
64408	Vagus nerve	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%
64410	Phrenic nerve	\$352	\$211.1	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	262%	117%
64413	Cervical plexus	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%



" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description		Р	ayment Rate											
		2007	2015	2016	2017	2017 2018		% of Change 2019							
64415	Brachial plexus	\$139	\$372.6	\$822.1	\$638.7	\$672.1	\$764.8	2018 13.8%	2017 19.8%	2016 - 7%	2015 105%	2007 450%			
64417	Axillary nerve	\$139	\$372.6	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	105%	450%			
64418	Suprascapular nerve	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%			
64420	Intercostal, single	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%			
64421	Intercostal, multiple, regional block	\$352	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	117%			
64425	Ilioinguinal, Iliohypogastric	\$139	\$372.6	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	61%	331%			
64445	Sciatic nerve	\$139	\$671.8	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	-11%	331%			
64450	Other peripheral nerve or branch	\$139	\$372.6	\$223.8	\$507.0	\$543.3	\$598.8	10.2%	18.1%	168%	61%	331%			
64479	Cervical transforaminal epidural injections	\$391	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	96%			
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	96%			
64490	Cervical and thoracic facet joint injections, 1st Level	\$391	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	96%			
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level	\$391	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	96%			
64505	Injection, sphenopalatine ganglion	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%			
64510	Injection, Stellate ganglion (cervical sympathetic)	\$391	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	96%			
64520	Injection, lumbar or thoracic (paravertebral sympathetic)	\$391	\$671.8	\$585.2	\$638.7	\$672.1	\$764.8	13.8%	19.8%	31%	14%	96%			
64530	Injection, celiac plexus,	\$391	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	96%			
64600	Destruction by neurolytic agent, trigeminal nerve	\$748	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	2%			
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$1,383.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	18%	118%			
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$1,383.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	18%	118%			



" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

HOPD 2019 FINAL Payment Rates

CPT	Description	Payment Rate											
		2007	2015	2016	2017	2018	2019	% of Change 2019					
		2007	2015	2010	2017	2010	2019	2018	2017	2016	2015	2007	
64612	Chemodenervation of muscle(s); muscle(s) innervated	\$139	\$211.1	\$223.8	\$230.9	\$244.7	\$247.5	1.1%	7.2%	11%	17%	78%	
64620	Intercostal nerve - neurolysis	\$748	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	2%	
64630	Pudendal nerve - neurolysis	\$352	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	117%	
64633	Paravertebral facet joint nerve; C/T, single level neurolysis	\$748	\$1,469.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	11%	118%	
64635	Paravertebral facet joint nerve; L/S, single level neurolysis	\$748	\$1,469.5	\$1,392.6	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	17%	11%	118%	
64640	Other peripheral nerve or branch neurolysis	\$352	\$671.8	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	14%	117%	
64680	Celiac plexus neurolysis	\$391	\$1,469.5	\$822.1	\$638.7	\$672.1	\$764.8	13.8%	19.8%	-7%	-48%	96%	
72265	Contrast x-ray, lower spine	\$157	\$614.0	\$667.9	\$449.5	\$681.8	\$691.8	1.5%	53.9%	4%	13%	341%	
72270	Contrast x-ray of spine	\$157	\$614.0	\$667.9	\$449.5	\$681.8	\$691.8	1.5%	53.9%	4%	13%	341%	
72285	Discography C/T Radiological supervision and interpretation	\$982	\$3,331.5	\$2,718.8	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	-40%	-51%	66%	
72295	Discography lumbar radiological supervision and interpretation	\$982	\$3,331.5	\$2,718.8	\$1,562.8	\$1,610.4	\$1,631.5	1.3%	4.4%	-40%	-51%	66%	
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$338.5	\$351.7	\$449.5	\$456.3	\$385.9	-15.4%	-14.2%	10%	14%	70%	
76000	Fluoroscopic examination	\$79	\$159.5	\$192.0	\$225.8	\$118.7	\$230.6	94.2%	2.1%	20%	45%	191%	
G0260	(27096) Sacroiliac joint, arthrography	\$352	\$671.8	\$585.2	\$507.0	\$543.3	\$598.8	10.2%	18.1%	2%	-11%	70%	
G0463	Hospital outpatient clinic visit		\$96.2	\$102.1	\$106.6	\$113.7	\$115.9	1.9%	8.7%	13%	20%		

Note: 77001, 77002, 77003 are Packaged service/item; no separate payment No payments for all Add-on codes