


Specification Sheet

Part Number: MB4A10H4



Adhesive Base, 1.12" x 1.12", .18" Max Tie Width, .18" Hole Dia, PA66/SR T50, White, 500/pkg

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 151-00321                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Type                | MB4A                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Color               | White (WH)                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Features & Benefits | <ul style="list-style-type: none"><li>•Durable adhesive achieves high pull-off force and is unaffected by vibration.</li><li>•4-way opening allows cable ties to be installed parallel or perpendicular to bundles.</li><li>•Predrilled holes extend mounting options and security.</li><li>•Extended adhesive liner is easy to remove quickly.</li></ul>                                                                  |
| Quantity Per        | bag                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Product Description | <p>HellermannTyton Adhesive Cable Tie Mounting Bases are used with T18 through T150 Series cable ties to provide stability when securing bundles. The mounts are installed using the adhesive backing and/or by securing two or four screws. The 4-way opening allows the cable ties to be inserted parallel or perpendicular to the wire bundles. Rubber-based adhesive allows for a permanent bond to most surfaces.</p> |

|                                       |                                                                                               |
|---------------------------------------|-----------------------------------------------------------------------------------------------|
| Short Description                     | Adhesive Base, 1.12" x 1.12" , .18" Max Tie Width, .18" Hole Dia, PA66/SR T50, White, 500/pkg |
| Global Part Name                      | MB4A-PA66-WH                                                                                  |
| Length L (Imperial)                   | 1.12                                                                                          |
| Length L (Metric)                     | 28.5                                                                                          |
| Fixation Method                       | Screw Mounting and Adhesive                                                                   |
| Width W (Imperial)                    | 1.12                                                                                          |
| Width W (Metric)                      | 28.5                                                                                          |
| Cable Ties                            | T18 - T50                                                                                     |
| Height H (Imperial)                   | .22                                                                                           |
| Height H (Metric)                     | 5.60                                                                                          |
| Cable Tie Width Max (Imperial)        | 0.18                                                                                          |
| Cable Tie Width Max (Metric)          | 4.6                                                                                           |
| Mounting Hole Diameter D (Imperial)   | 0.18                                                                                          |
| Mounting Hole Diameter D (Metric)     | 4.6 mm                                                                                        |
| Mounting Hole Diameter D Max (Metric) | 4.6                                                                                           |
| Mounting Hole Centers (Imperial)      | 0.8                                                                                           |

|                                |                                                 |
|--------------------------------|-------------------------------------------------|
| Material                       | Polyamide 6.6 (PA66)                            |
| Material Shortcut              | PA66                                            |
| Adhesive                       | Synthetic rubber with base of polyethylene foam |
| Flammability                   | UL 94 V2 (excluding adhesive)                   |
| Operating Temperature (Metric) | -40°F to +185°F (-40°C to +85°C)                |
| ROHS Complaint                 | Yes                                             |
| Package Quantity(Imperial)     | 500                                             |
| Package Quantity (Metric)      | 500                                             |
| Customs Number                 | 3926909987                                      |