

ENERGY SAVING PRODUCTS

GO GREEN! with APS Resource



- ▼ **LED Dock Lighting**
- ▼ **LED Upgrades**
- ▼ **ENERGY GUARD™**
- ▼ **Dock Leveler Weatherseal**
- ▼ **Door Weatherseal**
- ▼ **Fans**



APS Resource®
Your Aftermarket Solution

©2010 4Front Engineered Solutions, Inc. - APS Resource

ENERGY SAVING DOCK LIGHTS



FT Ultra LED Dock Light



FT Ultra Dock Light



High Impact LED Dock Light



E-Saver LED Lamp
in Light Head



LED Upgrades



FT Ultra LED™ Dock Light

The 15 watt FT Ultra LED Dock Light from APS Resource provides an abundant amount of light output with less energy.

- 50,000 hour lamp life; Significant energy saving, 15 watt LED
- 33" stainless steel flexible arm for easy positioning
- Control box includes on/off toggle switch and built in 120V electrical receptacle with a 6' cord
- Meets FDA and USDA requirements for food and pharmaceutical facilities
- Durable construction, designed to resist impact; ETL listed

FT Ultra™ Dock Light

The durable FT Ultra light from APS Resource can withstand impact at the loading dock while offering greater light output.

- Brighter light output with a standard energy saving 60 watt quartz halogen bulb (bulb included)
- Durable construction, 39" stainless steel flexible arm for easy positioning;
- Control box includes on/off switch & 115V outlet with standard 6' cord for additional dock products
- Optional food and pharmaceutical grade lens available; UL listed

High Impact LED Dock Light™

The High Impact LED Dock Light delivers maximum light output using only 16 watts.

- 100-240VAC/60HZ
- 50,000 hour LED lamp life; 16 watt LED
- Rugged, compact design for the most demanding applications
- Meets requirements for food and pharmaceutical facilities
- IP65 rated and UL listed for wet locations

E-Saver™ LED Lamp

The APS Resource E-Saver LED Replacement Lamp saves significant amounts of energy with a rapid return on investment.

- 27 watt LED uses less than 20% the energy of a traditional 150 watt incandescent bulb
- 50,000 hour extra long life expectancy
- PAR38 shape fits most existing dock lights for easy installation
- Durable construction to withstand impact



E-Saver LED Lamp

LED Upgrades for Vehicle Restraints

- Uses 40% of the energy of a traditional incandescent bulb system
- No maintenance, extra long lamp life, high vibration resistant
- Available in 12-24V & 110V low-profile design



APS Resource®

Your Aftermarket Solution

©2010 4Front Engineered Solutions, Inc. - APS Resource

ENERGY SAVING AT THE DOCK

ENERGY GUARD™ Retrofit Kits

ENERGY GUARD™ Retrofit Kits provide a superior perimeter seal along the sides and rear of the dock leveler and block dirt, debris, pests and energy loss.

- Available for most Kelley®, Serco® and some competitive dock levelers
- Eliminates gaps around sides and rear of dock leveler; seals lifting holes
- Prevents mass flow of air - minimizing transfer of heat into and out of facility
- Allows easy access to EZ Clean front frame and pit for maintenance
- Kits fit common dock leveler widths - 6', 6.5' and 7'
- Kits fit common dock leveler lengths - 6', 8' and 10'



ENERGY GUARD Retrofit Kit Installation

Dock Leveler Weatherseal

Chain Seal™


- Helps prevent pests from entering the facility through the chain opening of the dock leveler
- Available in two sizes - 1.75" or 2.5" diameter



Chain Seal

Rear Spiral Brush Seal

- This innovative, new brush style, rear-hinge seal, fits securely in the rear hinge gap of the dock leveler



Rear Spiral Brush Seal

Dock Leveler Side Brush Seal

- Fits snugly in the gaps between pit walls and dock levelers for maximum protection against the elements
- Available in 1", 1.5" or 2" brush lengths



Dock Leveler Brush Seal

Door Weatherseal

Edge Seal™

- Provides an extra tight seal between the dock leveler and overhead door
- Constructed of 22 oz. vinyl, available up to 12'
- Custom sizes available



Edge Seal

Door Brush Seal

- Dense polypropylene bristle weatherseal, tightly woven and crimped
- Available in numerous door panel widths; 1.5", 2" and 3" bristle lengths
- Standard 45° or 180° aluminum extrusion for effective door sealing



Door Brush Seal

Door Sprag™

- Fills the gap between the dock leveler and pit wall



Door Sprag

Dock Stufr®

The Dock Stufr® easily and inexpensively eliminates misc. dock gaps.

- Constructed from heavy-duty coated fabric for durability and long life
- Includes strap for portability and attachment grommet
- Available in 18" and 30" as standard



Dock Stufr



APS Resource®

Your Aftermarket Solution

©2010 4Front Engineered Solutions, Inc. - APS Resource

ENERGY SAVING FANS



HV-ES Energy Saving Fan

HV-ES™ Energy Saving Fan

Provides more airflow at lower amperage than any comparable truck fan on the market.

- Powerful 1/3 HP, 115V, 2.8 Amp, energy efficient motor
- Circulates up to 980 CFM
- Durable polyethylene construction withstands impacts
- Lightweight, compact size
- Articulated mounting arm for precise positioning

Dock Light / Fan

Improves poor lighting and ventilation at the dock.

- 3-speed, 18", 5,500 CFM fan
- Available with 24", 42", 62" or 90" total arm reach
- Optional LED, High Pressure Sodium, Quartz Halogen, Metal Halide or Fluorescent Bulbs
- UL listed




Dock Light / Fan

Light Duty Industrial Ceiling Fans

Alternative to 4Front Engineered Solutions HVLS Fans when not applicable.

- 56" blade, 115V single phase, 3 curved steel blades
- Other models available



Ceiling Fans



Air Circulator



Portable Air Blower

Personnel Fans

Portable Air Blower

- Belt Drive - 36" or 42" blades, 1 speed, 115V capacitor start motor
- Direct Drive - 30" or 36" blades, 2 speed, 1/3 HP motor

Air Circulator

- 30" blade, 1/3 HP, 2 speed motor, 115V single phase
- Pedestal or wall mount, available in chrome or safety yellow



APS Resource®

Your Aftermarket Solution

©2010 4Front Engineered Solutions, Inc. - APS Resource