HEATER ASSEMBLIES

AUXILIARY HEATERS

© 2026 Omega Heavy Duty

892071


The 892071 is a compact heater featuring a black textured, powder-coated 18GA satin coat housing and a 3 speed blower. Its robust design allows it to be ordered with either rear or floor-exit fittings.

892071-12VDC.....Rear Exit Fittings
892071-24VDC.....Rear Exit Fittings
892072-12VDC.....Floor Exit Fittings
892072-24VDC.....Floor Exit Fittings




SPECIFICATIONS

Size/Dimension	11.5" L x 7.5" W x 7.4" H
BTU/Capacity	15,250 BTU/hr
Weight	7 lbs
Heater Coil	Copper Tubing Aluminum Fin
Airflow	153 CFM
Current Draw	4.3 amps @ 12VDC
	2.7 amps @ 24VDC
Motor	3 Speed HVAC Blower



CAPACITY CONDITIONS

Capacity calculated at 150F Air Temp Rise: 32°F (0°C) Ambient- and water at 176°F (80°C)



OPTIONS

- Water Pump Add-On

SERVICE PARTS	PART NO.
Heater Core	876094
Blower, 12VDC	3979
Blower, 24VDC	39105

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

1000



The Inferno Compact Series is the smallest heater in our OEM line of cab heaters. Made for tight fitting spaces this small heater still packs a punch boasting 16,000 BTUs and a 260 CFM blower.

1000-10-90.....90 Degree Fittings

SPECIFICATIONS

Size/Dimension.....6" L x 5.5" W x 7" H
BTU/Capacity.....16,000 BTU/hr
Weight .....4 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....260 CFM
Current Draw .....4.8 amps @ 12VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A

SERVICE PARTS	PART NO.
Heater Core	UP-1625
Blower, 12VDC	30003161

OPTIONS

• 24VDC Available Upon Request

1000-10-STR.....Straight Fittings

SPECIFICATIONS

Size/Dimension.....7" L x 5.5" W x 7" H
BTU/Capacity.....16,000 BTU/hr
Weight .....4 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....260 CFM
Current Draw .....5.5 amps @ 12VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A

SERVICE PARTS	PART NO.
Heater Core	AH488
Blower, 12VDC	30003161

OPTIONS

• 24VDC Available Upon Request

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

2000

The Inferno Slim Series is the thinnest heater in our OEM line of cab heaters at a height of only 5.5 inches. Made for tight fitting spaces this thin-line heater still packs a punch boasting 18,000 BTUs and a 520 CFM thin-line fan.

2000-10

SPECIFICATIONS

Size/Dimension.....7" L x 7" W x 5.5" H
BTU/Capacity.....18,000 BTU/hr
Weight .....4 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....520 CFM
Current Draw .....5.5 amps @ 12VDC
Motor.....Single Speed HVAC Fan

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....UP-1625
Fan, 12VDC.....30103013

OPTIONS
• 24VDC Available Upon Request

2000-20

SPECIFICATIONS

Size/Dimension.....7" L x 7" W x 5.5" H
BTU/Capacity.....18,000 BTU/hr
Weight .....4 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....520 CFM
Current Draw .....4.8 amps @ 12VDC
Motor.....Single Speed HVAC Fan

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....UP-1625
Fan, 12VDC.....30103013

OPTIONS
• 24VDC Available Upon Request

2000-60

SPECIFICATIONS

Size/Dimension.....7" L x 7" W x 5.5" H
BTU/Capacity.....18,000 BTU/hr
Weight .....4 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....520 CFM
Current Draw .....4.8 amps @ 12VDC
Motor.....Single Speed HVAC Fan

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....UP-1625
Fan, 12VDC.....30103013

OPTIONS
• 24VDC Available Upon Request

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

3000

The Inferno Elite Series is the most popular heater in our OEM line of cab heaters as it works for a wide array of applications. This heater rates out at 18,000 BTUs with a 260 CFM blower.

3000-10

SPECIFICATIONS

Size/Dimension..... 7" L x 7" W x 7" H
BTU/Capacity..... 18,000 BTU/hr
Weight ..... 6 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 260 CFM
Current Draw ..... 5.5 amps @ 12VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	UP-1625
Blower, 12VDC	30003161

OPTIONS

• 24VDC Available Upon Request

3000-20

SPECIFICATIONS

Size/Dimension..... 7" L x 7" W x 7" H
BTU/Capacity..... 18,000 BTU/hr
Weight ..... 6 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 260 CFM
Current Draw ..... 4.8 amps @ 12VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	UP-1625
Blower, 12VDC	30003161

OPTIONS

• 24VDC Available Upon Request

3000-60

SPECIFICATIONS

Size/Dimension..... 7" L x 7" W x 7" H
BTU/Capacity..... 18,000 BTU/hr
Weight ..... 6 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 260 CFM
Current Draw ..... 5.5 amps @ 12VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	UP-1625
Blower, 12VDC	30003161

OPTIONS

• 24VDC Available Upon Request

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

892076

The 892076 heater features a black powder-coated 18GA satin coat steel housing and a 5” power fan. Its innovative copper/aluminum coil provides heating within a compact footprint, maximizing capacity with 3 speed operation.




892076-12V.....12VDC


SPECIFICATIONS

Size/Dimension.....11.3” L x 11.4” W x 4.5” H
BTU/Capacity.....24,400 BTU/hr
Weight .....10 lbs
Heater Coil.....Copper Tubing Aluminum Fin
Airflow.....244 CFM
Current Draw .....5.4 amps @ 12VDC
Motor.....3 Speed HVAC Fan

CAPACITY CONDITIONS

Capacity calculated at 150F Air Temp Rise: 32°F (0°C) Ambient- and water at 176°F (80°C)





OPTIONS

- 24VDC Available Upon Request
- Water Pump Add-On

SERVICE PARTS	PART NO.
Heater Core	876097
Fan - 5.2”, 12VDC Puller	25-14935
Blower Switch	412-101
Knob	411-063

Having trouble finding the right part for your application? We can help!

If you don’t find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

4000

The Inferno Maxx Series offers a mid-size option in our OEM line of cab heaters. This heater rates out at 32,000 BTUs with a 260 CFM blower.

4000-10-12V.....12VDC

SPECIFICATIONS

Size/Dimension.....10" L x 7" W x 7" H
BTU/Capacity.....32,000 BTU/hr
Weight .....7 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....260 CFM
Current Draw .....5.5 amps @ 12VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....HC8520
Blower, 12VDC.....30003161

OPTIONS
• 24VDC Available Upon Request

4000-20-12V.....12VDC

SPECIFICATIONS

Size/Dimension.....10" L x 7" W x 7" H
BTU/Capacity.....32,000 BTU/hr
Weight .....7 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....260 CFM
Current Draw .....5.5 amps @ 12VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....HC8520
Blower, 12VDC.....30003161

OPTIONS
• 24VDC Available Upon Request

4000-60-12V.....12VDC

SPECIFICATIONS

Size/Dimension.....10" L x 7" W x 7" H
BTU/Capacity.....32,000 BTU/hr
Weight .....7 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....260 CFM
Current Draw .....5.5 amps @ 12VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS.....PART NO.
Heater Core.....HC8520
Blower, 12VDC.....30003161

OPTIONS
• 24VDC Available Upon Request

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

4500

The Inferno Maxx XL Series offers a high CFM upgrade to the standard Maxx Series. This medium sized core offers up to 4 duct adapters as the mid-size option in our OEM line of cab heaters. This heater rates out at 32,000 BTUs with a 360 CFM blower.

4500-20-12V.....12VDC
4500-20-24V.....24VDC

SPECIFICATIONS

Size/Dimension..... 10" L x 7" W x 8" H
BTU/Capacity..... 32,000 BTU/hr
Weight ..... 8 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 360 CFM
Current Draw ..... 19.6 amps @ 12VDC
9.8 amps @ 24VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	HC8520
Blower, 12VDC	30000556
Blower, 24VDC	30000561

4500-30-12V.....12VDC
4500-30-24V.....24VDC

SPECIFICATIONS

Size/Dimension..... 10" L x 7" W x 8" H
BTU/Capacity..... 32,000 BTU/hr
Weight ..... 8 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 360 CFM
Current Draw ..... 19.6 amps @ 12VDC
9.8 amps @ 24VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	HC8520
Blower, 12VDC	30000556
Blower, 24VDC	30000561

4500-60-12V.....12VDC
4500-60-24V.....24VDC

SPECIFICATIONS

Size/Dimension..... 10" L x 7" W x 8" H
BTU/Capacity..... 32,000 BTU/hr
Weight ..... 8 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 360 CFM
Current Draw ..... 19.6 amps @ 12VDC
9.8 amps @ 24VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	HC8520
Blower, 12VDC	30000556
Blower, 24VDC	30000561

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

27-59943



The 27-59943 under seat heater is a compact, high-output heating unit designed for shuttle buses, vans, and other commercial passenger vehicles where efficient cabin warmth is essential.

SPECIFICATIONS

Size/Dimension..... 10.5" L x 9.4" W x 9.5" H
BTU/Capacity..... 35,000 BTU/hr
Weight ..... 8 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 300 CFM
Current Draw ..... 5 amps @ 12VDC
Motor..... 2 Speed HVAC Blower

CAPACITY CONDITIONS

N/A

SERVICE PARTS	PART NO.
Blower, 12VDC	11-000-280

27-59945



The 27-59945 under seat heater is a compact, high-output heating unit designed for shuttle buses, vans, and other commercial passenger vehicles where efficient cabin warmth is essential.

SPECIFICATIONS

Size/Dimension..... 10.5" L x 9.4" W x 9.5" H
BTU/Capacity..... 45,000 BTU/hr
Weight ..... 9 lbs
Heater Coil..... Aluminum Multiflow
Airflow..... 300 CFM
Current Draw ..... 5 amps @ 12VDC
Motor..... 2 Speed HVAC Blower

CAPACITY CONDITIONS

N/A

SERVICE PARTS	PART NO.
Blower, 12VDC	11-000-280

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

5000

The Inferno Heavy Duty Series is the largest heater in our OEM line of cab heaters. Built for large heavy duty applications this heater rates out at 45,000 BTUs with a 450 CFM dual blower assembly.

5000-20-12V.....12VDC
5000-20-24V.....24VDC

SPECIFICATIONS

Size/Dimension.....16.5" L x 7" W x 7" H
BTU/Capacity.....45,000 BTU/hr
Weight .....10 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....450 CFM
Current Draw .....15.1 amps @ 12VDC
7.6 amps @ 24VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	AH482
Blower, 12VDC	30000463
Blower, 24VDC	30000464

5000-30-12V.....12VDC
5000-30-24V.....24VDC

SPECIFICATIONS

Size/Dimension.....16.5" L x 7" W x 7" H
BTU/Capacity.....45,000 BTU/hr
Weight .....10 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....450 CFM
Current Draw .....15.1 amps @ 12VDC
7.6 amps @ 24VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	AH482
Blower, 12VDC	30000463
Blower, 24VDC	30000464

5000-60-12V.....12VDC
5000-60-24V.....24VDC

SPECIFICATIONS

Size/Dimension.....16.5" L x 7" W x 7" H
BTU/Capacity.....45,000 BTU/hr
Weight .....10 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....450 CFM
Current Draw .....15.1 amps @ 12VDC
7.6 amps @ 24VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

N/A



SERVICE PARTS	PART NO.
Heater Core	AH482
Blower, 12VDC	30000463
Blower, 24VDC	30000464

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

R40-4K

The R40-4K heater features a black powder-coated 18GA housing and a dual-wheel, 3 speed blower. Its copper/aluminum coil delivers high heat output while maintaining a compact footprint.




SPECIFICATIONS

Size/Dimension..... 16.5" L x 9.4" W x 6.7" H
BTU/Capacity..... 45,600 BTU/hr
Weight ..... 20 lbs
Heater Coil..... Copper Tubing Aluminum Fin
Airflow..... 400 CFM
Current Draw ..... 14 amps @ 12VDC
Motor..... 3 Speed HVAC Blower

CAPACITY CONDITIONS

Capacity calculated at 150F Air Temp Rise: 32°F (0°C) Ambient- and water at 176°F (80°C)



OPTIONS

- 24VDC Available upon request
- Water Pump Add-On

SERVICE PARTS	PART NO.
Heater Core	202404
Blower, 12VDC	3996

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

892041



The 892041 heater features a black powder-coated 20GA satin coat housing and a dual-wheel, 3 speed blower. Its copper/aluminum coil paired with the high-output blower delivers strong heating performance while maintaining a compact footprint.


892041-12VDC.....12VDC
892041-24VDC.....24VDC

SPECIFICATIONS

Size/Dimension.....17.7" L x 9.5" W x 7.0" H
BTU/Capacity.....35,000 BTU/hr
Weight .....16 lbs
Heater Coil.....Copper Tubing Aluminum Fin
Airflow.....280 CFM
Current Draw .....14 amps @ 12VDC
7 amps @ 24VDC
Motor.....3 Speed HVAC Blower

CAPACITY CONDITIONS

Capacity calculated at 150F Air Temp Rise: 32°F (0°C) Ambient- and water at 176°F (80°C)



OPTIONS

- Duct Plate
- Water Pump Add-On

SERVICE PARTS	PART NO.
Heater Core	876050
Blower, 12VDC	26-19907
Blower, 24VDC	810068

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

27-59944



The 27-59944 under seat heater is a compact, dual blower, high-output heating unit designed for shuttle buses, vans, and other commercial passenger vehicles where efficient cabin warmth is essential.

SPECIFICATIONS

Size/Dimension.....21" L x 9.4" W x 9.5" H
BTU/Capacity.....65,000 BTU/hr
Weight .....15 lbs
Heater Coil.....Aluminum Multiflow
Airflow.....640 CFM
Current Draw .....10 amps @ 12VDC
Motor.....2 Speed HVAC Blower

CAPACITY CONDITIONS

N/A

SERVICE PARTS	PART NO.
Blower Assembly	11-000-280

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty

892002




The 892002 is a high performance heater featuring a black powder-coated 18GA satin coat housing and a dual-wheel, 3 speed blower. Its 8" x 20.5" copper/aluminum coil paired with the high-output blower delivers strong heat output. This robust design supports both ducted and louvered configurations.

892002-12VDC.....12VDC
892002 24VDC.....24VDC

SPECIFICATIONS

Size/Dimension.....26" L x 12.2" W x 8.2" H
BTU/Capacity.....65,000 BTU/hr
Weight .....34 lbs
Heater Coil.....Copper Tubing Aluminum Fin
Airflow.....500 CFM
Current Draw .....16 amps @ 12VDC
9 amps @ 24VDC
Motor.....3 Speed HVAC Blower



CAPACITY CONDITIONS

Capacity calculated at 150F Air Temp Rise: 32°F (0°C) Ambient- and water at 176°F (80°C)

OPTIONS

- Duct Plate
- Louvered Plate
- Water Pump Add-On

SERVICE PARTS	PART NO.
Heater Core	876036
Blower, 12VDC	26-19907
Blower, 24VDC	810068
Hose Adapter - 2.5"	830343
Louver - Round	830054A

Having trouble finding the right part for your application? We can help!

If you don't find what you are looking for, reach out and our team will custom build exactly the system you need. Contact Omega HD at sales@omegahd.com.

© 2026 Omega Heavy Duty