

Management
Practices
for
Pollinators
on
New York State
Golf Courses

Revised May 2019















Acknowledgements														
Pollinator Protection														. 1
Regulatory Considerations														. 2
Pest Management Practices	s th	at l	Red	duc	e I	mp	ac	ts o	on	Pol	lin	ato	rs	. 3
Preserving and Enhancing I	Hab	oita	t o	n t	he	Co	urs	se						. 4
Managed Bee Hives on the	Со	urs	e											. 6





# ABLE OF FIGURES

Figure 1. Both domestic honey bees (left) and any one of the 400+ species of wild pollinators in New York  State (right) may forage on flowering plants on or near golf courses.  1
Figure 2. Following the pesticide label is a regulatory requirement and includes following instructions in the Bee Advisory Box added to pesticide labels in 2013.
Figure 3. Flowering weeds should be mowed before pesticides are applied to avoid impacting pollinators. 3
Figure 4. Bamboo sticks are an easy way to create nesting sites for bees.
Figure 5. Wood boxes with varying size drill holes provide nesting for different bee species. 4
Figure 6. First summer of a newly established native wildflower area.
Figure 7. Established wildflower area in mid-summer.
Figure 8. Managed hives at Rockville Links Golf Club on Long Island.

#### **Acknowledgements**

As the caretakers for the state's golf courses, golf course superintendents are dedicated to protecting New York's natural resources and have embraced the responsibility to maintain these facilities in harmony with the natural environment. Golf course superintendents and member associations throughout the state are united in partnership with professional and recreational golfers to take a leadership role in establishing Best Management Practices (BMPs) for golf courses in New York State. These BMPs are helping golf industry professionals to work in concert with lawmakers and regulators throughout the state, in a shared commitment to water quality protection and sound environmental stewardship.

Since the New York State golf course BMPs were first published, pollinators have emerged as an issue of

concern. Therefore, with funding from the Golf Course Superintendents Association of America (GCSAA) and the participation of Cornell University scientists and educators, the BMP project has developed and published BMPs specifically for pollinators in New York State. These continued efforts demonstrate the ongoing commitment of the state's golf industry to implement BMPs and expand the knowledge base when needed.

The New York Golf Course Foundation would like to thank GCSAA for funding this effort, Cornell University for providing its scientific expertise, the superintendents across the state who provided input, and the NYS Department of Environmental Conservation for reviewing the BMPs prior to publication.





Figure 1. Both domestic honey bees (left) and any one of the 400+ species of wild pollinators in New York State (right) may forage on flowering plants on or near golf courses.

#### **Pollinator Protection**

Most flowering plants need pollination to reproduce and grow fruit. While some plants are pollinated by wind, many require assistance from insects and other animals. Most people are aware of managed honey bees, but their services are surpassed by the over 400 wild pollinator species in New York State, including bees, wasps, beetles, flies, ants, moths, and butterflies. In the absence of these pollinators, many plant species, including many fruits and vegetables we eat, would fail to reproduce. These include economically important crops in the state, such as apples, blueberries, cherries, tomatoes, squash, and peppers, all of which are pollinator-dependent for good yields.

Both wild and managed bees are facing threats that can alter their health, abundance, and distribution. According to the 2016 New York State Pollinator Protection Plan, "Over the past several years, the loss of managed pollinator colonies in the state has exceeded 50%. This is coupled with losses in the native pollinator community and the habitat that sustains them." Research indicates that some pesticides can be harmful for pollinators and can have negative effects at the sub-individual level (such as gene expression

or physiology), individual level (such as mortality, foraging, or learning), or even the colony level (such as colony growth, overwintering, or honey production).

Because of the potential for non-target effects of products used in golf course management, pesticide applicators need to be mindful of the impact that pesticides have on pollinator species and their habitat. In addition to adhering to best management practices related to pesticide applications, golf course managers can protect and enhance habitat on the course in a number of ways to help both wild pollinators and managed bees (including hives on the course or in surrounding areas).

#### For more information, see the following:

- New York State Integrated Pest Management (IPM). https://nysipm.cornell.edu/environment/pollinators
- Pollinator Network @ Cornell. https://pollinator.cals.cornell.edu/
- New York State Pollinator Protection Plan. http://www.dec.ny.gov/docs/administration\_pdf/ nyspollinatorplan.pdf

#### **Regulatory Considerations**

Pollinator protection language is a requirement for pesticide labels. Following the label is mandatory (Figure 2). Pesticide applicators must be aware of honey bee toxicity groups and be able to understand precautionary statements. In addition, they should be aware of the behavior of honey bees, wild bees, and other pollinators that may visit golf courses and avoid applying pesticides when and where these insects may be present. They should also understand the effects of pesticides on bees and other pollinators, as well as the routes of exposure. The United States Golf Association (USGA) publication *Making Room for Native Pollinators* (http://www.xerces.org/wp-content/uploads/2008/10/

making\_room\_for\_pollinators\_usga1.pdf) provides the basics of pollinator biology useful for pesticide applicators. The Pollinator Partnership (https://www.pollinator.org/learning-center/beeissues) has published visual depictions of honey bee, solitary bee, colony, and general pollinator life cycles that are useful as well.

IPM principles include keeping records of both pest and pest control activity so that records may be referenced for information on past infestations and the effectiveness of controls to better inform future management actions. Recordkeeping may be required by law in order to use some products.




Figure 2. Following the pesticide label is a regulatory requirement and includes following instructions in the Bee Advisory Box added to pesticide labels in 2013

## Pest Management Practices that Reduce Impacts on Pollinators



Figure 3. Flowering weeds should be mowed before pesticides are applied to avoid impacting pollinators.

It is important to minimize the impacts of pesticides on bees and beneficial arthropods. Pesticide applicators must use appropriate tools to help manage pests while safeguarding pollinators, the environment, and humans. As detailed in the NYS Pollinator Protection Plan, the state has committed to IPM on state lands "by managing pests on turf and ornamental plants solely through mechanical, sanitary, cultural or biological means to the maximum extent practicable" while recognizing that pesticide use is necessary under certain circumstances.

Superintendents can utilize IPM best management practices for turf that protect pollinators by following these simple steps:

- Identifying what is truly a pest. (e.g., while solitary ground nesting bees and wasps might be alarming, most are harmless.)
- Setting higher weed thresholds in low-use areas.
- Monitoring bee activity to avoid applying pesticides during peak activity times.

When the use of pesticides is necessary, being mindful of pollinators requires focusing on minimizing exposure to non-target pollinators in play and non-play course areas.

#### **Best Management Practices**

- ✓ Follow label information directing the application of pesticide when the plant may be in bloom and follow all BMPs to avoid impacting pollinators.
- ✓Inform nearby beekeepers in advance of applying pesticides so they have the option of moving their hives.

- ✓ Use drift reduction methods to stay on target by using the latest spray technologies, select nozzles correctly, use backpack sprayers when possible, and monitor wind to reduce drift.
- ✓ Do not apply pesticides when pollinators are active. (Spray at night or in early morning/late evening and when air is calm.)
- ✓ Before applying a pesticide, scout the area for both harmful and beneficial insect populations, and use pesticides only when populations exceed a damage threshold.
- ✓If flowering weeds are prevalent, mow or remove them before applying pesticides.
- ✓ Use pesticides that have a lower impact on pollinators.
- ✓ Avoid applications during unusually low temperatures or when dew is present or forecast.
- ✓When possible, use spray or granular formulations of pesticides that are known to be less hazardous to bees (e.g., wettable powders).
- ✓ Reduce planting dust from treated seeds: Use wax treated seeds, use deflectors on machinery, and be aware of dry/windy conditions.
- ✓ Follow irrigation instructions carefully to ensure pesticides are washed from foliage into soil. In addition, non-ionic surfactant can help reduce the potential for drift.
- ✓ Consider the use of biologicals (e.g., entomopathogens) and bio-based lures, baits, and pheromones as alternatives to insecticides for pest management.

#### Preserving and Enhancing Habitat on the Course

Habitat for pollinators includes foraging habitat and nesting sites. Pollinator-friendly habitat contains a diversity of blooming plants of different colors and heights, with blossoms throughout the entire growing season. Native plants are best, proving the most nutritious food source for native pollinators. Even plants we consider weeds provide important habitat. For example, red clover provides an important nectar and pollen source. Providing nesting sites for native species can be accomplished by taking simple steps in out-of-play areas, such as leaving stems and coarse, woody debris and leaving exposed patches of well-drained soil, or by creating nesting areas such as wooden nesting boxes for hole nesting bees (Figures 4 and 5).

Pollinator habitat on the golf course includes both the areas renovated specifically with pollinators in mind and the existing out-of-play areas. For example, one of the most effective BMPs for protecting water quality also protects pollinator habitat, i.e., leaving a low or no-management buffer strip around water courses and bodies of water. Opportunities for renovation can be used to enhance the habitat for pollinators with native plants, wildflowers, and flowering trees and

shrubs (Figures 6 and 7). Part 2 of our video case study describes the process used to establish native areas during renovations at Rockville Links Club in Rockville Centre on Long Island.

#### For more information see:

- Making Room for Native Pollinators, Matthew Shepherd. http://www.xerces.org/wp-content/ uploads/2008/10/making\_room\_for\_pollinators\_ usga1.pdf
- Pollen specialist bees of the Eastern United States, Jarrod Fowler. http://jarrodfowler.com/specialist\_ bees.html
- Host plants for specialist bees of the Mid-Atlantic and Northeastern United States, Jarrod Fowler.
   Recommendations regarding pollinator plants, native plant nurseries and seed companies, conservation guides, and policies. http://jarrodfowler.com/host\_ plants.html
- Monarchs in the Rough, a program sponsored by Audubon International and the Environmental Defense Fund to provide superintendents with regionally appropriate seeds to restore monarch butterfly habitat in out-of-play areas.



Figure 4. Bamboo sticks are an easy way to create nesting site for bees.



Figure 5. Wood boxes with varying size drill holes provide nesting for different bee species.



Figure 6. First summer of a newly established native wildflower area.



Figure 7. Established wildflower area in mid-summer.

#### **Best Management Practices**

- ✓Utilize native species when renovating out-of-play areas.
- ✓ Choose flowers of different shapes, sizes, and colors.
- ✓ Choose species that bloom at different times of the year.
- ✓Include both perennials and annuals in native plant areas.
- ✓ Choose south-facing sites whenever possible for establishing native areas.
- ✓ Leave stems and coarse, woody debris in native areas for pollinator nesting.
- ✓ Leave exposed patches of well-drained soil in native areas for pollinator nesting.
- ✓ Consider joining the Monarchs in the Rough project.
- ✓ Provide water sources with shallow sides to prevent pollinators from drowning.



Figure 8. Managed hives at Rockville Links Golf Club on Long Island.

### Managed Bee Hives on the Course

Hosting honey bee hives on golf courses provides bees with valuable green space, especially in urban areas, and can be a positive public-relations tool (Figure 8). If embarking on this effort, consider:

- Partnering with an experienced local beekeeper.
   Proper beekeeping is time- and knowledge-intensive.
   A list of beekeeper organizations in New York is available at https://www.agriculture.ny.gov/PI/
   Beekeeping\_Club\_Contacts.pdf. If not partnering with an experienced beekeeper, superintendents or other responsible staff should attend a beekeeping course.
- Ensuring that enough food sources are available for both honey bees and wild pollinator species.
- Placing hives away from areas where golf course workers or golfers are active to avoid stings.

- Facing the hive exit in a direction away from in-play areas of the course.
- Educating golfers via explanatory signs, newsletters, and sales of honey and other bee products.
- Calling in an experienced beekeeper if disease or parasites are suspected in order to identify and mitigate any health issues.

**For more information** on how managed hives have been integrated at a golf course and related communications with club members, see Part 3 of the video case study at Rockville Links Club (https://www.youtube.com/watch?v=PQd6KvjEr3g&list=PLoNb8lODb 49sB9TlzP\_YDbQm1djDrgQ15&index=4).