

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
43197		Esophagoscopy flex dx brush	1.48	1.52	-0.04	-2.6%	4.18	4.02	0.16	4%	0.36	0.70	-0.34	-49%
43198		Esophagosc flex trnsn biopsy	1.77	1.82	-0.05	-2.7%	4.49	4.33	0.16	4%	0.43	0.86	-0.43	-50%
43200		Esophagoscopy flexible brush	1.38	1.42	-0.04	-2.8%	7.02	6.16	0.86	14%	0.79	0.99	-0.20	-20%
43201		Esoph scope w/submucous inj	1.68	1.72	-0.04	-2.3%	6.42	5.77	0.65	11%	0.85	1.14	-0.29	-25%
43202		Esophagoscopy flex biopsy	1.68	1.72	-0.04	-2.3%	9.90	8.46	1.44	17%	0.90	1.12	-0.22	-20%
43204		Esoph scope w/sclerosis inj	2.27	2.33	-0.06	-2.6%	NA	NA	NA	NA	1.09	1.41	-0.32	-23%
43205		Esophagus endoscopy/ligation	2.38	2.44	-0.06	-2.5%	NA	NA	NA	NA	1.13	1.45	-0.32	-22%
43206		Esoph optical endomicroscopy	2.23	2.29	-0.06	-2.6%	7.74	6.45	1.29	20%	1.08	1.40	-0.32	-23%
43210		Egd esophagogastrc fndoplsty	7.56	7.75	-0.19	-2.5%	NA	NA	NA	NA	2.71	3.76	-1.05	-28%
43211		Esophagoscop mucosal resect	4.10	4.20	-0.10	-2.4%	NA	NA	NA	NA	1.64	2.24	-0.60	-27%
43212		Esophagoscop stent placement	3.32	3.40	-0.08	-2.4%	NA	NA	NA	NA	1.25	1.65	-0.40	-24%
43213		Esophagoscopy retro balloon	4.51	4.63	-0.12	-2.6%	32.50	29.65	2.85	10%	1.58	2.37	-0.79	-33%
43214		Esophagosc dilate balloon 30	3.32	3.40	-0.08	-2.4%	NA	NA	NA	NA	1.21	1.88	-0.67	-36%
43215		Esophagoscopy flex remove fb	2.38	2.44	-0.06	-2.5%	10.35	8.71	1.64	19%	1.08	1.39	-0.31	-22%
43216		Esophagoscopy lesion removal	2.24	2.30	-0.06	-2.6%	11.15	9.36	1.79	19%	1.09	1.40	-0.31	-22%
43217		Esophagoscopy snare les remv	2.73	2.80	-0.07	-2.5%	11.00	9.20	1.80	20%	1.23	1.61	-0.38	-24%
43220		Esophagoscopy balloon <30mm	1.95	2.00	-0.05	-2.5%	26.53	23.32	3.21	14%	0.96	1.25	-0.29	-23%
43226		Esoph endoscopy dilation	2.18	2.24	-0.06	-2.7%	9.91	8.75	1.16	13%	0.98	1.29	-0.31	-24%
43227		Esophagoscopy control bleed	2.82	2.89	-0.07	-2.4%	16.52	13.98	2.54	18%	1.22	1.64	-0.42	-26%
43229		Esophagoscopy lesion ablate	3.40	3.49	-0.09	-2.6%	19.66	16.55	3.11	19%	1.41	1.89	-0.48	-25%
43231		Esophagoscop ultrasound exam	2.73	2.80	-0.07	-2.5%	NA	NA	NA	NA	1.12	1.52	-0.40	-26%
43232		Esophagoscopy w/us needle bx	3.50	3.59	-0.09	-2.5%	NA	NA	NA	NA	1.41	1.88	-0.47	-25%
43233		Egd balloon dil esoph30 mm/>	3.97	4.07	-0.10	-2.5%	NA	NA	NA	NA	1.52	2.08	-0.56	-27%
43235		Egd diagnostic brush wash	2.04	2.09	-0.05	-2.4%	7.40	6.18	1.22	20%	1.03	1.29	-0.26	-20%
43236		Uppr gi scope w/submuc inj	2.33	2.39	-0.06	-2.5%	10.79	9.06	1.73	19%	1.10	1.42	-0.32	-23%
43237		Endoscopic us exam esoph	3.38	3.47	-0.09	-2.6%	NA	NA	NA	NA	1.42	1.91	-0.49	-26%
43238		Egd us fine needle bx/aspir	4.06	4.16	-0.10	-2.4%	NA	NA	NA	NA	1.62	2.22	-0.60	-27%
43239		Egd biopsy single/multiple	2.33	2.39	-0.06	-2.5%	9.96	8.36	1.60	19%	1.10	1.42	-0.32	-23%
43240		Egd w/transmural drain cyst	6.97	7.15	-0.18	-2.5%	NA	NA	NA	NA	2.47	3.56	-1.09	-31%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
43241		Egd tube/cath insertion	2.43	2.49	-0.06	-2.4%	NA	NA	NA	NA	1.07	1.41	-0.34	-24%
43242		Egd us fine needle bx/aspir	4.61	4.73	-0.12	-2.5%	NA	NA	NA	NA	1.78	2.47	-0.69	-28%
43243		Egd injection varices	4.16	4.27	-0.11	-2.6%	NA	NA	NA	NA	1.57	2.18	-0.61	-28%
43244		Egd varices ligation	4.29	4.40	-0.11	-2.5%	NA	NA	NA	NA	1.68	2.32	-0.64	-28%
43245		Egd dilate stricture	3.00	3.08	-0.08	-2.6%	16.23	13.69	2.54	19%	1.28	1.69	-0.41	-24%
43246		Egd place gastrostomy tube	3.47	3.56	-0.09	-2.5%	NA	NA	NA	NA	1.34	1.83	-0.49	-27%
43247		Egd remove foreign body	3.03	3.11	-0.08	-2.6%	9.38	7.82	1.56	20%	1.30	1.72	-0.42	-24%
43248		Egd guide wire insertion	2.84	2.91	-0.07	-2.4%	10.55	8.88	1.67	19%	1.25	1.65	-0.40	-24%
43249		Esoph egd dilation <30 mm	2.60	2.67	-0.07	-2.6%	32.54	27.63	4.91	18%	1.18	1.54	-0.36	-23%
43250		Egd cautery tumor polyp	2.90	2.97	-0.07	-2.4%	11.65	9.79	1.86	19%	1.25	1.65	-0.40	-24%
43251		Egd remove lesion snare	3.38	3.47	-0.09	-2.6%	12.60	10.57	2.03	19%	1.41	1.90	-0.49	-26%
43252		Egd optical endomicroscopy	2.89	2.96	-0.07	-2.4%	8.08	6.79	1.29	19%	1.25	1.66	-0.41	-25%
43253		Egd us transmural injxn/mark	4.61	4.73	-0.12	-2.5%	NA	NA	NA	NA	1.78	2.47	-0.69	-28%
43254		Egd endo mucosal resection	4.75	4.87	-0.12	-2.5%	NA	NA	NA	NA	1.81	2.53	-0.72	-28%
43255		Egd control bleeding any	3.47	3.56	-0.09	-2.5%	16.81	14.17	2.64	19%	1.44	1.95	-0.51	-26%
43257		Egd w/thrml txmnt gerd	4.05	4.15	-0.10	-2.4%	NA	NA	NA	NA	1.62	2.22	-0.60	-27%
43259		Egd us exam duodenum/jejunum	3.94	4.04	-0.10	-2.5%	NA	NA	NA	NA	1.58	2.17	-0.59	-27%
43266		Egd endoscopic stent place	3.82	3.92	-0.10	-2.6%	NA	NA	NA	NA	1.46	2.00	-0.54	-27%
43270		Egd lesion ablation	3.91	4.01	-0.10	-2.5%	19.73	16.63	3.10	19%	1.57	2.14	-0.57	-27%
43290		Egd flx trnsorl dplmnt balo	3.03	3.11	-0.08	-2.6%	76.56	68.82	7.74	11%	1.32	1.68	-0.36	-21%
43291		Egd flx trnsorl rmvl balo	2.73	2.80	-0.07	-2.5%	12.17	10.28	1.89	18%	1.23	1.60	-0.37	-23%
43260		Ercp w/specimen collection	5.70	5.85	-0.15	-2.6%	NA	NA	NA	NA	2.09	2.97	-0.88	-30%
43261		Endo cholangiopancreatograph	6.00	6.15	-0.15	-2.4%	NA	NA	NA	NA	2.18	3.10	-0.92	-30%
43262		Endo cholangiopancreatograph	6.34	6.50	-0.16	-2.5%	NA	NA	NA	NA	2.28	3.26	-0.98	-30%
43263		Ercp sphincter pressure meas	6.34	6.50	-0.16	-2.5%	NA	NA	NA	NA	2.29	3.27	-0.98	-30%
43264		Ercp remove duct calculi	6.46	6.63	-0.17	-2.6%	NA	NA	NA	NA	2.32	3.32	-1.00	-30%
43265		Ercp lithotripsy calculi	7.73	7.93	-0.20	-2.5%	NA	NA	NA	NA	2.68	3.89	-1.21	-31%
43273		Endoscopic pancreatoscopy	2.18	2.24	-0.06	-2.7%	NA	NA	NA	NA	0.64	1.00	-0.36	-36%
43274		Ercp duct stent placement	8.27	8.48	-0.21	-2.5%	NA	NA	NA	NA	2.84	4.14	-1.30	-31%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
43275		Ercp remove forgn body duct	6.69	6.86	-0.17	-2.5%	NA	NA	NA	NA	2.38	3.42	-1.04	-30%
43276		Ercp stent exchange w/dilate	8.62	8.84	-0.22	-2.5%	NA	NA	NA	NA	2.95	4.30	-1.35	-31%
43277		Ercp ea duct/ampulla dilate	6.73	6.90	-0.17	-2.5%	NA	NA	NA	NA	2.40	3.44	-1.04	-30%
43278		Ercp lesion ablate w/dilate	7.72	7.92	-0.20	-2.5%	NA	NA	NA	NA	2.68	3.89	-1.21	-31%
43450		Dilate esophagus 1/mult pass	1.25	1.28	-0.03	-2.3%	4.97	4.16	0.81	19%	0.79	0.94	-0.15	-16%
43453		Dilate esophagus	1.37	1.41	-0.04	-2.8%	23.39	21.20	2.19	10%	0.77	1.00	-0.23	-23%
43460		Pressure treatment esophagus	3.70	3.79	-0.09	-2.4%	NA	NA	NA	NA	1.50	2.04	-0.54	-26%
43497		Transorl lwr esophgl myotomy	12.96	13.29	-0.33	-2.5%	NA	NA	NA	NA	6.75	8.39	-1.64	-20%
43752		Nasal/orogastric w/tube plmt	0.79	0.81	-0.02	-2.5%	NA	NA	NA	NA	0.15	0.28	-0.13	-46%
43753		Tx gastro intub w/asp	0.44	0.45	-0.01	-2.2%	NA	NA	NA	NA	0.09	0.12	-0.03	-25%
43754		Dx gastr intub w/asp spec	0.44	0.45	-0.01	-2.2%	9.69	6.34	3.35	53%	0.88	0.61	0.27	44%
43755		Dx gastr intub w/asp specs	0.92	0.94	-0.02	-2.1%	5.73	4.87	0.86	18%	0.64	0.74	-0.10	-14%
43756		Dx duod intub w/asp spec	0.75	0.77	-0.02	-2.6%	8.29	7.07	1.22	17%	0.59	0.66	-0.07	-11%
43757		Dx duod intub w/asp specs	1.23	1.26	-0.03	-2.4%	10.87	9.25	1.62	18%	0.73	0.88	-0.15	-17%
43761		Reposition gastrostomy tube	1.96	2.01	-0.05	-2.5%	1.44	1.32	0.12	9%	0.40	0.73	-0.33	-45%
43762		Rplc gtube no revj trc	0.73	0.75	-0.02	-2.7%	7.36	5.67	1.69	30%	0.15	0.22	-0.07	-32%
43763		Rplc gtube revj gstrst trc	1.37	1.41	-0.04	-2.8%	9.53	8.01	1.52	19%	0.84	0.94	-0.10	-11%
44360		Small bowel endoscopy	2.43	2.49	-0.06	-2.4%	NA	NA	NA	NA	1.13	1.47	-0.34	-23%
44361		Small bowel endoscopy/biopsy	2.70	2.77	-0.07	-2.5%	NA	NA	NA	NA	1.22	1.60	-0.38	-24%
44363		Small bowel endoscopy	3.31	3.39	-0.08	-2.4%	NA	NA	NA	NA	1.39	1.87	-0.48	-26%
44364		Small bowel endoscopy	3.54	3.63	-0.09	-2.5%	NA	NA	NA	NA	1.46	1.98	-0.52	-26%
44365		Small bowel endoscopy	3.13	3.21	-0.08	-2.5%	NA	NA	NA	NA	1.34	1.79	-0.45	-25%
44366		Small bowel endoscopy	4.19	4.30	-0.11	-2.6%	NA	NA	NA	NA	1.65	2.28	-0.63	-28%
44369		Small bowel endoscopy	4.30	4.41	-0.11	-2.5%	NA	NA	NA	NA	1.69	2.33	-0.64	-27%
44370		Small bowel endoscopy/stent	4.57	4.69	-0.12	-2.6%	NA	NA	NA	NA	1.99	2.64	-0.65	-25%
44372		Small bowel endoscopy	4.19	4.30	-0.11	-2.6%	NA	NA	NA	NA	1.61	2.22	-0.61	-27%
44373		Small bowel endoscopy	3.31	3.39	-0.08	-2.4%	NA	NA	NA	NA	1.35	1.84	-0.49	-27%
44376		Small bowel endoscopy	5.02	5.15	-0.13	-2.5%	NA	NA	NA	NA	1.88	2.64	-0.76	-29%
44377		Small bowel endoscopy/biopsy	5.28	5.42	-0.14	-2.6%	NA	NA	NA	NA	1.94	2.75	-0.81	-29%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
44378		Small bowel endoscopy	6.84	7.02	-0.18	-2.6%	NA	NA	NA	NA	2.42	3.49	-1.07	-31%
44379		S bowel endoscope w/stent	7.18	7.36	-0.18	-2.4%	NA	NA	NA	NA	2.75	3.84	-1.09	-28%
44380		Small bowel endoscopy br/wa	0.85	0.87	-0.02	-2.3%	5.76	4.89	0.87	18%	0.65	0.74	-0.09	-12%
44381		Small bowel endoscopy br/wa	1.35	1.38	-0.03	-2.2%	30.46	26.08	4.38	17%	0.80	0.96	-0.16	-17%
44382		Small bowel endoscopy	1.14	1.17	-0.03	-2.6%	8.76	7.37	1.39	19%	0.76	0.89	-0.13	-15%
44384		Small bowel endoscopy	2.78	2.85	-0.07	-2.5%	NA	NA	NA	NA	0.91	1.34	-0.43	-32%
44385		Endoscopy of bowel pouch	1.17	1.20	-0.03	-2.5%	6.02	5.09	0.93	18%	0.68	0.81	-0.13	-16%
44386		Endoscopy bowel pouch/biop	1.46	1.50	-0.04	-2.7%	8.80	7.42	1.38	19%	0.79	0.97	-0.18	-19%
44388		Colonoscopy thru stoma spx	2.65	2.72	-0.07	-2.6%	7.55	6.30	1.25	20%	1.16	1.51	-0.35	-23%
44388	53	Colonoscopy thru stoma spx	1.33	1.36	-0.03	-2.2%	3.77	3.15	0.62	20%	0.58	0.76	-0.18	-24%
44389		Colonoscopy with biopsy	2.94	3.02	-0.08	-2.6%	10.38	8.71	1.67	19%	1.26	1.66	-0.40	-24%
44390		Colonoscopy for foreign body	3.65	3.74	-0.09	-2.4%	9.41	7.80	1.61	21%	1.50	2.03	-0.53	-26%
44391		Colonoscopy for bleeding	4.02	4.12	-0.10	-2.4%	16.57	13.92	2.65	19%	1.59	2.17	-0.58	-27%
44392		Colonoscopy & polypectomy	3.44	3.53	-0.09	-2.5%	8.90	7.47	1.43	19%	1.35	1.81	-0.46	-25%
44394		Colonoscopy w/snare	3.93	4.03	-0.10	-2.5%	10.06	8.40	1.66	20%	1.54	2.10	-0.56	-27%
44401		Colonoscopy with ablation	4.23	4.34	-0.11	-2.5%	72.80	61.83	10.97	18%	1.68	2.30	-0.62	-27%
44402		Colonoscopy w/stent plcmt	4.58	4.70	-0.12	-2.6%	NA	NA	NA	NA	1.78	2.46	-0.68	-28%
44403		Colonoscopy w/resection	5.36	5.50	-0.14	-2.5%	NA	NA	NA	NA	2.00	2.82	-0.82	-29%
44404		Colonoscopy w/injection	2.94	3.02	-0.08	-2.6%	10.64	8.96	1.68	19%	1.25	1.66	-0.41	-25%
44405		Colonoscopy w/dilation	3.15	3.23	-0.08	-2.5%	14.92	12.54	2.38	19%	1.36	1.81	-0.45	-25%
44406		Colonoscopy w/ultrasound	4.00	4.10	-0.10	-2.4%	NA	NA	NA	NA	1.61	2.19	-0.58	-26%
44407		Colonoscopy w/ndl aspir/bx	4.84	4.96	-0.12	-2.4%	NA	NA	NA	NA	1.85	2.58	-0.73	-28%
44408		Colonoscopy w/decompression	4.04	4.14	-0.10	-2.4%	NA	NA	NA	NA	1.62	2.21	-0.59	-27%
45330		Diagnostic sigmoidoscopy	0.82	0.84	-0.02	-2.4%	5.52	4.60	0.92	20%	0.67	0.74	-0.07	-9%
45331		Sigmoidoscopy and biopsy	1.11	1.14	-0.03	-2.6%	8.44	7.11	1.33	19%	0.75	0.87	-0.12	-14%
45332		Sigmoidoscopy w/fb removal	1.72	1.76	-0.04	-2.3%	7.44	6.21	1.23	20%	0.93	1.14	-0.21	-18%
45333		Sigmoidoscopy & polypectomy	1.51	1.55	-0.04	-2.6%	9.31	7.83	1.48	19%	0.86	1.03	-0.17	-17%
45334		Sigmoidoscopy for bleeding	1.95	2.00	-0.05	-2.5%	14.15	11.99	2.16	18%	1.00	1.25	-0.25	-20%
45335		Sigmoidoscopy w/submuc inj	1.01	1.04	-0.03	-2.9%	8.70	7.35	1.35	18%	0.72	0.82	-0.10	-12%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
45337		Sigmoidoscopy & decompress	2.05	2.10	-0.05	-2.4%	NA	NA	NA	NA	0.70	1.02	-0.32	-31%
45338		Sigmoidoscopy w/tumr remove	2.00	2.05	-0.05	-2.4%	7.80	6.54	1.26	19%	1.01	1.26	-0.25	-20%
45340		Sig w/tnpsc balloon dilation	1.22	1.25	-0.03	-2.4%	13.83	11.77	2.06	18%	0.78	0.91	-0.13	-14%
45341		Sigmoidoscopy w/ultrasound	2.07	2.12	-0.05	-2.4%	NA	NA	NA	NA	1.04	1.31	-0.27	-21%
45342		Sigmoidoscopy w/us guide bx	2.91	2.98	-0.07	-2.3%	NA	NA	NA	NA	1.27	1.67	-0.40	-24%
45346		Sigmoidoscopy w/ablation	2.74	2.81	-0.07	-2.5%	71.74	61.24	10.50	17%	1.21	1.59	-0.38	-24%
45347		Sigmoidoscopy w/plcmt stent	2.65	2.72	-0.07	-2.6%	NA	NA	NA	NA	1.14	1.51	-0.37	-25%
45349		Sigmoidoscopy w/resection	3.43	3.52	-0.09	-2.6%	NA	NA	NA	NA	1.43	1.92	-0.49	-26%
45350		Sgmdsc w/band ligation	1.64	1.68	-0.04	-2.4%	20.47	17.34	3.13	18%	0.90	1.10	-0.20	-18%
45378		Diagnostic colonoscopy	3.18	3.26	-0.08	-2.5%	7.74	6.44	1.30	20%	1.34	1.79	-0.45	-25%
45378	53	Diagnostic colonoscopy	1.59	1.63	-0.04	-2.5%	3.87	3.22	0.65	20%	0.67	0.90	-0.23	-26%
45379		Colonoscopy w/fb removal	4.17	4.28	-0.11	-2.6%	9.70	8.08	1.62	20%	1.63	2.25	-0.62	-28%
45380		Colonoscopy and biopsy	3.47	3.56	-0.09	-2.5%	10.51	8.79	1.72	20%	1.43	1.93	-0.50	-26%
45381		Colonoscopy submucous njx	3.47	3.56	-0.09	-2.5%	10.81	9.04	1.77	20%	1.43	1.93	-0.50	-26%
45382		Colonoscopy w/control bleed	4.54	4.66	-0.12	-2.6%	16.86	14.16	2.70	19%	1.75	2.43	-0.68	-28%
45384		Colonoscopy w/lesion removal	3.97	4.07	-0.10	-2.5%	11.61	9.74	1.87	19%	1.51	2.07	-0.56	-27%
45385		Colonoscopy w/lesion removal	4.46	4.57	-0.11	-2.4%	10.02	8.33	1.69	20%	1.72	2.38	-0.66	-28%
45386		Colonoscopy w/balloon dilat	3.68	3.77	-0.09	-2.4%	15.99	13.48	2.51	19%	1.49	2.02	-0.53	-26%
45388		Colonoscopy w/ablation	4.76	4.88	-0.12	-2.5%	74.48	63.54	10.94	17%	1.78	2.48	-0.70	-28%
45389		Colonoscopy w/stent plcmt	5.11	5.24	-0.13	-2.5%	NA	NA	NA	NA	1.89	2.67	-0.78	-29%
45390		Colonoscopy w/resection	5.89	6.04	-0.15	-2.5%	NA	NA	NA	NA	2.14	3.05	-0.91	-30%
45391		Colonoscopy w/endoscope us	4.52	4.64	-0.12	-2.6%	NA	NA	NA	NA	1.75	2.43	-0.68	-28%
45392		Colonoscopy w/endoscopic fnb	5.36	5.50	-0.14	-2.5%	NA	NA	NA	NA	1.99	2.83	-0.84	-30%
45393		Colonoscopy w/decompression	4.56	4.68	-0.12	-2.6%	NA	NA	NA	NA	1.42	2.14	-0.72	-34%
45398		Colonoscopy w/band ligation	4.10	4.20	-0.10	-2.4%	22.39	18.91	3.48	18%	1.57	2.14	-0.57	-27%
4XX04		Gstr rstcv px trnsorl esg	12.25	NA	NA	NA	6.91	NA	NA	NA	6.91	NA	NA	NA
64X11		Perq elec nrv field stimj cn	1.46	NA	NA	NA	35.53	NA	NA	NA	0.32	NA	NA	NA
74261		Ct colonography dx	2.34	2.40	-0.06	-2.5%	9.75	9.94	-0.19	-2%	NA	NA	NA	NA
74261	26	Ct colonography dx	2.34	2.40	-0.06	-2.5%	0.83	0.87	-0.04	-5%	NA	NA	NA	NA

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
74261	TC	Ct colonography dx	0.00	0.00	0.00	0.0%	8.92	9.07	-0.15	-2%	0.83	0.87	-0.04	-5%
74262		Ct colonography dx w/dye	2.44	2.50	-0.06	-2.4%	11.17	11.39	-0.22	-2%	NA	NA	NA	NA
74262	26	Ct colonography dx w/dye	2.44	2.50	-0.06	-2.4%	0.87	0.91	-0.04	-4%	NA	NA	NA	NA
74262	TC	Ct colonography dx w/dye	0.00	0.00	0.00	0.0%	10.30	10.48	-0.18	-2%	0.87	0.91	-0.04	-4%
74263		Ct colonography screening	2.22	2.28	-0.06	-2.6%	22.74	19.27	3.47	18%	NA	NA	NA	NA
74263	26	Ct colonography screening	2.22	2.28	-0.06	-2.6%	1.30	1.02	0.28	27%	NA	NA	NA	NA
74263	TC	Ct colonography screening	0.00	0.00	0.00	0.0%	21.44	18.25	3.19	17%	1.30	1.02	0.28	27%
88304		Tissue exam by pathologist	0.21	0.22	-0.01	-4.5%	1.00	1.04	-0.04	-4%	NA	NA	NA	NA
88304	26	Tissue exam by pathologist	0.21	0.22	-0.01	-4.5%	0.09	0.10	-0.01	-10%	NA	NA	NA	NA
88304	TC	Tissue exam by pathologist	0.00	0.00	0.00	0.0%	0.91	0.94	-0.03	-3%	0.09	0.10	-0.01	-10%
88305		Tissue exam by pathologist	0.73	0.75	-0.02	-2.7%	1.35	1.38	-0.03	-2%	NA	NA	NA	NA
88305	26	Tissue exam by pathologist	0.73	0.75	-0.02	-2.7%	0.31	0.32	-0.01	-3%	NA	NA	NA	NA
88305	TC	Tissue exam by pathologist	0.00	0.00	0.00	0.0%	1.04	1.06	-0.02	-2%	0.31	0.32	-0.01	-3%
91010		Esophagus motility study	1.25	1.28	-0.03	-2.3%	6.04	5.12	0.92	18%	NA	NA	NA	NA
91010	26	Esophagus motility study	1.25	1.28	-0.03	-2.3%	0.71	0.56	0.15	27%	NA	NA	NA	NA
91010	TC	Esophagus motility study	0.00	0.00	0.00	0.0%	5.33	4.56	0.77	17%	0.71	0.56	0.15	27%
91013		Esophgl motil w/stim/perfus	0.18	0.18	0.00	0.0%	0.66	0.56	0.10	18%	NA	NA	NA	NA
91013	26	Esophgl motil w/stim/perfus	0.18	0.18	0.00	0.0%	0.10	0.08	0.02	25%	NA	NA	NA	NA
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	0.0%	0.56	0.48	0.08	17%	0.10	0.08	0.02	25%
91020		Gastric motility studies	1.40	1.44	-0.04	-2.8%	7.70	6.56	1.14	17%	NA	NA	NA	NA
91020	26	Gastric motility studies	1.40	1.44	-0.04	-2.8%	0.82	0.64	0.18	28%	NA	NA	NA	NA
91020	TC	Gastric motility studies	0.00	0.00	0.00	0.0%	6.88	5.92	0.96	16%	0.82	0.64	0.18	28%
91022		Duodenal motility study	1.40	1.44	-0.04	-2.8%	4.34	3.65	0.69	19%	NA	NA	NA	NA
91022	26	Duodenal motility study	1.40	1.44	-0.04	-2.8%	0.82	0.64	0.18	28%	NA	NA	NA	NA
91022	TC	Duodenal motility study	0.00	0.00	0.00	0.0%	3.52	3.01	0.51	17%	0.82	0.64	0.18	28%
91030		Acid perfusion of esophagus	0.89	0.91	-0.02	-2.2%	3.95	3.34	0.61	18%	NA	NA	NA	NA
91030	26	Acid perfusion of esophagus	0.89	0.91	-0.02	-2.2%	0.52	0.41	0.11	27%	NA	NA	NA	NA
91030	TC	Acid perfusion of esophagus	0.00	0.00	0.00	0.0%	3.43	2.93	0.50	17%	0.52	0.41	0.11	27%
91034		Gastroesophageal reflux test	0.95	0.97	-0.02	-2.1%	5.04	4.56	0.48	11%	NA	NA	NA	NA

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
91034	26	Gastroesophageal reflux test	0.95	0.97	-0.02	-2.1%	0.50	0.43	0.07	16%	NA	NA	NA	NA
91034	TC	Gastroesophageal reflux test	0.00	0.00	0.00	0.0%	4.54	4.13	0.41	10%	0.50	0.43	0.07	16%
91035		G-esoph reflx tst w/electrod	1.55	1.59	-0.04	-2.5%	13.39	11.37	2.02	18%	NA	NA	NA	NA
91035	26	G-esoph reflx tst w/electrod	1.55	1.59	-0.04	-2.5%	0.87	0.68	0.19	28%	NA	NA	NA	NA
91035	TC	G-esoph reflx tst w/electrod	0.00	0.00	0.00	0.0%	12.52	10.69	1.83	17%	0.87	0.68	0.19	28%
91037		Esoph imped function test	0.95	0.97	-0.02	-2.1%	4.61	3.92	0.69	18%	NA	NA	NA	NA
91037	26	Esoph imped function test	0.95	0.97	-0.02	-2.1%	0.54	0.43	0.11	26%	NA	NA	NA	NA
91037	TC	Esoph imped function test	0.00	0.00	0.00	0.0%	4.07	3.49	0.58	17%	0.54	0.43	0.11	26%
91038		Esoph imped funct test > 1hr	1.07	1.10	-0.03	-2.7%	12.19	10.43	1.76	17%	NA	NA	NA	NA
91038	26	Esoph imped funct test > 1hr	1.07	1.10	-0.03	-2.7%	0.61	0.49	0.12	24%	NA	NA	NA	NA
91038	TC	Esoph imped funct test > 1hr	0.00	0.00	0.00	0.0%	11.58	9.94	1.64	16%	0.61	0.49	0.12	24%
91040		Esoph balloon distension tst	0.95	0.97	-0.02	-2.1%	16.32	13.76	2.56	19%	NA	NA	NA	NA
91040	26	Esoph balloon distension tst	0.95	0.97	-0.02	-2.1%	0.52	0.41	0.11	27%	NA	NA	NA	NA
91040	TC	Esoph balloon distension tst	0.00	0.00	0.00	0.0%	15.80	13.35	2.45	18%	0.52	0.41	0.11	27%
91065		Breath hydrogen/methane test	0.20	0.20	0.00	0.0%	1.65	1.74	-0.09	-5%	NA	NA	NA	NA
91065	26	Breath hydrogen/methane test	0.20	0.20	0.00	0.0%	0.07	0.07	0.00	0%	NA	NA	NA	NA
91065	TC	Breath hydrogen/methane test	0.00	0.00	0.00	0.0%	1.58	1.67	-0.09	-5%	0.07	0.07	0.00	0%
91110		Gi trc img intral esoph-ile	2.18	2.24	-0.06	-2.7%	21.82	18.58	3.24	17%	NA	NA	NA	NA
91110	26	Gi trc img intral esoph-ile	2.18	2.24	-0.06	-2.7%	1.27	1.00	0.27	27%	NA	NA	NA	NA
91110	TC	Gi trc img intral esoph-ile	0.00	0.00	0.00	0.0%	20.55	17.58	2.97	17%	1.27	1.00	0.27	27%
91111		Gi trc img intral esophagus	0.88	0.90	-0.02	-2.2%	27.82	23.90	3.92	16%	NA	NA	NA	NA
91111	26	Gi trc img intral esophagus	0.88	0.90	-0.02	-2.2%	0.51	0.40	0.11	28%	NA	NA	NA	NA
91111	TC	Gi trc img intral esophagus	0.00	0.00	0.00	0.0%	27.31	23.50	3.81	16%	0.51	0.40	0.11	28%
91112		Gi wireless capsule measure	2.05	2.10	-0.05	-2.4%	50.99	43.50	7.49	17%	NA	NA	NA	NA
91112	26	Gi wireless capsule measure	2.05	2.10	-0.05	-2.4%	1.18	0.93	0.25	27%	NA	NA	NA	NA
91112	TC	Gi wireless capsule measure	0.00	0.00	0.00	0.0%	49.81	42.57	7.24	17%	1.18	0.93	0.25	27%
91113		Gi trc img intral colon i&r	2.35	2.41	-0.06	-2.5%	27.13	23.04	4.09	18%	NA	NA	NA	NA
91113	26	Gi trc img intral colon i&r	2.35	2.41	-0.06	-2.5%	1.38	1.08	0.30	28%	NA	NA	NA	NA
91113	TC	Gi trc img intral colon i&r	0.00	0.00	0.00	0.0%	25.75	21.96	3.79	17%	1.38	1.08	0.30	28%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
91117		Colon motility 6 hr study	2.39	2.45	-0.06	-2.4%	NA	NA	NA	NA	1.08	1.42	-0.34	-24%
91XX1		Rct snsatn tone&cmplianc std	2.97	NA	NA	NA	19.74	NA	NA	NA	NA	NA	NA	NA
91XX1	26	Rct snsatn tone&cmplianc std	2.97	NA	NA	NA	1.63	NA	NA	NA	1.63	NA	NA	NA
91XX1	TC	Rct snsatn tone&cmplianc std	0.00	NA	NA	NA	18.11	NA	NA	NA	NA	NA	NA	NA
91XX2		Anrct mano rct snsatn&balo	2.63	NA	NA	NA	7.17	NA	NA	NA	NA	NA	NA	NA
91XX2	26	Anrct mano rct snsatn&balo	2.63	NA	NA	NA	1.38	NA	NA	NA	1.38	NA	NA	NA
91XX2	TC	Anrct mano rct snsatn&balo	0.00	NA	NA	NA	5.79	NA	NA	NA	NA	NA	NA	NA
91120		Rectal sensation test	Deleted	0.97	Deleted	Deleted	Deleted	13.30	Deleted	Deleted	Deleted	NA	Deleted	Deleted
91120	26	Rectal sensation test	Deleted	0.97	Deleted	Deleted	Deleted	0.41	Deleted	Deleted	Deleted	NA	Deleted	Deleted
91120	TC	Rectal sensation test	Deleted	0.00	Deleted	Deleted	Deleted	12.89	Deleted	Deleted	Deleted	0.41	Deleted	Deleted
91122		Anal pressure record	Deleted	1.77	Deleted	Deleted	Deleted	6.29	Deleted	Deleted	Deleted	NA	Deleted	Deleted
91122	26	Anal pressure record	Deleted	1.77	Deleted	Deleted	Deleted	0.73	Deleted	Deleted	Deleted	NA	Deleted	Deleted
91122	TC	Anal pressure record	Deleted	0.00	Deleted	Deleted	Deleted	5.56	Deleted	Deleted	Deleted	0.73	Deleted	Deleted
91132		Electrogastrography	0.51	0.52	-0.01	-1.9%	14.04	11.96	2.08	17%	NA	NA	NA	NA
91132	26	Electrogastrography	0.51	0.52	-0.01	-1.9%	0.30	0.23	0.07	30%	NA	NA	NA	NA
91132	TC	Electrogastrography	0.00	0.00	0.00	0.0%	13.74	11.73	2.01	17%	0.30	0.23	0.07	30%
91133		Electrogastrography w/test	0.64	0.66	-0.02	-3.0%	14.59	12.44	2.15	17%	NA	NA	NA	NA
91133	26	Electrogastrography w/test	0.64	0.66	-0.02	-3.0%	0.37	0.30	0.07	23%	NA	NA	NA	NA
91133	TC	Electrogastrography w/test	0.00	0.00	0.00	0.0%	14.22	12.14	2.08	17%	0.37	0.30	0.07	23%
91200		Liver elastography	0.20	0.21	-0.01	-4.8%	0.78	0.68	0.10	15%	NA	NA	NA	NA
91200	26	Liver elastography	0.20	0.21	-0.01	-4.8%	0.11	0.09	0.02	22%	NA	NA	NA	NA
91200	TC	Liver elastography	0.00	0.00	0.00	0.0%	0.67	0.59	0.08	14%	0.11	0.09	0.02	22%
96360		Hydration iv infusion init	0.17	0.17	0.00	0.0%	0.82	0.75	0.07	9%	NA	NA	NA	NA
96361		Hydrate iv infusion add-on	0.09	0.09	0.00	0.0%	0.29	0.26	0.03	12%	NA	NA	NA	NA
96365		Ther/proph/diag iv inf init	0.20	0.21	-0.01	-4.8%	1.77	1.54	0.23	15%	NA	NA	NA	NA
96366		Ther/proph/diag iv inf addon	0.18	0.18	0.00	0.0%	0.45	0.41	0.04	10%	NA	NA	NA	NA
96367		Tx/proph/dg addl seq iv inf	0.19	0.19	0.00	0.0%	0.69	0.62	0.07	11%	NA	NA	NA	NA
96368		Ther/diag concurrent inf	0.17	0.17	0.00	0.0%	0.44	0.39	0.05	13%	NA	NA	NA	NA
96369		Sc ther infusion up to 1 hr	0.20	0.21	-0.01	-4.8%	4.11	3.91	0.20	5%	NA	NA	NA	NA

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Work RVU	2025 Final Work RVU	Work RVU Change	Work RVU % Change	2026 Proposed Non-Facility PE RVU	2025 Final Non-Facility PE RVU	Non-Facility PE RVU Change	Non-Facility PE RVU % Change	2026 Proposed Facility PE RVUs	2025 Final Facility PE RVUs	Facility PE RVU Change	Facility PE RVU % Change
96370		Sc ther infusion addl hr	0.18	0.18	0.00	0.0%	0.32	0.30	0.02	7%	NA	NA	NA	NA
96371		Sc ther infusion reset pump	0.00	0.00	0.00	0.0%	1.71	1.71	0.00	0%	NA	NA	NA	NA
96372		Ther/proph/diag inj sc/im	0.17	0.17	0.00	0.0%	0.28	0.25	0.03	12%	NA	NA	NA	NA
96413		Chemo iv infusion 1 hr	0.27	0.28	-0.01	-3.6%	3.64	3.35	0.29	9%	NA	NA	NA	NA
96415		Chemo iv infusion addl hr	0.19	0.19	0.00	0.0%	0.64	0.59	0.05	8%	NA	NA	NA	NA
96570		Photodynmc tx 30 min add-on	1.07	1.10	-0.03	-2.7%	0.44	0.35	0.09	26%	0.23	0.35	-0.12	-34%
96571		Photodynamic tx addl 15 min	0.54	0.55	-0.01	-1.8%	0.19	0.15	0.04	27%	0.10	0.15	-0.05	-33%
G0104		Ca screen;flexi sigmoidscope	0.82	0.84	-0.02	-2.4%	5.52	4.60	0.92	20%	0.67	0.74	-0.07	-9%
G0105		Colorectal scrn; hi risk ind	3.18	3.26	-0.08	-2.5%	7.74	6.44	1.30	20%	1.34	1.79	-0.45	-25%
G0105	53	Colorectal scrn; hi risk ind	1.59	1.63	-0.04	-2.5%	3.87	3.22	0.65	20%	0.67	0.90	-0.23	-26%
G0121		Colon ca scrn not hi rsk ind	3.18	3.26	-0.08	-2.5%	7.74	6.44	1.30	20%	1.34	1.79	-0.45	-25%
G0121	53	Colon ca scrn not hi rsk ind	1.59	1.63	-0.04	-2.5%	3.87	3.22	0.65	20%	0.67	0.90	-0.23	-26%
99202		Office o/p new sf 15-29 min	0.93	0.93	0.00	0.0%	1.25	1.16	0.09	8%	0.23	0.40	-0.17	-43%
99203		Office o/p new low 30-44 min	1.60	1.60	0.00	0.0%	1.76	1.61	0.15	9%	0.38	0.69	-0.31	-45%
99204		Office o/p new mod 45-59 min	2.60	2.60	0.00	0.0%	2.48	2.21	0.27	12%	0.66	1.15	-0.49	-43%
99205		Office o/p new hi 60-74 min	3.50	3.50	0.00	0.0%	3.23	2.83	0.40	14%	0.94	1.59	-0.65	-41%
99211		Off/op est may x req phy/qhp	0.18	0.18	0.00	0.0%	0.53	0.51	0.02	4%	0.04	0.07	-0.03	-43%
99212		Office o/p est sf 10-19 min	0.70	0.70	0.00	0.0%	1.02	0.95	0.07	7%	0.17	0.30	-0.13	-43%
99213		Office o/p est low 20-29 min	1.30	1.30	0.00	0.0%	1.46	1.35	0.11	8%	0.32	0.57	-0.25	-44%
99214		Office o/p est mod 30-39 min	1.92	1.92	0.00	0.0%	2.00	1.80	0.20	11%	0.47	0.83	-0.36	-43%
99215		Office o/p est hi 40-54 min	2.80	2.80	0.00	0.0%	2.75	2.42	0.33	14%	0.75	1.28	-0.53	-41%
G2010		Remot image submit by pt	0.18	0.18	0.00	0.0%	0.20	0.18	0.02	11%	0.05	0.08	-0.03	-38%
G2212		Prolong outpt/office vis	0.61	0.61	0.00	0.0%	0.36	0.31	0.05	16%	0.16	0.27	-0.11	-41%
G2252		Brief chkin by md/qhp, 11-20	0.49	0.50	-0.01	-2.0%	0.30	0.26	0.04	15%	0.13	0.22	-0.09	-41%
99421		Ol dig e/m svc 5-10 min	0.25	0.25	0.00	0.0%	0.20	0.18	0.02	11%	0.06	0.11	-0.05	-45%
99422		Ol dig e/m svc 11-20 min	0.50	0.50	0.00	0.0%	0.38	0.34	0.04	12%	0.13	0.22	-0.09	-41%
99423		Ol dig e/m svc 21+ min	0.80	0.80	0.00	0.0%	0.61	0.55	0.06	11%	0.20	0.34	-0.14	-41%
98016		Brief com tech-bsd svc	0.29	0.30	-0.01	-3.3%	0.19	0.17	0.02	12%	0.07	0.13	-0.06	-46%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
43197		Esophagoscopy flex dx brush	0.22	0.23	-0.01	-4%
43198		Esophagosc flex trnsn biopsy	0.27	0.25	0.02	8%
43200		Esophagoscopy flexible brush	0.20	0.21	-0.01	-5%
43201		Esoph scope w/submucous inj	0.23	0.23	0.00	0%
43202		Esophagoscopy flex biopsy	0.22	0.22	0.00	0%
43204		Esoph scope w/sclerosis inj	0.27	0.28	-0.01	-4%
43205		Esophagus endoscopy/ligation	0.27	0.28	-0.01	-4%
43206		Esoph optical endomicroscopy	0.25	0.27	-0.02	-7%
43210		Egd esophagogastrc fndoplsty	1.11	1.26	-0.15	-12%
43211		Esophagoscop mucosal resect	0.48	0.50	-0.02	-4%
43212		Esophagoscop stent placement	0.54	0.58	-0.04	-7%
43213		Esophagoscopy retro balloon	0.65	0.69	-0.04	-6%
43214		Esophagosc dilate balloon 30	0.54	0.54	0.00	0%
43215		Esophagoscopy flex remove fb	0.37	0.39	-0.02	-5%
43216		Esophagoscopy lesion removal	0.25	0.28	-0.03	-11%
43217		Esophagoscopy snare les remv	0.32	0.34	-0.02	-6%
43220		Esophagoscopy balloon <30mm	0.27	0.28	-0.01	-4%
43226		Esoph endoscopy dilation	0.36	0.38	-0.02	-5%
43227		Esophagoscopy control bleed	0.37	0.36	0.01	3%
43229		Esophagoscopy lesion ablate	0.42	0.44	-0.02	-5%
43231		Esophagoscop ultrasound exam	0.28	0.29	-0.01	-3%
43232		Esophagoscopy w/us needle bx	0.40	0.39	0.01	3%
43233		Egd balloon dil esoph30 mm/>	0.63	0.64	-0.01	-2%
43235		Egd diagnostic brush wash	0.25	0.27	-0.02	-7%
43236		Uppr gi scope w/submuc inj	0.28	0.29	-0.01	-3%
43237		Endoscopic us exam esoph	0.40	0.40	0.00	0%
43238		Egd us fine needle bx/aspir	0.46	0.50	-0.04	-8%
43239		Egd biopsy single/multiple	0.28	0.29	-0.01	-3%
43240		Egd w/transmural drain cyst	0.80	0.83	-0.03	-4%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
43241		Egd tube/cath insertion	0.32	0.33	-0.01	-3%
43242		Egd us fine needle bx/aspir	0.52	0.55	-0.03	-5%
43243		Egd injection varices	0.55	0.59	-0.04	-7%
43244		Egd varices ligation	0.49	0.51	-0.02	-4%
43245		Egd dilate stricture	0.43	0.47	-0.04	-9%
43246		Egd place gastrostomy tube	0.56	0.55	0.01	2%
43247		Egd remove foreign body	0.40	0.40	0.00	0%
43248		Egd guide wire insertion	0.35	0.36	-0.01	-3%
43249		Esoph egd dilation <30 mm	0.32	0.34	-0.02	-6%
43250		Egd cautery tumor polyp	0.43	0.44	-0.01	-2%
43251		Egd remove lesion snare	0.40	0.43	-0.03	-7%
43252		Egd optical endomicroscopy	0.36	0.36	0.00	0%
43253		Egd us transmural injxn/mark	0.54	0.56	-0.02	-4%
43254		Egd endo mucosal resection	0.55	0.58	-0.03	-5%
43255		Egd control bleeding any	0.40	0.42	-0.02	-5%
43257		Egd w/thrml txmnt gerd	0.48	0.50	-0.02	-4%
43259		Egd us exam duodenum/jejunum	0.46	0.48	-0.02	-4%
43266		Egd endoscopic stent place	0.49	0.52	-0.03	-6%
43270		Egd lesion ablation	0.46	0.50	-0.04	-8%
43290		Egd flx trnsorl dplmnt balo	0.36	0.52	-0.16	-31%
43291		Egd flx trnsorl rmvl balo	0.32	0.39	-0.07	-18%
43260		Ercp w/specimen collection	0.63	0.69	-0.06	-9%
43261		Endo cholangiopancreatograph	0.66	0.72	-0.06	-8%
43262		Endo cholangiopancreatograph	0.72	0.76	-0.04	-5%
43263		Ercp sphincter pressure meas	0.72	0.77	-0.05	-6%
43264		Ercp remove duct calculi	0.73	0.79	-0.06	-8%
43265		Ercp lithotripsy calculi	0.88	0.91	-0.03	-3%
43273		Endoscopic pancreatoscopy	0.24	0.27	-0.03	-11%
43274		Ercp duct stent placement	0.95	1.00	-0.05	-5%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
43275		Ercp remove forgn body duct	0.78	0.81	-0.03	-4%
43276		Ercp stent exchange w/dilate	1.00	1.03	-0.03	-3%
43277		Ercp ea duct/ampulla dilate	0.77	0.81	-0.04	-5%
43278		Ercp lesion ablate w/dilate	0.87	0.94	-0.07	-7%
43450		Dilate esophagus 1/mult pass	0.16	0.16	0.00	0%
43453		Dilate esophagus	0.19	0.18	0.01	6%
43460		Pressure treatment esophagus	0.43	0.47	-0.04	-9%
43497		Transorl lwr esophgl myotomy	1.84	1.89	-0.05	-3%
43752		Nasal/orogastric w/tube plmt	0.08	0.10	-0.02	-20%
43753		Tx gastro intub w/asp	0.08	0.07	0.01	14%
43754		Dx gastr intub w/asp spec	0.11	0.10	0.01	10%
43755		Dx gastr intub w/asp specs	0.08	0.12	-0.04	-33%
43756		Dx duod intub w/asp spec	0.07	0.08	-0.01	-13%
43757		Dx duod intub w/asp specs	0.13	0.16	-0.03	-19%
43761		Reposition gastrostomy tube	0.27	0.34	-0.07	-21%
43762		Rplc gtube no revj trc	0.16	0.15	0.01	7%
43763		Rplc gtube revj gstrst trc	0.29	0.28	0.01	4%
44360		Small bowel endoscopy	0.27	0.29	-0.02	-7%
44361		Small bowel endoscopy/biopsy	0.31	0.33	-0.02	-6%
44363		Small bowel endoscopy	0.40	0.40	0.00	0%
44364		Small bowel endoscopy	0.40	0.43	-0.03	-7%
44365		Small bowel endoscopy	0.36	0.39	-0.03	-8%
44366		Small bowel endoscopy	0.48	0.50	-0.02	-4%
44369		Small bowel endoscopy	0.49	0.51	-0.02	-4%
44370		Small bowel endoscopy/stent	0.52	0.55	-0.03	-5%
44372		Small bowel endoscopy	0.57	0.58	-0.01	-2%
44373		Small bowel endoscopy	0.46	0.47	-0.01	-2%
44376		Small bowel endoscopy	0.57	0.60	-0.03	-5%
44377		Small bowel endoscopy/biopsy	0.60	0.63	-0.03	-5%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
44378		Small bowel endoscopy	0.78	0.82	-0.04	-5%
44379		S bowel endoscope w/stent	0.82	0.86	-0.04	-5%
44380		Small bowel endoscopy br/wa	0.08	0.12	-0.04	-33%
44381		Small bowel endoscopy br/wa	0.18	0.17	0.01	6%
44382		Small bowel endoscopy	0.13	0.15	-0.02	-13%
44384		Small bowel endoscopy	0.37	0.35	0.02	6%
44385		Endoscopy of bowel pouch	0.18	0.16	0.02	13%
44386		Endoscopy bowel pouch/biop	0.19	0.18	0.01	6%
44388		Colonoscopy thru stoma spx	0.42	0.42	0.00	0%
44388	53	Colonoscopy thru stoma spx	0.42	0.42	0.00	0%
44389		Colonoscopy with biopsy	0.41	0.42	-0.01	-2%
44390		Colonoscopy for foreign body	0.42	0.47	-0.05	-11%
44391		Colonoscopy for bleeding	0.49	0.51	-0.02	-4%
44392		Colonoscopy & polypectomy	0.60	0.60	0.00	0%
44394		Colonoscopy w/snare	0.54	0.54	0.00	0%
44401		Colonoscopy with ablation	0.49	0.51	-0.02	-4%
44402		Colonoscopy w/stent plcmt	0.54	0.55	-0.01	-2%
44403		Colonoscopy w/resection	0.61	0.64	-0.03	-5%
44404		Colonoscopy w/injection	0.40	0.42	-0.02	-5%
44405		Colonoscopy w/dilation	0.36	0.39	-0.03	-8%
44406		Colonoscopy w/ultrasound	0.46	0.50	-0.04	-8%
44407		Colonoscopy w/ndl aspir/bx	0.56	0.59	-0.03	-5%
44408		Colonoscopy w/decompression	0.46	0.50	-0.04	-8%
45330		Diagnostic sigmoidoscopy	0.12	0.13	-0.01	-8%
45331		Sigmoidoscopy and biopsy	0.13	0.16	-0.03	-19%
45332		Sigmoidoscopy w/fb removal	0.22	0.23	-0.01	-4%
45333		Sigmoidoscopy & polypectomy	0.23	0.23	0.00	0%
45334		Sigmoidoscopy for bleeding	0.23	0.24	-0.01	-4%
45335		Sigmoidoscopy w/submuc inj	0.13	0.16	-0.03	-19%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
45337		Sigmoidoscopy & decompress	0.25	0.27	-0.02	-7%
45338		Sigmoidoscopy w/tumr remove	0.25	0.27	-0.02	-7%
45340		Sig w/tndsc balloon dilation	0.17	0.16	0.01	6%
45341		Sigmoidoscopy w/ultrasound	0.24	0.25	-0.01	-4%
45342		Sigmoidoscopy w/us guide bx	0.36	0.39	-0.03	-8%
45346		Sigmoidoscopy w/ablation	0.35	0.35	0.00	0%
45347		Sigmoidoscopy w/plcmt stent	0.32	0.33	-0.01	-3%
45349		Sigmoidoscopy w/resection	0.40	0.42	-0.02	-5%
45350		Sgmdsc w/band ligation	0.22	0.22	0.00	0%
45378		Diagnostic colonoscopy	0.41	0.43	-0.02	-5%
45378	53	Diagnostic colonoscopy	0.41	0.43	-0.02	-5%
45379		Colonoscopy w/fb removal	0.52	0.52	0.00	0%
45380		Colonoscopy and biopsy	0.43	0.47	-0.04	-9%
45381		Colonoscopy submucous njx	0.43	0.47	-0.04	-9%
45382		Colonoscopy w/control bleed	0.54	0.56	-0.02	-4%
45384		Colonoscopy w/lesion removal	0.63	0.63	0.00	0%
45385		Colonoscopy w/lesion removal	0.55	0.56	-0.01	-2%
45386		Colonoscopy w/balloon dilat	0.46	0.50	-0.04	-8%
45388		Colonoscopy w/ablation	0.61	0.63	-0.02	-3%
45389		Colonoscopy w/stent plcmt	0.60	0.63	-0.03	-5%
45390		Colonoscopy w/resection	0.65	0.71	-0.06	-8%
45391		Colonoscopy w/endoscope us	0.52	0.54	-0.02	-4%
45392		Colonoscopy w/endoscopic fnb	0.61	0.64	-0.03	-5%
45393		Colonoscopy w/decompression	0.58	0.60	-0.02	-3%
45398		Colonoscopy w/band ligation	0.61	0.63	-0.02	-3%
4XX04		Gstr rstcv px trnsorl esg	1.95	NA	NA	NA
64X11		Perq elec nrv field stimj cn	0.17	NA	NA	NA
74261		Ct colonography dx	0.17	0.16	0.01	6%
74261	26	Ct colonography dx	0.13	0.13	0.00	0%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
74261	TC	Ct colonography dx	0.04	0.03	0.01	33%
74262		Ct colonography dx w/dye	0.17	0.16	0.01	6%
74262	26	Ct colonography dx w/dye	0.13	0.13	0.00	0%
74262	TC	Ct colonography dx w/dye	0.04	0.03	0.01	33%
74263		Ct colonography screening	0.12	0.09	0.03	33%
74263	26	Ct colonography screening	0.08	0.06	0.02	33%
74263	TC	Ct colonography screening	0.04	0.03	0.01	33%
88304		Tissue exam by pathologist	0.02	0.02	0.00	0%
88304	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
88304	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305		Tissue exam by pathologist	0.02	0.02	0.00	0%
88305	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
91010		Esophagus motility study	0.08	0.07	0.01	14%
91010	26	Esophagus motility study	0.06	0.05	0.01	20%
91010	TC	Esophagus motility study	0.02	0.02	0.00	0%
91013		Esophagl motil w/stim/perfus	0.01	0.01	0.00	0%
91013	26	Esophagl motil w/stim/perfus	0.01	0.01	0.00	0%
91013	TC	Esophagl motil w/stim/perfus	0.00	0.00	0.00	0%
91020		Gastric motility studies	0.09	0.07	0.02	29%
91020	26	Gastric motility studies	0.05	0.04	0.01	25%
91020	TC	Gastric motility studies	0.04	0.03	0.01	33%
91022		Duodenal motility study	0.07	0.06	0.01	17%
91022	26	Duodenal motility study	0.05	0.04	0.01	25%
91022	TC	Duodenal motility study	0.02	0.02	0.00	0%
91030		Acid perfusion of esophagus	0.06	0.05	0.01	20%
91030	26	Acid perfusion of esophagus	0.04	0.03	0.01	33%
91030	TC	Acid perfusion of esophagus	0.02	0.02	0.00	0%
91034		Gastroesophageal reflux test	0.08	0.07	0.01	14%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
91034	26	Gastroesophageal reflux test	0.06	0.05	0.01	20%
91034	TC	Gastroesophageal reflux test	0.02	0.02	0.00	0%
91035		G-esoph reflx tst w/electrod	0.15	0.15	0.00	0%
91035	26	G-esoph reflx tst w/electrod	0.13	0.13	0.00	0%
91035	TC	G-esoph reflx tst w/electrod	0.02	0.02	0.00	0%
91037		Esoph imped function test	0.07	0.06	0.01	17%
91037	26	Esoph imped function test	0.05	0.04	0.01	25%
91037	TC	Esoph imped function test	0.02	0.02	0.00	0%
91038		Esoph imped funct test > 1hr	0.08	0.06	0.02	33%
91038	26	Esoph imped funct test > 1hr	0.06	0.04	0.02	50%
91038	TC	Esoph imped funct test > 1hr	0.02	0.02	0.00	0%
91040		Esoph balloon distension tst	0.08	0.07	0.01	14%
91040	26	Esoph balloon distension tst	0.07	0.06	0.01	17%
91040	TC	Esoph balloon distension tst	0.01	0.01	0.00	0%
91065		Breath hydrogen/methane test	0.02	0.02	0.00	0%
91065	26	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91065	TC	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91110		Gi trc img intral esoph-ile	0.09	0.07	0.02	29%
91110	26	Gi trc img intral esoph-ile	0.08	0.06	0.02	33%
91110	TC	Gi trc img intral esoph-ile	0.01	0.01	0.00	0%
91111		Gi trc img intral esophagus	0.05	0.05	0.00	0%
91111	26	Gi trc img intral esophagus	0.04	0.03	0.01	33%
91111	TC	Gi trc img intral esophagus	0.01	0.02	-0.01	-50%
91112		Gi wireless capsule measure	0.10	0.09	0.01	11%
91112	26	Gi wireless capsule measure	0.08	0.07	0.01	14%
91112	TC	Gi wireless capsule measure	0.02	0.02	0.00	0%
91113		Gi trc img intral colon i&r	0.10	0.09	0.01	11%
91113	26	Gi trc img intral colon i&r	0.08	0.07	0.01	14%
91113	TC	Gi trc img intral colon i&r	0.02	0.02	0.00	0%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
91117		Colon motility 6 hr study	0.19	0.16	0.03	19%
91XX1		Rct snsatn tone&cmplianc std	0.23	NA	NA	NA
91XX1	26	Rct snsatn tone&cmplianc std	0.19	NA	NA	NA
91XX1	TC	Rct snsatn tone&cmplianc std	0.04	NA	NA	NA
91XX2		Anrct mano rct snsatn&balo	0.18	NA	NA	NA
91XX2	26	Anrct mano rct snsatn&balo	0.16	NA	NA	NA
91XX2	TC	Anrct mano rct snsatn&balo	0.02	NA	NA	NA
91120		Rectal sensation test	Deleted	0.05	Deleted	Deleted
91120	26	Rectal sensation test	Deleted	0.04	Deleted	Deleted
91120	TC	Rectal sensation test	Deleted	0.01	Deleted	Deleted
91122		Anal pressure record	Deleted	0.11	Deleted	Deleted
91122	26	Anal pressure record	Deleted	0.08	Deleted	Deleted
91122	TC	Anal pressure record	Deleted	0.03	Deleted	Deleted
91132		Electrogastrography	0.03	0.03	0.00	0%
91132	26	Electrogastrography	0.02	0.02	0.00	0%
91132	TC	Electrogastrography	0.01	0.01	0.00	0%
91133		Electrogastrography w/test	0.03	0.03	0.00	0%
91133	26	Electrogastrography w/test	0.02	0.02	0.00	0%
91133	TC	Electrogastrography w/test	0.01	0.01	0.00	0%
91200		Liver elastography	0.02	0.02	0.00	0%
91200	26	Liver elastography	0.01	0.01	0.00	0%
91200	TC	Liver elastography	0.01	0.01	0.00	0%
96360		Hydration iv infusion init	0.01	0.01	0.00	0%
96361		Hydrate iv infusion add-on	0.01	0.01	0.00	0%
96365		Ther/proph/diag iv inf init	0.04	0.04	0.00	0%
96366		Ther/proph/diag iv inf addon	0.01	0.01	0.00	0%
96367		Tx/proph/dg addl seq iv inf	0.01	0.01	0.00	0%
96368		Ther/diag concurrent inf	0.01	0.01	0.00	0%
96369		Sc ther infusion up to 1 hr	0.04	0.03	0.01	33%

2026 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2026 Proposed Malpractice RVU	2025 Final Malpractice RVU	Malpractice RVU Change	Malpractice RVU % Change
96370		Sc ther infusion addl hr	0.01	0.01	0.00	0%
96371		Sc ther infusion reset pump	0.00	0.01	-0.01	-100%
96372		Ther/proph/diag inj sc/im	0.01	0.01	0.00	0%
96413		Chemo iv infusion 1 hr	0.06	0.06	0.00	0%
96415		Chemo iv infusion addl hr	0.02	0.01	0.01	100%
96570		Photodynmc tx 30 min add-on	0.13	0.16	-0.03	-19%
96571		Photodynamic tx addl 15 min	0.05	0.04	0.01	25%
G0104		Ca screen;flexi sigmoidscope	0.11	0.12	-0.01	-8%
G0105		Colorectal scrn; hi risk ind	0.41	0.43	-0.02	-5%
G0105	53	Colorectal scrn; hi risk ind	0.41	0.43	-0.02	-5%
G0121		Colon ca scrn not hi rsk ind	0.43	0.44	-0.01	-2%
G0121	53	Colon ca scrn not hi rsk ind	0.43	0.44	-0.01	-2%
99202		Office o/p new sf 15-29 min	0.07	0.07	0.00	0%
99203		Office o/p new low 30-44 min	0.17	0.16	0.01	6%
99204		Office o/p new mod 45-59 min	0.25	0.24	0.01	4%
99205		Office o/p new hi 60-74 min	0.36	0.34	0.02	6%
99211		Off/op est may x req phy/qhp	0.01	0.01	0.00	0%
99212		Office o/p est sf 10-19 min	0.06	0.05	0.01	20%
99213		Office o/p est low 20-29 min	0.08	0.10	-0.02	-20%
99214		Office o/p est mod 30-39 min	0.13	0.15	-0.02	-13%
99215		Office o/p est hi 40-54 min	0.22	0.21	0.01	5%
G2010		Remot image submit by pt	0.01	0.01	0.00	0%
G2212		Prolong outpt/office vis	0.05	0.04	0.01	25%
G2252		Brief chkin by md/qhp, 11-20	0.04	0.03	0.01	33%
99421		Ol dig e/m svc 5-10 min	0.02	0.02	0.00	0%
99422		Ol dig e/m svc 11-20 min	0.04	0.04	0.00	0%
99423		Ol dig e/m svc 21+ min	0.05	0.04	0.01	25%
98016		Brief com tech-bsd svc	0.02	0.02	0.00	0%