

THE HOTEL TRACK – THE RIGHT CHOICE FOR HEAVY-DUTY COMMERCIAL APPLICATIONS



FOREST
DRAPERY HARDWARE



CS® - Contract System

The Hotel Track - Hand draw track system designed for hotels or any other heavy-duty use. Aluminum extrusion, powder coated and lubricated for wall or ceiling mount. Can be used with wood pole fascia. Available in -25 white, -59 black, -65 brown, and -90 silver.

	51012-25	white	12' x 20 tracks/bundle = 240'
	51014-25	white	14' x 20 tracks/bundle = 280'
	51016-25	white	16' x 20 tracks/bundle = 320'
	51020-25	white	20' x 20 tracks/bundle = 400'
	51016-59	black	16' x 20 tracks/bundle = 320'
	51020-59	black	20' x 20 tracks/bundle = 400'
	51016-65	brown	16' x 20 tracks/bundle = 320'
	51016-90	silver	16' x 20 tracks/bundle = 320'

ASSEMBLED SETS INCLUDE:

- Track with maximum continuous length of 20' in finish -25 white; 16' in finishes -59 black, -65 brown and -90 silver
- Carriers (Pinch Pleat - 3.5 ball bearing carriers per foot. Ripplefold - specify fullness), Masters, Brackets and 36" Fiberglass Batons
- Please Specify:
 - Track Width and Color, 10% Surcharge for finish -59 black, -65 brown and -90 silver
 - Drapery Style: Ripplefold - fullness and overlap or butt masters
 - Pinch Pleat
 - Cubicle
 - Wall or ceiling mount
 - One way or two way draw

APPLICATION	PLEAT STYLE	STACKBACK	MOUNTING	MAX WEIGHT
Hand Draw	Ripplefold	6" per width	Wall	6 lbs/ft
One or Two Way	Pinch Pleat	7" per width	Ceiling	Depending on
	Cubicle	5" per width	Can be spliced	application
	Accordiafold	5" per width		

CS Carriers



2107-25 60% fullness, 2 5/8" OC
2106-25 80% fullness, 2 3/8" OC
2105-25 100% fullness, 2 1/8" OC
2108-25 120% fullness, 1 7/8" OC
-59 Black

Wheeled Connected Snap Carrier
in plastic sleeve



2006-25
Wheeled Snap Carrier
for accordiafold
2007-25
Pendant for carrier



2004-25
-59 Black
Snap Carrier
for accordiafold



2114-25 60% fullness, 2 5/8" OC
2111-25 80% fullness, 2 3/8" OC
2112-25 100% fullness, 2 1/8" OC
2115-25 120% fullness, 1 7/8" OC
-59 Black



52100-25
Ball Bearing Carrier
w/ Stainless Hook
slim line - use w/ grommets



52002-25
-59 Black, -65 Brown
Slim Line Ball Bearing Carrier



52008-25
-59 Black, -65 Brown
Slim Line Klick Carrier
draperies hang to
conceal track



52108-25
-59 Black
Stop Carrier
prevents slide back



52003-25
-65 Brown
Economy Slide



52106-25
Contract Klick Carrier
w/ Stainless Hook
use with grommets



9001-25
J Hook, 1 1/8"
use with **52106-XX**



52005-25
Button Slide Carrier




52105-25
Button Slide Carrier
w/ Hook



2202-25
Button Slide Carrier
w/ Breakaway Carrier


CS Masters




52502-25 Overlap R
52504-25 Underlap L
-59 Black
Standard Multi-Functional Master
Use stiffener w/ exposed baton
or hooks w/ hidden baton




52502-25A Overlap R
52504-25A Underlap L
-59A Black
Standard Multi-Functional
Master w/ snaps and baton
adaptor



52502-25B Overlap R
52504-25B Underlap L
Standard Multi-Functional
w/ baton adaptor for stiffener



52508-25 Overlap R
52509-25 Underlap L
-59 Black, -65 Brown
Swivel Foot Multi-Functional
Master
Use with bends and curves




52508-25A Overlap R
52509-25A Underlap L
-59A Black, -65A Brown
Swivel Foot Multi-Functional
Master w/ snaps



52501-25 Overlap R
52503-25 Underlap L
Stiffener Master




52401-25 Overlap R
52403-25 Underlap L
Stiffener Master
w/ snaps and adaptor




52410-25 Butt R
52409-25 Butt L
-59 Black
Standard Butt Master
w/ snaps and for baton use



52411-25A Butt R
52412-25A Butt L
Wheeled Butt Master
w/snap adaptor
Designed for hidden baton



52514-25 Overhead R
52515-25 Underhead L
Over the Top Baton Master
Designed for exposed baton



52601-25A Overlap R
52603-25A Underlap L
Extended Spacing Master
w/ snaps and adaptor



B8809-23-00 Overlap R
B8809-24-00 Underlap L
-59 Black
Plastic Snap Master



2552-25
6" Extension Arm for master
Use w/ two one-way draws

CS Brackets



3001-25
-59 Black, -65 Brown,
-90 Silver
Regular Duty Ceiling



3002-25
Klick On Ceiling
with steel spring clip
for use with drop ceilings



3003-25
-59 Black, -65 Brown,
-90 Silver
Heavy Duty Ceiling
w/ Smart Klick



3901-25
-59 Black, -65 Brown,
-90 Silver
Ceiling Splice/Bracket



53202-25
-59 Black, -65 Brown,
-90 Silver
3" Smart Klick Wall Bracket
w/ wide base
adjusts 3-4.5"

CS Other Components



52301-25
-59 Black, -65 Brown, -90 Silver
End Cap w/ Economy Slide
must add 2004-25
for Ripplefold*




52302-25 Right Return
52303-25 Left Return
End Cap w/ Return Plate, Snap
for pinch pleat or Ripplefold*



2305-25
-59 Black, -65 Brown, -90 Silver
Twist On End Stop



52307-90
End Lock



2308-25
Return Plate
reversible, 2 1/2" return



2551-25
Small Extension Arm



3903-25
-59 Black, -65 Brown, -90 Silver
Track Connector and key
3904-00




54110-25
36" Fiberglass Baton w/ snap




53206-25
-59 Black, -65 Brown,
-90 Silver
6" Smart Klick Double Wall
Bracket w/ wide base
adjusts 2.5"-4" & 6"-7.5"



3280-25
-59 Black, -65 Brown,
-90 Silver
3" Wall Bracket for
Wood Poles
heavy duty
projection 2 1/2"



3281-25
-59 Black, -65 Brown
6" Double Wall Bracket
for Wood Poles
heavy duty
projection 1 1/2", 5 1/2"



3284-25
-65 Brown, -90 Silver
10" Triple Wall Bracket
for Wood Poles
heavy duty
projection 2", 6 5/8", 9 5/16"



3006-25
Suspension Bracket
Tube




3009-25
Suspension Bracket
Klick System Clip



For use in


Hotels - motels - offices - schools - healthcare
residential or at any location where a heavy duty
hand drawn system is required

Applications



Features



- Stiffner is sewn onto drapery overlap
- Stiffner socket is placed into master arm
- Baton is attached by a screw through the eyelet and into the master arm.



Custom bending & curving

The track can be curved and reversed curved using
a 6" or 8" radius.

Actual size template is required.



① CS Track


② Carrier

③ Master Carrier R/L Overlap

④ Master Carrier R/L Underlap

⑤ Carrier


⑥ Endcap with screw





Mounting brackets

Brackets need to be placed every 24"


Smart Klick Ceiling Bracket




3" Wall Bracket for Wood Poles




3" Wall Bracket with Wide Base
adjusts 3"- 4 1/2"



6" Double Wall Bracket for Wood Poles



6" Double Wall Bracket with Wide Base
adjusts 2 1/2"- 4" and 6"- 7 1/2"



10" Triple Wall Bracket for Wood Poles

