

A STYLISH ALTERNATIVE TO VERTICAL BLINDS



FOREST
DRAPERY HARDWARE



PS® - Panel System

A stylish alternative to vertical blinds that uses flat panels of fabric. Aluminum extrusion, white, powder coated, wall and ceiling mount.



31219-25 2 channel 19' x 5 tracks p/bundle = 95'
31319-25 3 channel 19' x 5 tracks p/bundle = 95'
31419-25 4 channel 19' x 5 tracks p/bundle = 95'
31519-25 5 channel 19' x 5 tracks p/bundle = 95'


ASSEMBLED SYSTEM includes track, brackets, 36" fiberglass baton or cord, and tension pulley. Crating and freight not included. Price may vary depending on specifications other than indicated. Counterweights will be sent only upon request & at no extra charge.

APPLICATION	MOUNTING	MAX WEIGHT
Hand Draw	Wall	10 lbs/panel
Cord Draw	Ceiling	depending on
One or Two Way		application

PS Components




32310-25
2-Channel End Cap
Requires end cap cover



32311-25
3, 4 & 5-Channel End Cap
Requires end cap cover




32312-25
2-Channel Cover
for End Cap & Pulley



32309-25
3, 4 & 5-Channel Cover
for End Cap & Pulley



31116-25
Velcro Profile w/
Hook Tape, 13.1'



32007-25
Wheeled Carrier
connects profile to track



32510-25
Baton Adaptor
use on leading panel



33202-25
Catcher, T-Angle
for all but stationary panel



33203-25
Stopper, A-Angle
for all but lead panel



33204-25
L End Stop
for stationary panel




33209-25
Reverse L Stop
for lead panel




32308-25
Stationary Set Screw
locks side panel in place



33003-25
Swivel Ceiling Bracket
for 2, 3 & 4 channel
tracks




Klick On Ceiling Bracket/Splice
33002-25 2-4 Channel
33004-25 5 Channel



Wall Bracket
33005-25
2, 3 & 4 Channel
33006-25 5 Channel



39007-25
Velcro Tape
27 yds. per roll




39090-25
Valance Bracket
Does not fit 5-channel



49091-25
Valance Corners
To connect profile
returns



54110-25
36" Fiberglass Baton w/ snap



Product information

- Simple wall or ceiling mount installation.
- Quick and easy assembly or order your system pre-assembled.
- Choose from 1, 2, 3, 4, or 5 Channels.
- Recommended maximum weight 10 lbs per panel.
- Can be order to customer specifications.
- Can be spliced.


For use in

homes - offices - any location where a stylish option to traditional vertical blinds is desired.


Profile

- Aluminum Extrusion


2 Channel



3 Channel



4 Channel



5 Channel

