

# SITE SPECIFIC HEAT ILLNESS PREVENTION INFORMATION

COMPANY: \_\_\_\_\_ LOCATION: \_\_\_\_\_

## FORECAST

The weather forecast for this site will be monitored using the following procedures:

- The forecast will be checked the night before
- The forecast will be monitored on an ongoing basis using thermometers and temperature gauges

## SHADE

The person(s) responsible for ensuring shade is available on this site is \_\_\_\_\_

- Shade will be erected as soon as the temperature reaches 80° F, or when requested.
- Shade is available at the start of the shift and remains in place for the entire shift.

Shade for this site is located :

## WATER

The person(s) responsible for ensuring water is available on this site is \_\_\_\_\_

Water is provided using the following method: \_\_\_\_\_

Water for this site is located :

The water level/supply will be checked every \_\_\_\_\_ hour(s) to ensure an adequate supply.

The water level/supply will be replenished when the level reaches \_\_\_\_\_.

## HIGH HEAT PROCEDURES

High Heat Procedures are in effect when the temperature meets or exceeds 95°F and include:

- Effective Communication by voice, observation or electronic means will be maintained between workers and supervisors including cellphones and two-way radios.
- Frequent communication will maintained when employees are working by themselves or in smaller groups.
- \_\_\_\_\_ is the designated person that will observe employees for signs and symptoms of heat illness.
- Employees will be reminded to drink plenty of water throughout the work shift.
- New employees will be closely supervised for the first 14 days of employment to ensure proper acclimatization to heat.

## ACCLIMATIZATION PROCEDURES

- Weather will be monitored daily for heat waves or increases in temperature.
- Work hours may be adjusted to avoid extreme heat
- Steps may be taken to lessen the intensity of the workload for new employees (these steps will be documented)

The responsible supervisor will be "extra-vigilant with new employees to recognize symptoms of heat illness.