The following	Enforceable	Apply when ground wind speeds are equal to or greater than 1 mph.	Directions for Use
chemicals are subject to this proposed mitigation for mosquito adulticide, wide area applications: Deltamethrin D-phenothrin Etofenprox Permethrin Prallethrin Pyrethrins	Spray Drift Managemen t Language for products that allow aerial applications	 All types of applications should be conducted when temperatures at ground level are at or above 50°F. Ground application: Create an optimum swath when [product name] is applied from a truck that is being driven perpendicular to the wind direction, when possible. Direct the spray head of equipment to ensure even distribution of the spray cloud throughout the area. FOR BEST RESULTS treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the spray cloud in the air column close to the ground e.g. cool temperatures. An inversion of air temperatures and a light breeze is preferable. Application during the cooler hours of the night or early morning is recommended. "For Aerial Applications: Do not apply by fixed wing aircraft at a nozzle height less than 100 feet (30.5 m) above ground or canopy, or by helicopter at a height less than 75 feet (22.9m) above the ground or canopy, (and if applicable) unless specifically approved by the state or tribe based on public health needs." 	
	Environment al Hazard Statements	 "Adult mosquito control applications should be limited to trained personnel. The following statement should appear on the label of non- restricted use products for wide-area adult mosquito control: For use only by federal, state, tribal or local government officials responsible for public health or vector control or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision, or as allowed by state regulations for persons treating private property". 	Environmental Hazards
		This pesticide is [toxic/extremely toxic] ²⁸ to aquatic organisms. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to aquatic organisms. Provides the standard of the force of the standard organisms.	
		 Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters. 	
		 Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. 	
		• Do not treat a site with more than (x amount) of each a.i., per acre in a single application or in any 24-hour period. Do not exceed (X amount) of a.i. in any site in one year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort."	