

SPRING 2020



RENTAL GUIDE



ATS
Traffic

atstraffic.ca | Since 1966

EQUIPMENT RENTALS

R



GIVE YOUR TEAM THE TOOLS THEY NEED WHEN AND WHERE THEY NEED THEM.

We have the highest-quality equipment and a broader range of products than any other company on the road. Our crews bring the equipment to the site, set it up, and take it down when the project is over.



BARRICADES

BARRIERS

CONES

DELINEATORS

BARRELS

SIGNAGE

R

3211029

WD-116-1L Highway Barricade Left - AB Spec

Meets Alberta Transportation specifications for highway and construction projects/Work Zones. Manufactured with 3M Diamond Grade Cubed fluorescent orange material. Barricade board dimensions are 240 cm x 25 cm (8' x 10"). Arrow sign (WD-116-5) is white/black Diamond Grade, aluminum, 61.5 cm x 23 cm.

R

3211030

WD-116-1R Highway Barricade Right - AB Spec

Meets Alberta Transportation specifications for highway and construction projects/Work Zones. Manufactured with 3M Diamond Grade Cubed fluorescent orange material. Barricade board dimensions are 240 cm x 25 cm (8' x 10"). Arrow sign (WD-116-5) is white/black Diamond Grade, aluminum, 61.5 cm x 23 cm.

R

3211032

WD-116-2 Highway Barricade Road Closed - AB Spec

Meets Alberta Transportation specifications for highway and construction projects/Work Zones. Manufactured with 3M Diamond Grade Cubed fluorescent orange material. Barricade board dimensions are 240 cm x 25 cm (8' x 10"). Road Closed panel included.

R

32110153

ATS-8 Urban Barricade - Rental

Available as a rental barricade only. Board size is 96" x 9.5". Includes one barricade board c/w 9" fluorescent orange 3M™ Diamond Grade™ reflective vertical stripes. Black/fluorescent orange DG directional arrow is included (61.5 cm x 23 cm).

R

23130024

A-Frame Barricade - Rental (ATS-3, GTS-3)

Available as a rental barricade only. Light-duty, (Type I) double-sided, reflective A-frame barricade meets provincial specifications for urban applications. Includes flashing barricade light.

R

32110252

Urban Barricade (Wood) c/w Steel Legs (ATS-10, GTS-10)

Excellent barricade for municipalities, contractors, private property, and resource-based industries. Includes one-piece board (10') and two steel legs. Board is painted high-visibility orange on both sides. Stenciling and reflective sheeting is optional.

R

All products marked with the "R" label are also available for rent




ATS Traffic

Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966



Standard PVC Traffic Cones

Sizes: 18", 28" & 36"



Recessed Collar Cones

Sizes: 18", 28" & 36"



Grabber Cones

Sizes: 28"



Grabber Cones

Sizes: 42"



Watchtower Delineator

Size: 42"



Glow Post Delineator

Size: 42"



Commander Traffic Drum

Drum Height: 39.7"
Diameter (at bottom): 23.5"
Weight: 28 lbs.


Tire locking ring design. Anti-roll bottom, flat sections on two sides. Five tier design. Available in high and low density polyethylene.




Vertical Panel Channelizer

Sizes: 20, 30 lbs.
Colours: Orange, White

Oversized handle with comfort grip - can be picked up easily, even with light attached. Designed to withstand repeated impacts and minimize damage to vehicles. Recycled rubber bases with carrying handles.



All products marked with the "R" label are also available for rent




Track your
new and
deployed
assets
with
Reflektar™



REFLEKTAR™



ATS Traffic customers have the ability to track their inventory using our Smart Signs technology. Sign attributes, deployment location and other important elements will be programmed into the signs identity (sticker) on our warehouse floor, and will be added to **Reflektar™** (reflektar.com) — our leading edge, cloud-based asset management platform.



Windmaster

WindMaster® sign systems are specially engineered for portability, ease of handling, and reliable performance in temporary work zones. It is fast-deploying and provides years of dependable service. The variety in styles allows sign deployment from 1' to 7' from ground surface. The system, in its various styles, is designed to work with aluminum, plywood, or roll-up signage. You can rely on WindMaster® even under siege from every condition: constant traffic, wind gusts, and other harsh weather conditions.

R



4818 Windmaster

Deployed Height: 7'3". Sign Height: 1'6". Folded Dimensions (H x W x D): 4'10" x 10-3/4" x 8-3/4". 32 lb. signs and flags not included.



4860 Windmaster

Deployed Height: 11'2" – 13'2". Sign Height: 5' & 7'. Folded Dimensions (H x W x D): 6'9" x 10-3/4" x 8-3/4". 45 lb. signs and flags not included.

R



5018 Econo Windmaster

Deployed Height: 7'3". Sign Height: 1'6". Folded Dimensions (H x W x D): 4'10" x 10-3/4" x 8-3/4". 35 lb. signs and flags not included.



4884 Windmaster

Deployed Height: 13'. Sign Height: 7'. Folded Dimensions (H x W x D): 7'4" x 10-3/4" x 8-3/4". 50 lb. signs not included.



Windmaster Compact Sign System

A self-contained sign system that deploys quickly for greater safety and efficiency in work zones and emergency scenes. Can be set up by one person in less than 30 seconds and stows easily. Available in 36" or 48" Compact Sign sizes with various messages.

R

All products marked with the "R" label are also available for rent



ATS Traffic

Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966

SHORING



R



Single Wall Trench Shield

Single Wall Trench Shields (SWTS) provide a lightweight adaptable shoring solution for trench depths of up to 12' in C-60 soils. Single Wall Trench Shields are professionally engineered to have a large open working area. These shields come in 2'- and 4'-high sections that are stackable. They can be easily transported in a pick-up truck or van. They are light enough to be assembled by hand and moved by a mini excavator or backhoe. This makes them a great choice for even the tightest jobsite conditions.

With options such as legs kits, wheel kits, stacking kits, and end shore panels, the Single Wall Trench Shield can be used for almost any small tie-in or service. They can be assembled with adjustable aluminum spreaders or the pneumatic shoring struts, giving the option of having an even more versatile fleet.

R



Pneumatic Multi-Shoring System

The Multi-Shoring System is the quickest and safest way of shoring trenches with existing utilities and crossings. It can be lowered in as a complete unit, and when multiple sets are used in a trench, it is easy to remove the trailing set and move it to the front for uninterrupted production. The system is made up of spot-rail pads and Finn Form panels and used with standard-series shoring struts. Unlike standard sheets of plywood, the Finn Form panels will not swell when exposed to water or muddy jobsite conditions. This system is stronger, more durable, and capable of far greater depths than the conventional 2" x 10" plank uprights and plywood.

Available in 4' width by 6', 8', 10' & 12' heights.

R

All products marked with the "R" label are also available for rent



ATS Traffic

Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966

Shoring Struts

ProSHORE



Pneumatic Strut Features:

- Lightweight aluminum alloy construction
- Fast and safe installation
- Versatile – adapts to all trench types
- Environmentally safe – no messy fluids
- 7 sizes of standard struts ranging from 18" to 144"
- 7 sizes of swivel struts ranging from 21" to 146"
- Professional engineer-certified
- Positive locking – no chance of creep-back due to loss of pressure

Pneumatic shoring struts are designed and engineered to be one of the safest and most versatile means of shoring an excavation. Made with high tensile-strength aluminum alloy, the struts are lightweight and strong, yet able to withstand the toughest jobsite conditions. Struts are used in conjunction with our multi-shore shoring panels or with contractor-supplied plywood and 2" x 10" plank uprights.

Standard and swivel end struts are available to adapt to any trench wall. The standard series has a fixed end for use with near-vertical walled trenches. The swivel series has pivoting ends, which rotate 15 degrees in any direction to accommodate sloped or less uniform trenches. When the strut has been pressurized and the positive locking pin is set, there is no need to keep the air assembly connected. The strut is now fixed mechanically, maintaining pressure against the trench walls. The struts use CO2 or compressed air that makes it environmentally safe. There is no chance of messy fluid leaks or freezing in colder climates.



Our air supply kits provide a quick and portable method of inflating pneumatic shoring struts. They consist of a regulator, 50' of hose, a self-dumping hand valve, and a quick-connect coupler. An optional air cart is available to accommodate two 20-lb. CO2 bottles and the hose assembly. This combination makes it a lightweight portable unit that is easy to handle on the jobsite.

R

All products marked with the "R" label are also available for rent



ATS Traffic

Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966

COVID-19

FEATURED SIGNAGE

COVID-19 Stop Stay Back 2 Metres Barricade Sign

60 x 60 cm
HIP on AL1 1.5" Crop 7/16" Holes



SKU 11291110

60 x 75 cm
HIP on AL1 1.5" Crop 7/16" Holes
Note: Panels used are Standard. Holes may mount differently on Barricades



Company Phone No.

Company Logo

SKU 11291111

COVID-19 Retail Store Signs

SKU 11291112
30x45cm
1.5" Crop, 7/16" Holes
CRS-1A



SKU 11291113
45x60cm
1.5" Crop, 7/16" Holes
CRS-1B



SKU 11291112
30x45cm
1.5" Crop, 7/16" Holes
CRS-2A



SKU 11291113
45x60cm
1.5" Crop, 7/16" Holes
CRS-2B



SKU 11291114
35x25cm
.25" Crop No Holes
CRS-3



This Size Design Can Be Used For Adding To Cone

COVID-19 Safety Signs

SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-1A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-1B



SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-6A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-6B



SKU 11291117
25 x 35cm
.25" Crop, 1/4" Holes
4 corner
CSS-10A




SKU 11291118
45 x 60cm
1.5" Crop, 7/16" Holes
CSS-10B



SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-2A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-2B



SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-7A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-7B




SKU 11291117
25 x 35cm
.25" Crop, 1/4" Holes
4 corner
CSS-11A



SKU 11291118
45 x 60cm
1.5" Crop, 7/16" Holes
CSS-11B



SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-3A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-3B



SKU 11291115
35x25cm
.25" Crop, 1/4" Holes
4 corner
CSS-8A



SKU 11291116
60 x 45 cm
1.5" Crop, 7/16" Holes
CSS-8B



SKU 11291117
25 x 35cm
.25" Crop, 1/4" Holes
4 corner
CSS-12A



SKU 11291118
45 x 60cm
1.5" Crop, 7/16" Holes
CSS-12B




Contact us today for more information.

T 800.661.7346


E info@atstraffic.ca

atstraffic.ca | Since 1966

COVID-19 Plastic Clip-On Sign Glow Post - Open Top



COVID-19 Gemstone Signs




COVID-19 Sandwich Board with Message

Covid messaging on reflective decal

Sandwich Board
Includes - Handle & chain

* Double side Reflective decal added


47x60 cm
(decal: 45x52 cm)



60x80 cm
(decal: 57x70 cm)



80x120 cm
(decal: 77x105 cm)



Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966



FIRSTLIGHT
TECHNOLOGIES

**Make Parks and
Pathways More
Accessible with
Cost-Effective,
Sustainable, and
Easily Installed
Lighting**



ATS Traffic

Contact us today for more information.

T 800.661.7346

E info@atstraffic.ca

atstraffic.ca | Since 1966



Contact Us

Alberta

Edmonton

9015 14 Street NW
Edmonton, AB

T 780.440.4114

Calgary

9800 Endeavor Drive SE
Calgary, AB

T 403.248.3241

British Columbia

Langley

200-20351 Duncan Way
Langley, BC

T 604.530.9908

Saskatchewan

Regina

410A Henderson Drive
Regina, SK

T 306.522.0511

Saskatoon

806C 43 Street E
Saskatoon, SK

T 306.242.4407

Manitoba

Winnipeg

982 Powell Avenue
Winnipeg, MB

T 204.233.1600

© ATS Traffic 2020. All rights reserved. All contents included in this catalogue are the property of ATS Traffic. ATS Traffic reserves the right to change the specifications of any products or to discontinue any products at any time without notice. All product names, logos, brands, trademarks and registered trademarks are property of their respective owners. All company, product and service names used in this catalogue are for identification purposes only.

Safety forward.



attraffic.ca | Since 1966