NEW MEX School District		Cabaal Nama
School Nurse / Health Asst.		School Phone # / FAX # / /
Student Name	Date of Birth	Student # GREEN means Go! Use CONTROL medicine daily
*Health Care Provider/Title	*Provider's Phone /	FAX # YELLOW means Caution! Add Rescue medicine
Parent/Guardian	Parent's Phone #s	RED means EMERGENCY!
Emergency Contact	Contact Phone #s	Get help from a provider now!
Allergies to Medications:		
Asthma Severity: As	sthma Triggers Identified	d (Things that make your asthma worse): Date of Last Inhaler is kept:
☐ Intermittent ☐ E	Exercise Colds Smok	ke (tobacco, fires, incense) ☐ Pollen ☐ Dust
		g Odors □ Mold/moisture □ Stress/Emotions □ In Classroom
Persistent:	Pests (rodents, cockroache	es) Gastroesophogeal reflux In Health Office
☐ Mild ☐ Moderate ☐ Severe ☐ :	Season: Fall, Winter, Sprin	ng, Summer 🗆 Other: / / 🗀 Other
		wing information for all zones:
Green Zone: Go! Take Control Medications EVERY DAY		
Very being All of these	□ Nie seutusius disius	
You have <u>ALL</u> of these:	☐ No control medicine	
 Breathing is easy 		, puff(s) MDI with spacer times a day
 No cough or wheeze 	Inhaled corticosteroid or inh	,puπ(s) MDI with spacer times a day naled corticosteroid/long-acting β-agonist
 Can work and play 		,, nebulizer treatment(s) times a day
 No symptoms at night 	Inhaled corticosteroid	
, , , , , , , , , , , , , , , , , , , ,		
- 161 / 1		, take by mouth once daily at bedtime
Peak flow (optional):	Leukotriene antagonist	
<i>Greater than</i> ≥	For asthma with exe	
(More than 80% of Personal Best)		, puff(s) MDI with spacer 15 minutes before exercise
,	For nasal/environme	ental allergy, ADD:
Personal best peak flow:		<u> </u>
Yellow Zone: Caution! Continue CONTROL Medicine & ADD RESCUE Medicines-		
	tinue CONTROL Me	edicine & ADD RESCUE Medicines-
Yellow Zone: Caution! Con		
Yellow Zone: Caution! Con You have <u>ANY</u> of these:		ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze	DO NOT LEAVE STUDE	ENT ALONE! Call Parent/Guardian when rescue med is administered. puff(s) MDI with spacer & every hours as needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis	ENT ALONE! Call Parent/Guardian when rescue med is administered. puff(s) MDI with spacer & every hours as needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold	DO NOT LEAVE STUDE	ENT ALONE! Call Parent/Guardian when rescue med is administered, puff(s) MDI with spacer & every hours as needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping,	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR	ENT ALONE! Call Parent/Guardian when rescue med is administered. , puff(s) MDI with spacer & every hours as needed st, nebulizer treatment(s) & every hours as needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis	ENT ALONE! Call Parent/Guardian when rescue med is administered. , puff(s) MDI with spacer & every hours as needed st, nebulizer treatment(s) & every hours as needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping,	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis	ENT ALONE! Call Parent/Guardian when rescue med is administered. puff(s) MDI with spacer & every hours as needed needed needed needed needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional): to	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV	ENT ALONE! Call Parent/Guardian when rescue med is administered. puff(s) MDI with spacer & every hours as needed needed needed needed needed
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work!	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional): to	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work!	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional): to	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work!	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agoni	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agoni	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agoni	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agoni	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agoni	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other asthma medicine does of his/her asthma medicine does of his/her asthma medicine does not work!	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other asthma medicine does of his/her asthma medicine does of his/her asthma medicine does not work!	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other Other INHALER AT SO	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other Other INHALER AT SO	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other Other INHALER AT SO	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon OR Other Other Other Other Other Other Other Other INHALER AT SO	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon Other Other ND SCHOOL MEDICATION CO Toper use of his/her asthma med MINISTER his/her INHALER AT SO I health personnel after using	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon Other Other ND SCHOOL MEDICATION CO Toper use of his/her asthma med MINISTER his/her INHALER AT SO I health personnel after using	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon Other ND SCHOOL MEDICATION CO Toper use of his/her asthma med MINISTER his/her INHALER AT SO I health personnel after using Ince when using inhaler.	ENT ALONE! Call Parent/Guardian when rescue med is administered.
Yellow Zone: Caution! Con You have ANY of these: • Cough or mild wheeze • Tight chest • First signs of a cold • Problems sleeping, Playing or working Peak flow (optional):	DO NOT LEAVE STUDE Fast-acting inhaled β-agonis OR Fast-acting inhaled β-agonis Other Call your MEDICAL PROV medicine does not work! Continue CONTROL DO NOT LEAVE STUDE Fast-acting inhaled β-agon OR Fast-acting inhaled β-agon Other ND SCHOOL MEDICATION CO Toper use of his/her asthma med MINISTER his/her INHALER AT SO I health personnel after using Ince when using inhaler.	ENT ALONE! Call Parent/Guardian when rescue med is administered.