



2017 CMS Web Interface

PREV-6 (NQF 0034): Colorectal Cancer Screening

Measure Steward: NCQA

Contents

INTRODUCTION	3
WEB INTERFACE SAMPLING INFORMATION	4
BENEFICIARY SAMPLING	4
NARRATIVE MEASURE SPECIFICATION	5
DESCRIPTION:	5
IMPROVEMENT NOTATION:	5
INITIAL POPULATION:	5
DENOMINATOR:	5
DENOMINATOR EXCLUSIONS:	5
DENOMINATOR EXCEPTIONS:	5
NUMERATOR:	5
NUMERATOR EXCLUSIONS:	5
DEFINITION:	5
GUIDANCE:	5
SUBMISSION GUIDANCE	6
PATIENT CONFIRMATION	6
SUBMISSION GUIDANCE	7
DENOMINATOR CONFIRMATION	7
SUBMISSION GUIDANCE	8
NUMERATOR REPORTING	8
DOCUMENTATION REQUIREMENTS	9
APPENDIX I: PERFORMANCE CALCULATION FLOW	10
APPENDIX II: DOWNLOADABLE RESOURCE MAPPING TABLE	16
APPENDIX III: MEASURE RATIONALE AND CLINICAL RECOMMENDATION STATEMENTS	17
RATIONALE:	17
CLINICAL RECOMMENDATION STATEMENTS:	17
APPENDIX IV: USE NOTICES, COPYRIGHTS, AND DISCLAIMERS	18
COPYRIGHT	18

INTRODUCTION

There are a total of 15 individual measures (including one composite consisting of two measures) included in the 2017 CMS Web Interface targeting high-cost chronic conditions, preventive care, and patient safety. The measures documents are represented individually and contain measure specific information. The corresponding coding documents are posted separately in an Excel format.

The Measure Documents are being provided to allow group practices and Accountable Care Organizations (ACOs) an opportunity to better understand each of the 15 individual measures included in the 2017 CMS Web Interface data submission method. Each Measure Document contains information necessary to submit data through the CMS Web Interface.

Narrative specifications, supporting submission documentation, and calculation flows are provided within each document. Please review all of the measure documentation in its entirety to ensure complete understanding of these measures.

WEB INTERFACE SAMPLING INFORMATION**BENEFICIARY SAMPLING**

For more information on the sampling process and methodology please refer to the *2017 Web Interface Sampling Document*, available at CMS.gov.

NARRATIVE MEASURE SPECIFICATION**DESCRIPTION:**

Percentage of adults 50 - 75 years of age who had appropriate screening for colorectal cancer

IMPROVEMENT NOTATION:

Higher score indicates better quality

INITIAL POPULATION:

Patients 50 - 75 years of age with a visit during the measurement period

DENOMINATOR:

Equals Initial Population

DENOMINATOR EXCLUSIONS:

Patients with a diagnosis or past history of total colectomy or colorectal cancer

DENOMINATOR EXCEPTIONS:

None

NUMERATOR:

Patients with one or more screenings for colorectal cancer. Appropriate screenings are defined by any one of the following criteria below:

- Fecal occult blood test (FOBT) during the measurement period
- Flexible sigmoidoscopy during the measurement period or the four years prior to the measurement period
- Colonoscopy during the measurement period or the nine years prior to the measurement period
- Computed tomography (CT) colonography during the measurement period or the four years prior to the measurement period
- Fecal immunochemical DNA test (FIT-DNA) during the measurement period or the two years prior to the measurement period

NUMERATOR EXCLUSIONS:

Not Applicable

DEFINITION:

None

GUIDANCE:

None

SUBMISSION GUIDANCE

PATIENT CONFIRMATION

Establishing patient eligibility for reporting requires the following:

- Determine if the patient's medical record can be found
 - If you can locate the medical record select "Yes"
- OR
- If you cannot locate the medical record select "No - Medical Record Not Found"
- OR
- Determine if the patient is qualified for the sample
 - If the patient is deceased, in hospice, moved out of the country or was enrolled in HMO select "Not Qualified for Sample", select the applicable reason from the provided drop-down menu, and enter the date the patient became ineligible

Guidance | Patient Confirmation

If "No - Medical Record Not Found" or "Not Qualified for Sample" is selected, the patient is completed but not confirmed. The patient will be "skipped" and another patient must be reported in their place, if available. The Web Interface will automatically skip any patient for whom "No - Medical Record Not Found" or "Not Qualified for Sample" is selected in all other measures into which they have sampled.

If "Not Qualified for Sample" is selected and the date is unknown, you may enter the last date of the measurement period (i.e., 12/31/2017).

The Measurement Period is defined as January 1 – December 31, 2017.

NOTE:

- **In Hospice:** Select this option if the patient is not qualified for sample due to being in hospice care at any time during the measurement period (this includes non-hospice patients receiving palliative goals or comfort care)
- **Moved out of Country:** Select this option if the patient is not qualified for sample because they moved out of the country any time during the measurement period
- **Deceased:** Select this option if the patient died during the measurement period
- **HMO Enrollment:** Select this option if the patient was enrolled in an HMO at any time during the measurement period (i.e., Medicare Advantage, non-Medicare HMOs, etc.)

SUBMISSION GUIDANCE

DENOMINATOR CONFIRMATION

- Determine if the patient is qualified for the measure
 - If the patient is qualified for this measure select "Yes"
- OR
- If there is a denominator exclusion for patient disqualification from the measure select "[Denominator Exclusion](#)"
- OR
- If there is an "other" CMS approved reason for patient disqualification from the measure select "No - Other CMS Approved Reason"

Denominator Exclusion codes can be found in the 2017 Web Interface PREV Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

Guidance Denominator

If "Denominator Exclusion" or "No – Other CMS Approved Reason" is selected, the patient will be "skipped" and another patient must be reported in their place, if available. The patient will only be removed from the measure for which one of these options was selected, not all Web Interface measures.

CMS Approved Reason may only be selected when approved by CMS. To request a CMS Approved Reason, you would need to provide the patient rank, measure, and reason for request in a Quality Payment Program Service Desk inquiry. A CMS decision will be provided in the resolution of the inquiry. Patients for whom a CMS Approved Reason is selected will be "skipped" and another patient must be reported in their place, if available.

SUBMISSION GUIDANCE

NUMERATOR REPORTING

- Determine if colorectal cancer screening is current during the measurement period.
 - If colorectal cancer screening is not current select "No"
 - OR
 - If colorectal cancer screening is current select "Yes"

Numerator codes can be found in the 2017 Web Interface PREV Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

Guidance Numerator

NOTE:

- **FOBT includes:** ColoCARE, Coloscreen, EZ Detect, Fecal Immunochemical Tests (FIT), Fecal occult blood test, flushable reagent pads, flushable reagent stool blood test, guiac smear test, Hemoccult, Seracult, stool occult blood test
- **Do not count digital rectal exams (++DRE),** FOBT tests performed in an office setting or performed on a sample collected via DRE
- **Documentation in the medical record must include both of the following:** A note indicating the date the colorectal cancer screening was performed **AND** the result or findings
- **Documentation** of 'normal' or 'abnormal' is acceptable
- **Patient Reported Requirement:** Date (year) and type of test **AND** result/finding
- **Documentation of colorectal cancer screening** may be completed during a telehealth encounter


DOCUMENTATION REQUIREMENTS

When submitting data through the CMS Web Interface, the expectation is that medical record documentation is available that supports the action reported in the Web Interface i.e., medical record documentation is necessary to support the information that has been submitted.

Appendix I: Performance Calculation Flow

Patient Confirmation Flow


For 2017, confirmation of the "Medical Record Found", or indicating the patient is "Not Qualified for Sample" with a reason of "In Hospice", "Moved out of Country", "Deceased", or "HMO Enrollment", will only need to be done **once** per patient.



*See the Measure Reporting Document for further instructions on how to report this measure
**If date is unknown, enter 12/31/2017

Measure Confirmation Flow for PREV-6

For 2017, measure specific reasons a patient is "Not Confirmed" or excluded for "Denominator Exclusion" or "Other CMS Approved Reason" will need to be done for each measure where the patient appears.




*See the Measure Reporting Document for further instructions on how to report this measure

**Further information regarding patient selection for specific disease and patient care measures can be found in the Web Interface Sampling Methodology Document. For patients who have the incorrect date of birth listed, a change of the patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-6 measure. If this is the case, the system will automatically remove the patient from the measure requirements.

***"Other CMS Approved Reason" may only be selected if you have received an approval from CMS in the resolution of a requested Quality Payment Program Service Desk Inquiry at qpp@cms.hhs.gov

Measure Flow for PREV-6



The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used as a substitution for the measure specification. For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV Coding Document.

Performance Rate=

$$\frac{\text{Performance Met (a=210 Patients)}}{\text{Denominator (d=238 Patients)}} = \frac{210 \text{ Patients}}{238 \text{ Patients}} = 88.24\%$$

SAMPLE CALCULATION:

CALCULATION MAY CHANGE PENDING PERFORMANCES MET ABOVE

*See the Measure Reporting Document for further instructions on how to report this measure

Patient Confirmation Flow

For 2017, confirmation of the "Medical Record Found", or indicating the patient is "Not Qualified for Sample" with a reason of "In Hospice", "Moved out of Country", "Deceased", or "HMO Enrollment", will only need to be done once per patient. Refer to the Measure Reporting Document for further instructions.

1. Start Patient Confirmation Flow.
2. Check to determine if Medical Record can be found.
 - a. If no, Medical Record not found, mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
 - b. If yes, Medical Record found, continue processing.
3. Check to determine if Patient Qualified for the sample.
 - a. If no, the patient does not qualify for the sample, select the reason why and enter the date (if date is unknown, enter 12/31/2017) the patient became ineligible for sample. For example; In Hospice, Moved out of Country, Deceased, HMO Enrollment. Mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
 - b. If yes, the patient does qualify for the sample; continue to the Measure Confirmation Flow for PREV-6.

Measure Confirmation Flow for PREV-6

For 2017, measure specific reasons a patient is “Not Confirmed” or excluded for “Denominator Exclusion” or “Other CMS Approved Reason” will need to be done for each measure where the patient appears. Refer to the Measure Reporting Document for further instructions.

1. Start Measure Confirmation Flow for PREV-6. Complete for consecutively ranked patients aged 50 to 75 years at the beginning of the measurement period. Further information regarding patient selection for specific disease and patient care measures can be found in the Web Interface Sampling Methodology Document. For patients who have the incorrect date of birth listed, a change of the patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-6 measure. If this is the case, the system will automatically remove the patient from the measure requirements.
2. Check to determine if the patient qualifies for the measure (Denominator Exclusion).
 - a. If no, the patient does not qualify for the measure select: Denominator Exclusion for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. Stop processing.
 - b. If yes, the patient does qualify for the measure, continue processing.
3. Check to determine if the patient qualifies for the measure (Other CMS Approved Reason).
 - a. If no, the patient does not qualify for the measure select: No – Other CMS Approved Reason for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. “Other CMS Approved Reason” may only be selected if you have received an approval from CMS in the resolution of a requested Quality Payment Program Service Desk Inquiry at [QPP Service Desk](#). Stop processing.
 - b. If yes, the patient does qualify for the measure, continue to the PREV-6 measure flow.

Measure Flow for PREV-6

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used as a substitution for the measure specifications. For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV Coding Document.

1. Start processing 2017 PREV-6 (NQF 0034) Flow for the patients that qualified for sample in the Patient Confirmation Flow and the Measure Confirmation Flow for PREV-6. Note: Include remainder of patients listed in Web Interface that were consecutively confirmed and completed for this measure in the denominator. For the sample calculation in the flow these patients would fall into the 'd' category (eligible denominator, i.e. 238 patients).
2. Check to determine if the patient's colorectal cancer screening is current during the measurement period.
 - a. If no, the patient's colorectal cancer screening is not current during the measurement period; performance is not met and should not be included in the numerator. Stop processing.
 - b. If yes, the patient's colorectal cancer screening is current during the measurement period, performance is met and the patient will be included in the numerator. For the sample calculation in the flow these patients would fall into the 'a' category (numerator, i.e. 210 patients). Stop processing.

Sample Calculation

Performance Rate Equals

Performance Met is category 'a' in the measure flow (210 patients)

Denominator is category 'd' in the measure flow (238 patients)

210 (Performance Met) divided by 238 (Denominator) equals a performance rate of 88.24 percent

Calculation May Change Pending Performance Met

Appendix II: Downloadable Resource Mapping Table

Each data element within this measure's denominator or numerator is defined as a pre-determined set of clinical codes. These codes can be found in the 2017 Web Interface PREV Coding Document.

*PREV-6 Colorectal Cancer Screening			
Measure Component/Excel Tab	Data Element	Variable Name	Coding System(s)
Denominator Exclusion/ Denominator Exclusion Codes	Exclusion	COLON_CANCER_CODE	I9 I10 SNM
		TOTAL_COLECTOMY_CODE	C4 SNM
Numerator/Numerator Codes	Colorectal Cancer Screening	FOBT_CODE	LN
		FLEX_SIG_CODE	C4 HCPCS SNM
		COLONOSCOPY_CODE	C4 HCPCS SNM
		CT COLONOGRAPHY CODE	C4
		FIT DNA CODE	C4 HCPCS LN

** For EHR mapping, the coding within PREV-6 is considered to be all inclusive*

Appendix III: Measure Rationale and Clinical Recommendation Statements

RATIONALE:

An estimated 132,700 men and women were diagnosed with colon cancer or rectal cancer in 2015. In the same year, 49,700 were estimated to have died from the disease, making colorectal cancer the third leading cause of cancer death in the United States (National Cancer Institute 2015, American Cancer Society 2015).

Screening for colorectal cancer is extremely important as there are no signs or symptoms of the cancer in the early stages. If the disease is caught in its earliest stages, it has a five-year survival rate of 90%; however, the disease is often not caught this early. While screening is extremely effective in detecting colorectal cancer, it remains underutilized (American Cancer Society 2015).

The U.S Preventive Service Task Force has identified fecal occult blood tests, colonoscopy, flexible sigmoidoscopy, computed tomography colonography, and fecal immunochemical DNA tests as effective screening methods (United States Preventive Service Task Force 2016).

CLINICAL RECOMMENDATION STATEMENTS:

The United States Preventive Services Task Force (2016):

[1] The USPSTF recommends screening for colorectal cancer in adults, beginning at age 50 years and continuing until age 75 years (A recommendation).

[2] The USPSTF recommends screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, colonoscopy computed tomography colonography, and fecal immunochemical DNA tests.

Appendix IV: Use Notices, Copyrights, and Disclaimers

COPYRIGHT

These performance measures were developed and are owned by the National Committee for Quality Assurance ("NCQA"). These performance measures are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures. NCQA holds a copyright in this measure and can rescind or alter this measure at any time. Users of the measure shall not have the right to alter, enhance, or otherwise modify the measure and shall not disassemble, recompile, or reverse engineer the source code or object code relating to the measure. Anyone desiring to use or reproduce the measure without modification for a noncommercial purpose may do so without obtaining any approval from NCQA. All commercial uses must be approved by NCQA and are subject to a license at the discretion of NCQA. Use by health care providers in connection with their own practices is not commercial use. A "commercial use" refers to any sale, license, or distribution of a measure for commercial gain, or incorporation of a measure into any product or service that is sold, licensed, or distributed for commercial gain, even if there is no actual charge for inclusion of the measure. ©2004-2016 National Committee for Quality Assurance, all rights reserved.

Performance measures developed by NCQA for CMS may look different from the measures solely created and owned by NCQA.

CPT® contained in the Measures specifications is copyright 2004-2016 American Medical Association.