


# Download & Install easyC V6



## Computer Requirements

- ❑ Windows x86 PC 7/8/10
- ❑ 2048 MB RAM
- ❑ 512 MB available HD space
- ❑ 1024x768 Display
- ❑ VEXnet 2.0 Support (Requires Radio Version 1.46)
- ❑ Administrative Access

# Download easyC V6



The screenshot shows a web browser window with the address bar displaying "www.intelitekdownloads.com/easyCV6/". The page features the "easyC V6" logo and the "VEX IQ" and "VEX EDR" logos. Below the logos, there is a download link for "easyC V6 Version 6.0.3.0" with a red download icon. A paragraph of text instructs the user to click the link to download the current version. A section titled "New features include:" lists several features, including a 15-day trial period, file size, and support for VEX IQ and VEX EDR. The background of the page has a blue and purple abstract design with light streaks.

easyC V6

VEX IQ  
VEX EDR

Download easyC V6 Version 6.0.3.0  
Click the link above to download the current version of easyC V6.

**New features include:**

- Full Featured Trial Period (15 Days)
- File Size: 261MB
- VEX IQ Support
  - Simplified User Interface for Vex IQ Users
  - Windows ribbon-style interface toolbar
  - Function block color scheme matches VEX color palette
  - Dynamic controller configuration screen that maps ports to custom component names
  - Intuitive wizard-like programming interface
  - Simplified variable types
  - Support for all VEX IQ sensors
  - Includes Firmware Utility v1.20
- VEX EDR Support (Cortex)
  - Updated Firmware Utility 4.1.7

