

NEW!

**luna**  
LED  
MEDICINE CABINETS



**FEATURES + BENEFITS** ..... 2-3



**HALO SINGLE VIEW** Single panel medicine cabinet ..... 4-5



**HALO BI-VIEW** Double panel medicine cabinet ..... 6-7




**HALO TRI-VIEW** Triple panel medicine cabinet ..... 8-9



**HALO TALL VIEW** ..... 10-11

FEATURES + BENEFITS



3800K BRIGHT WHITE LIGHT



Kelvin (K) is a unit of measurement used to describe the hue of a specific light source. This is not necessarily related to the heat output of the light source but rather the color of the light output. The higher the Kelvin value of the light source, the closer the light's color output will be to actual daylight. Lumens is the measure of the total quantity of visible light emitted by a source.

ON/OFF touch switch with dimmer

2 electrical outlets (1 for Halo Tall View) & 2 USB ports included

Soft-close door with Blum hinges

Wall mounted or recessed installation (surface mount kit included)

Energy-efficient LED bright white light

Sandblasted aluminum body

8mm, ultra clear adjustable glass shelves

Interior & exterior mirrors

Copper-free mirror

# HALO SINGLE VIEW SINGLE PANEL MEDICINE CABINET


## HALO SINGLE VIEW



MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	FINISH	PRICE
MCHS1930-14	19" x 30"	18 3/4" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$1,296
MCHS1936-14	19" x 36"	18 3/4" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$1,480
MCHS2430-14	24" x 30"	24 1/8" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$1,425
MCHS2436-14	24" x 36"	24 1/8" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$1,650

### TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MCHS1930-14	1340 L	CCT 3800 K	21.5W	120V AC, 50/60Hz
MCHS1936-14	1510 L	CCT 3800 K	23W	120V AC, 50/60Hz
MCHS2430-14	1510 L	CCT 3800 K	23W	120V AC, 50/60Hz
MCHS2436-14	1690 L	CCT 3800 K	25W	120V AC, 50/60Hz



MODEL	A	B
MCHS1930-14	19" [483MM]	30 3/8" [772MM]
MCHS1936-14	19" [483MM]	36 3/8" [924MM]
MCHS2430-14	24 3/8" [619MM]	30 3/8" [772MM]
MCHS2436-14	24 3/8" [619MM]	36 3/8" [924MM]



Tolerance on dimensions: ± 1/8" (3mm) US | 2020





# HALO BI-VIEW DOUBLE PANEL MEDICINE CABINET


## HALO BI-VIEW



MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	DOOR SPLIT	FINISH	PRICE
MCHB3030-14	30" x 30"	30 1/8" W x 29 1/2" H x 4" D	OFF CENTER	SANDBLASTED ALUMINUM	\$1,768
MCHB3036-14	30" x 36"	30 1/8" W x 35 1/2" H x 4" D	OFF CENTER	SANDBLASTED ALUMINUM	\$2,098

### TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MCHB3030-14	1690 L	CCT 3800 K	25W	120V AC, 50/60Hz
MCHB3036-14	1840 L	CCT 3800 K	27W	120V AC, 50/60Hz



MODEL	A	B	C	D
MCHB3030-14	30 3/8" [772MM]	30 3/8" [772MM]	18 1/4" [464MM]	12 1/8" [308MM]
MCHB3036-14	30 3/8" [772MM]	36 3/8" [924MM]	18 1/4" [464MM]	12 1/8" [308MM]




Tolerance on dimensions: ± 1/8" (3mm) US | 2020



MODEL MCHB3036-14

[www.fleurco.com](http://www.fleurco.com)




# HALO TRI-VIEW TRIPLE PANEL MEDICINE CABINET

MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	FINISH	PRICE
MCHT3030-14	30" x 30"	30 1/8" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,065
MCHT3036-14	30" x 36"	30 1/8" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,122
MCHT3630-14	36" x 30"	36 1/8" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,122
MCHT3636-14	36" x 36"	36 1/8" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,589
MCHT4830-14	48" x 30"	48 1/8" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,358
MCHT4836-14	48" x 36"	48 1/8" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,850
MCHT6030-14	60" x 30"	59 3/4" W x 29 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$2,712
MCHT6036-14	60" x 36"	59 3/4" W x 35 1/2" H x 4" D	SANDBLASTED ALUMINUM	\$3,235

### TECHNICAL SPECS


MODEL	LUMENS	KELVIN	WATTS	INPUT
MCHT3030-14	1690 L	CCT 3800 K	25W	120V AC, 50/60Hz
MCHT3036-14	1840 L	CCT 3800 K	27W	120V AC, 50/60Hz
MCHT3630-14	1840 L	CCT 3800 K	27W	120V AC, 50/60Hz
MCHT3636-14	2000 L	CCT 3800 K	29W	120V AC, 50/60Hz
MCHT4830-14	2170 L	CCT 3800 K	31W	120V AC, 50/60Hz
MCHT4836-14	2340 L	CCT 3800 K	33W	120V AC, 50/60Hz
MCHT6030-14	2500 L	CCT 3800 K	35W	120V AC, 50/60Hz
MCHT6036-14	2650 L	CCT 3800 K	38W	120V AC, 50/60Hz

MODEL	A	B	C
MCHT3030-14	30 3/8" [772MM]	30 3/8" [772MM]	10 1/8" [257MM]
MCHT3036-14	30 3/8" [772MM]	36 3/8" [924MM]	10 1/8" [257MM]
MCHT3630-14	36 3/8" [924MM]	30 3/8" [772MM]	12 1/8" [308MM]
MCHT3636-14	36 3/8" [924MM]	36 3/8" [924MM]	12 1/8" [308MM]
MCHT4830-14	48 3/8" [1229MM]	30 3/8" [772MM]	16 1/8" [410MM]
MCHT4836-14	48 3/8" [1229MM]	36 3/8" [924MM]	16 1/8" [410MM]
MCHT6030-14	60" [1524MM]	30 3/8" [772MM]	20" [508MM]
MCHT6036-14	60" [1524MM]	36 3/8" [924MM]	20" [508MM]



Tolerance on dimensions: ± 1/8" (3mm) US | 2020

## TRI-VIEW



MODEL MCHT3636-14

www.fleurco.com




# HALO TALL VIEW SINGLE PANEL MEDICINE CABINET

MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	FINISH	PRICE
MCHS1560-14	15" x 60"	14 3/4" W x 59 1/8" H x 4" D	SANDBLASTED ALUMINUM	\$1,886

### TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MCHS1560-14	2050 L	CCT 3800 K	30W	120V AC, 50/60Hz



MODEL	A	B
MCHS1560-14	15" [381MM]	60" [1524MM]



Tolerance on dimensions: ± 1/8" (3mm) US | 2020





# WARRANTY

Fleurco Products Inc. (“Fleurco”) warrants all shower doors composed primarily of tempered glass, PVC seals, aluminum, stainless steel and/or brass as well as all acrylic shower bases and tubs composed primarily of acrylic sheet and fiberglass, to be free from defects in material and workmanship under normal use and maintenance for a period of ten (10) years from the original date of purchase. Fleurco Products Inc. (“Fleurco”) warrants all mirrors and medicine cabinets composed primarily of glass, aluminum and electric components as well as all vanities composed primarily of polymarble, plywood, veneer and metal components and polymarble textured bases to be free from defects in material and workmanship under normal use and maintenance for a period of five (5) years from the original date of purchase.

## **Acts Invalidating Warranty**

This warranty does not apply to (1) products relocated after initial installation; (2) products manufactured or supplied by others; (3) products which have defects or damage which result from improper installation; (4) products which have been subjected to alteration, misuse, negligence or accidents, corrosion or abrasion; (5) products which have been installed contrary to Fleurco’s printed instructions; and (6) products used in commercial or multiple family dwellings units.

## **Warranty Performance**

In the event of any defect covered under this Warranty, Fleurco will only be obligated, at Fleurco’s option, to repair the defective part or unit or to furnish a new or rebuilt part or unit in exchange for the part or unit that is defective. Written notice of any defect must be given within 10 days of the time the defect is discovered and must be accompanied by the purchase receipt. Notice must be given to:

Fleurco Products Inc.  
4575 Poirier  
St-Laurent, Que.  
H4R 2A4.

## **Disclaimer**

Fleurco expressly disclaims and excludes any liability for consequential or incidental damage nor for damage caused or resulting from fortuitous event, loss of time, loss of use, inconvenience, unnecessary expenses, labor, material or other costs with respect to the application of this warranty or with respect to the removal or replacement of a defective product. Fleurco makes no warranty of merchantability of the products for any particular purpose. These warranties constitute the only warranties in respect of the products and are in lieu of any all other warranties and conditions, express or implied by statute, trade, custom or otherwise. Under no circumstances shall Fleurco or any of its representatives be held liable for injury to any person or damage to any property however arising.



**FLEURCO**<sup>™</sup>

[www.fleurco.com](http://www.fleurco.com)