

## **BEAUTIFUL OUTSIDE**



## **COMFORTABLE INSIDE**







# **MAESTR**

The industry's first wall-mounted air conditioner and heater with no outdoor unit provides maximum comfort with minimal architectural impact to the exterior of the building or home.




#### Ease of Installation

The Maestro installation can be done entirely from the inside of the room requiring only two (8") wall penetrations made with a core drill on the outside wall, and there are only two louvred grilles covering the holes with no architectural impact.

## **Simple Comfort Control**

Maestro can be operated either with the handleheld remote controller, or with the Maestro App from a smart phone via Wi-Fi or Bluetooth (requires Wi-Fi Kit.) Maestro Pro models also have an onboard touch screen display.











Its unique "splitless" and "windowless" application makes it the ideal comfort solution, providing year-round comfort and whisper quiet operation, with a one-of-a-kind, made in Italy design.



#### Maestro Smart 9 HP (115V)

The Smart Series is the year-round comfort solution, providing heating and cooling capacities up to 9,200 BTU/H. The unit is equipped with a multifiltration system, and dehumidification and sleep modes for whisper-quiet operation in residential and commercial applications.



#### Maestro Pro Inverter 12 HP (115V)

The Pro Series, with its industry leading inverter compressor technology and variable-speed fan motor, provides unparalleled comfort with no swings in temperature when heating or cooling your home or business.



### Maestro Pro Inverter 12 HP RVU (208/230V)

The Pro Series, with its industry leading inverter compressor technology and variable-speed fan motor, provides unparalleled comfort with no swings in temperature when heating or cooling your home or business.



## Maestro Pro Inverter 12 HP RVUX (208/230V)

The Pro Series, with its industry leading inverter compressor technology and variable-speed fan motor, provides unparalleled comfort with no swings in temperature when heating or cooling your home or business. The unit has a 2.0 kw back up electric heater, which can be field programmed to turn on based on low ambient temperatures.

		MAESTRO SMART 9 HP	MAESTRO PRO INVERTER 12 HP	MAESTRO PRO INVERTER 12HP RVU	MAESTRO PRO INVERTER 12HP RVUX
Rated Capacity for Cooling (1)	BTU/H	9,212	11,600	11,600	10,500
Rated Capacity for Heating (2)	BTU/H	8,530	10,600	10,600	9,500
Combined Energy Efficiency Ratio	CEER	9.3	9.9	10.0	11.1
Coefficient of Performance	COP	2.9	3.0	3.0	2.90
Dimensions	W/H/D	35.5" x 20.25" x 9"	35.5" x 20.4" x 8.5"	35.5" x 20.4" x 8.5"	35.5" x 20.4" x 8.5"
Sound Level (2)	dBA min/max	33/42	32/43	33/42	33/42
Power Supply	V-F-Hz	115-1-60	115-1-60	208/230-1-60	208/230-1-60

(1) CEER is calculated according to the ANSI RAC-1 2015 standard.

(2) The sound pressure level was measured in a psychometric chamber at a 2 m distance from the front of the unit. Min means internal sound fan only at minimum speed.

#### **Wired Thermostats**



Model #B1027

TSTAT, PRGRM, 7-DAY, 2H/2C, WIFI



Model #B1022

TSTAT, PRGRM, 7-DAY, 3H/2C, CTS, WIFI, S1



Model #B1023

TSTAT, PRGRM, 7-DAY, 2H/2C

## THE PRESTIGIOUS ITALIAN DESIGN: THE HISTORY OF OLIMPIA SPLENDID

Since 1956, Olimpia Splendid, an Italian based company, has been designing, manufacturing and distributing heating and air conditioning products worldwide.

Our tagline, "Home of Comfort" describes our commitment to creating innovative, environmentally friendly products with a one-of-a-kind, made in Italy design. Our goal is to provide customers globally with comfort solutions where they live, work and play.



#### THE NORTH AMERICA SALES OFFICE

Olimpia Splendid USA, Inc. 870 International Parkway, Suite 120 Flower Mound, TX 75022, USA

www.olimpiasplendiusa.com sales@olimpiasplendidusa.com customerservice@olimpiasplendidusa.com Technical Support: 1-800-408-5196 ext:102 and ext:103









we make life better®

For more Mastero product information:



<sup>\*</sup>All three thermostats require the B1021 serial interface board and B1028 24V transformer.