



**BIG IN SMALL MACHINERY**

4, 5&6-colour printing machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Nilpeter F-3000 Five-colour flexo press	Year: 1994 SN: 4755  Impressions: na  Excellent condition Available: direct from stock	Modern 6-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 6 flexo print units (coating possibility on the 6 <sup>th</sup> unit), 6x hot-air dryers on all units and 1 UV dryer on the 6 <sup>th</sup> unit, web turn cross bar after 3 <sup>rd</sup> printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals.  Max. web width: 300 mms Speed: 120 m/min.	€ 68.500
	Nilpeter F-280 Five-colour flexo press	Year: 1992 SN: R0-80/4700  Impressions: na  Excellent condition Available: direct from stock	Modern 5-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 5 flexo print units (coating possibility on the 5 <sup>th</sup> unit), 5x hot-air dryers on all units and 1 UV dryer on the 5 <sup>th</sup> unit, web turn cross bar after 2 <sup>nd</sup> printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind, Tecsan Webwatcher video inspection control and a perforating- and sheeter unit. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals.  Max. web width: 280 mms Speed: 120 m/min.	€ 63.500
	Screen Truepress TP-344N Four-colour digital offset press	Year: 2007 SN: 2007/7  Impressions: 13.5 mio  Excellent condition Available: direct from stock	Modern 4-colour portrait-scape digital offset machine with a fully automated integrated processless thermal CTP system (2400 DPI – 300 LPI and stochastic raster) on both towers and full automated plate change system, full automated paper size change format, automatic ink key control, alcolour dampening and Technotrans mixer/cooler, blanket-, ink roller- and dampening roller wash, universal tack feeder. With RIP, network connection, software.  Min. size: 90x148 mms (suitable for envelope printing) Max. size: 340x470 mms Paperweight: 0.04 – 0.4 mms Speed: 2.500 – 7.000 sh/hr.	€ 55.000
	MAN Roland Favorit RVF OB Four-colour offset press	Year: 1990 SN: 649-20451B  Impressions: na  Good condition Available: direct from stock	Modern 4-colour portrait-scape offset machine with a Mabeg high pile feeder, vacuum belt feeder, quick clamp plate change, Dahlgren alcolour with 2 mixers/coolers, ink roller wash, RCI-2 remote control table with operation and ink key control, IR dryer (Jac. De Vries), powderspray and high pile delivery.  Min. size: 210x280 mms Max. size: 720x520 mms Paperweight: 0.04 – 0.4 mms Speed: 2.000 – 10.000 sh/hr.	€ 28.000

2-colour offset machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Komori Lihrone 220  Two-colour offset machine	Year: 2007 (installed 2008) SN: L-220-2015  Impressions: only 27 mio  Excellent condition (new rollers April 2017) Available: direct from stock	Modern full options 2-colour landscape offset machine, with complete remote operation for all functions, PQC management with CIP3 console (2 colour LCD touch screen operating panels), stream feeder, quick format change, anti-static device, semi-automatic plate change, alcolour dampening with Tecnotrans Alpha.D recirculation cooler/mixer, all chromed cylinders, low pile delivery, powder spray, automatic inkroller- and rubber wash  Min. size: 100x 148 mms Max. size: 520 x 375 mms Paperweight: 0.04 – 0.4 mms Speed: 3.800 – 13.000 sh/hr.	€ 32.750
	Shinohara Fuji 52-IIP NP  Two-colour offset machine	Year: 1989 SN: 20234037  Impressions: na  Good condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. Including NP unit  Min. size: 100x 148 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 9.750
	Heidelberg GTOZ 52+  Two-colour offset machine	Year: 1989 SN: 695681  Impressions: 51 mio  good condition Available: direct from stock	Modern 2-colour landscape offset machine, plus version, chain delivery, tack feeder, quick clamp plate change, Kompac Varn III dampening, low pile delivery, powder spray, ink roller wash  Min. size: 105x 180 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 14.750
	Adast Dominant 525P  Two-colour offset machine	Year: 1999 SN: 10268  Impressions: na  Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash  Min. size: 100x 148 mms Max. size: 520 x 381 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.750
	Hamada C248E  Two-colour offset machine	Year: 2003 SN: CTQ-8JO66  Impressions: only 9.9 mio  Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine with chain delivery, tack feeder, conventional dampening, low pile delivery, ink roller wash, small size printing device  Min. size: 90 x 140 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 5.750

	Hamada 234M  Two-colour offset machine	Year: 1998 SN: unknown  Impressions: na  Excellent condition Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, conventional molleton dampening and powder spray. Manual and spare part books (English). Machine has new rollers.  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh hr.	€ 4.350
	Hamada 234K  Two-colour offset machine	Year: 2002 SN: unknown  Impressions: 3 mio  Excellent condition (like new) Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, Kompac Varn III dampening and powder spray. Manual and spare part books (English).  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr.	€ 5.100
	AB Dick 9810 XCS  Two-colour offset machine	Year: 1993 SN: 11434  Impressions: na  Good condition Available: direct from stock	Classic 2-colour portrait-scape offset machine with chain delivery, universal tack feeder with integrated dampening and powder spray.  Min. size: 76 x 127 mms Max. size: 343 x 451 mms Paperweight: 0.04 – 0.4 mmms Speed: 3.000 – 10.000 sh/hr.	€ 1.250
<b>2-colour envelope machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Halm Jet Press JP-TWOD-P  Two-colour offset machine	Year: 2003 SN: 1617RC  Impressions: na  Excellent condition Available: direct from stock	High speed 3" 2-colour printing press for envelopes, rotating vacuum suction feeder, quick plate change system, Baldwin alcohol dampening with cooler/mixer, perfector for 2/0 and 1/1 printing mode, powder spray and extra-long delivery belt. Also coming with an independent driven packing- or feeder roller line (U-form).  Min. size: 82 x 108 mms Max. size: 230 x 305 mms Paperweight: 0.04 – 0.4 mmms Speed: 3.000 – 60.000 sh/hr.	€ 14.850

	Whitacre Superspeed P7-13  Two-colour offset machine	Year: 1991 SN: 139-91  Impressions: na  Excellent condition Available: direct from stock	High speed 2-colour printing press for envelopes, paper bags, brochures, covers, index tabs, cardboard, multi page booklet covers, die-cut stock, pre-fold boxes, photo mailers, expanders etc., vacuum feeder drum, side register guides, pusher lugs, quick plate change system, perfector for 2/0 and 1/1 printing mode, Baldwin alcohol dampening with cooler/mixer, powder spray and long delivery belt. Coming with plate-punch and plate-bender.  Min. size: 180 x 180 mms Max. size: 430 x 510 mms Speed: 3.000 – 17.500/35.000/70.000 sh hr.	€ 11.850
<b>1-colour offset machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Heidelberg KOR  One-colour offset machine	Year: SN:  Impressions: na  Good condition Available: direct from stock	Conventional 1-colour land-scape offset machine with chain delivery, standard version, conventional dampening, universal tack feeder and powder spray.  Min. size: 125 x 150 mms Max. size: 400 x 570 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 6.000 sh/hr.	€ 3.500
	Heidelberg KORD 64  One-colour offset machine	Year: 1969 SN: 335486  Impressions: na  Excellent condition Available: direct from stock	Conventional 1-colour land-scape offset machine with chain delivery, standard version, conventional dampening, universal tack feeder and powder spray.  Min. size: 140 x 180 mms Max. size: 460 x 640 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 6.000 sh/hr.	€ 7.500
	Brandtjen & Kluge WFDT 12 x 18"  Automatic letterpress	Year: 1990 SN: 1WFDT121278G  Excellent condition Available: direct from stock	Automatic platen with web-guide with adjustable tractors for letterpress printing, punching, perforating, slitting, scoring, embossing and die-cutting of pack-to-pack materials. Including spare rollers (new), 5 locking frames, manuals and spare-parts.  Min. web width size: 64 mms Max. web width size: 483 mms Inside chase dimensions: 12"x18" (305x458 mms)  Speed: 1.000 – 5.000 sh/hr.	€ 3.250

	<b>Hamada Alpha 52+ NP</b> One-colour offset machine	Year: 1993 SN: GA-00201  Impressions: na Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, stream feeder, conventional dampening (including integrated mixer/cooler) and powder spray. Including NP unit. Manuals and parts book.  Min. size: 257 x 182 mms Max. size: 360 x 520 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.500
	<b>Hamada C48</b> One-colour offset machine	Year: 1995 SN: CSQ50005  Impressions: 12 mio imps. Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, universal tack feeder, conventional dampening, digital control panel and powder spay. Including plate punch.  Min. size: 140 x 100 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 3.850
	<b>Heidelberg GTO 46+</b> One-colour offset machine	Year: 1977 SN: 660111  Impressions: na Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine, plus version with chain delivery, quick plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spay.  Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 6.650
	<b>Heidelberg GTO 46</b> One-colour offset machine	Year: 1979 SN: 668528  Impressions: 53 mio Used condition Available: direct from stock	Modern 1-colour land-scape offset machine, minus version with chain delivery, quick plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spay.  Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 4.650
	<b>Heidelberg GTO 46+</b> One-colour offset machine	Year: 1980 SN: 670829  Impressions: na Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine, plus version with chain delivery, quick clamp plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spay.  Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 6.950

	Heidelberg TOK-M2  One-colour offset machine	Year: 1994 SN: 499.517  Impressions: 6 mio  Excellent condition Available: direct from stock	Modern 1-colour portret-scape offset machine, chain delivery, quick clamp plate change system, universal tack feeder, integrated dampening, inkroller washer, operating panel on the machine and powder spray.  Min. size: 74 x 105 mms Max. size: 280 x 394 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh hr.	€ 2.250
	Adast Dominant 414  One-colour offset machine	Year: 1992 SN: 41411382  Impressions: na  Good condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.  Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.250
	Adast Dominant 414  One-colour offset machine	Year: 1995 SN: 4148110631  Impressions: na  Excellent condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.  Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.350
	AM Multigraph Multilith 1650CD  One-colour offset machine	Year: na SN: 419446  Impressions: na  Excellent condition Available: direct from stock	Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, Kompac Varn dampening and powder spray. Many consumables (rubbers, Kompac parts, spare rollers etc.).  Min. size: 89 x 140 mms Max. size: 432 x 330 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr.	€ 1.200
	Gestetner 411CD  One-colour offset machine	Year: na SN: 41A731  Impressions: na  Good condition Available: direct from stock	Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, conventional dampening. Electrics: 220 V, 8 A, 50 Hz, 1 phase.  Min. size: 90 x 148 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 9.000 sh/hr.	€ 1.700


	<p>Gestetner 313CD</p> <p>One-colour offset machine</p> <p><a href="https://youtu.be/hsfBlrzwdoo">https://youtu.be/hsfBlrzwdoo</a></p>	<p>Year: 1986 SN: 160446</p> <p>Impressions: na</p> <p>Good condition</p> <p>Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 211 ET</p> <p>One-colour offset machine</p> <p><a href="https://youtu.be/OQXWY0KHcOk">https://youtu.be/OQXWY0KHcOk</a></p>	<p>Year: 1988 SN: 23B604</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Traditional 1-colour portrait-scape offset machine with universal tack feeder, simple operating on the machine and a conventional molleton dampening, standard chute delivery. Including: Envelope Feeder system (retractable). 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 90 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.200
	<p>Rotaprint R30S</p> <p>One-colour offset machine</p>	<p>Year: na SN: 24691</p> <p>Impressions: na</p> <p>Good condition</p> <p>Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray.</p> <p>Min. size: 89 x 140 mms Max. size: A3+ size Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.</p>	€ 700
	<p>Rotaprint R35K</p> <p>One-colour offset machine</p> <p><a href="https://youtu.be/ORGkeZ8eg3k">https://youtu.be/ORGkeZ8eg3k</a></p>	<p>Year: 1981 SN: 59863</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray. 220 V, 1 phase, 50 Hz.</p> <p>Min. size: 89 x 140 mms Max. size: 297 x 430 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.</p>	€ 800
	<p>Rotaprint R40</p> <p>One-colour offset machine</p>	<p>Year: na SN: na</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with standard chute delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray.</p> <p>Min. size: 89 x 140 mms Max. size: 310 x 356 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.</p>	€ 750

	AB Dick 350  One-colour offset machine	Year: na SN: 005221  Impressions: na  Excellent condition Available: direct from stock	Classic 1-colour portrait-scape offset machine with standard chute delivery, universal tack feeder with integrated dampening.  Min. size: 89 x 140 mms Max. size: 210 x 297 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.	€ 600
<b>Digital printing machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Kodak Digimaster EX110  B/W printer	Year: 2010 SN: 00X2X03019  Impressions: 20 mio  Excellent condition Available: direct from stock	Modern fully automatic high speed B/W printer for fast and high quality production (600 DPI LED imaging technology) with 6 automated feeder drawers, automatic toner density control, auto tray switching. Including SUN Fiery Adobe RIP and can be connected into a network (Window and Mac). Including top exit and finisher with 1 corner- and 2 side staplers and high pile stacker delivery.  Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 60-200 gsm Speed: 55 - 110 sh/min.	€ 2.750
	Xerox 6204 Wide Format  B/W scanner, copier & printer  <a href="https://youtu.be/lXn-zLc3gyk">https://youtu.be/lXn-zLc3gyk</a>	Year: 2010 SN: ZTB-2  Impressions: na  Excellent condition Available: direct from stock	Modern fully automatic B/W scanner (600x600 DPI), copier and printer for fast and high quality reproduction of large technical drawings with a register manual feeder and automatic toner density control, auto roll switching and automatic cutter. Touch screen operation. Zoom function 25 – 400%. Including RIP server with Adobe Postscript pdf rip and network connection. 115 – 220V, 220 W, 10 A, 1 ph.  Min. width: 279 mms Max. width: 914 mms Max. length: 15 m Paperweight: 68-75 gsm Speed: 60 mm/sec. (4 pc A1 copies per minute)	€ 2.950
	Xerox Workcentre 5655  B/W copier & printer  <a href="https://youtu.be/ennAJqf8Nzw">https://youtu.be/ennAJqf8Nzw</a>	Year: 2010 SN: 3633610001  Impressions: 1.2 mio  Excellent condition Available: direct from stock	Modern fully automatic B/W printer for fast and high quality production (600x5600, 4800x600 DPI and 256 graditions in halftone) with automatic toner density control, auto-reduction and enlargement, auto tray switching. Zoom: 25 – 400%. Can be connected into a network. Including finisher.  Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 50-120 gsm Speed: 30-55 sh/min.	€ 650
<b>Sign and screen machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>

	LaserMaster DM1000  Four colour printer / plotter	Year: na SN: 8501660  Impressions: na  Good condition Available: direct from stock	Modern fully automatic large size thermic A0 size inkjet printer / plotter, 4 colour cartridges, runs on rolls of paper (matte and glossy). Including ColorMark Docking Station for calibrated ink profiles. Suitable for film and all paper materials to print posters or displays. Resolution: 800 DPI. Ink cartridges are HP compatible.  Roll min. size: 203x254 mm's Roll max. width: 920 mm's	€ 450
Sign and screen machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Tampoflex T75-100  One-colour pad printing press	Year: 1990 SN: unknown  Impressions: na  Good condition Available: direct from stock	Semi-automatic tampon pad printing machine with pneumatic electronic operation that guarantees excellent printing uniformity and independent pressure regulation on parts and cliché. Foot pedal. The machine can be used for printing all kinds and irregular shapes of promotional items, textiles, cosmetic items, sports, medicals, automotive, electronics, packaging etc.  75 x 100 mm size Speed: 2.000 cycles/hr.	€ 2.250
	Universal  Buttons and book corners	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Professional floor model table press with pneumatic operation and 2 foot pedals pressing and closing buttons or metal book corner protectors around the corners of books, scrapbook albums, agendas, menus, document sleeves, boxes, or cardboard paper binders for an exclusive design and finishing.	€ 750
	Universal  Vacuum pick up table	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Professional floor model pick up table with vacuum and pneumatic operation and 2 hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A3 size item.  Table size: 145 x 60 cms	€ 200

	Kokkelink Vacuum pick up table	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Professional floor model pick up table with vacuum and pneumatic operation and manual hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A4 size item.  Table size: 70 x 35 cms	€ 150
	Kaixuan KX757 516M2-35  Overlock sewing machine	Year: 2007 SN: 0708055  Good condition Available: direct from stock	Professional industrial table model 2 needle and 5 thread overlock sewing machine. Speed up to 7.500 spm.	€ 650
<b>Numbering machinery</b>				
	Machine/type	Year/condition/available	Description/options	Price in Euros
	Graphic Whizard J-1  Numbering stamp machine	Year: 2002 SN: 1610602  Impressions: na  Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number.	€ 350
	Graphic Whizard J-1  Numbering stamp machine	Year: 2002 SN: 1610600  Impressions: na  Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number.	€ 350
	Reiner 360-388  Numbering stamp machine	Year: unknown SN: unknown  Impressions: na  Good condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert.	€ 250

	Reiner 360-388  Numbering stamp machine	Year: unknown SN: unknown  Impressions: na  Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert. Footpedal operation.	€ 450
<b>Washing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Baldwin Jimek SC  Washing device	Year: 2004 SN: 150-2628  Excellent condition Available: direct from stock	Stainless steel automatic washing station with pump and circulation system for multi-colour offset machines. This machine was shortly used for washing the Baldwin Jimek ink- and dampening roller systems of a newspaper rotation press.  All safeties, filter system, temperature control, timers etc.	€ 1.950
	Degra Fra-560  Roller wash system	Year: 1989 SN: 5601010189  Good condition Available: direct from stock	Roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste, integrated high pressure water pump and sprayer.  Max. roller length: 85 cms	€ 850
	Universal  Roller wash system	Year: 1998 SN: unknown  Excellent condition Available: direct from stock	Stainless steel roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste.  Max. roller length: 85 cms	€ 450

	Tin can waste press	Year: unknown SN: unknown  Good condition Available: direct from stock	Pneumatic press to waste and flatten empty ink cans. An ink can is flattened to less than 0.5 cms. All safeties and operation with foot pedal.	€ 450
<b>Powder spray equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Rietschle  Powderspray	Year : unknown SN: 008886  Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. Can be mounted on existing system in delivery.	€ 200
	Universal  Powderspray	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. With expansion tank. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
	Universal  Powderspray	Year: unknown SN: unknown  Good condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
<b>Miscelaneous printing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>

	<p>Volcraft PH-100 ATC pH-meter</p> <p>Year: new SN: AD82197</p> <p>Excellent condition (new in package, never used) Available: direct from stock</p>	<p>Handheld digital PH-meter. Measurement range: 0 – 14 pH. Resolution 0.01 pH with a basic accuracy 0.07 pH. Two point calibration with automatic temperature compensation. 9 volt battery.</p>	€ 100
	<p>Kasuga Denki AD-2</p> <p>Tape marker</p> <p>Year: unknown SN: 8209026</p> <p>Good condition Available: direct from stock</p>	<p>Tape inserter unit for small offset machines like Sakurai, Fuji, Shinohara, Gestetner, Rotaprint, AB Dick, Ryobi.</p> <p>Stand-alone version.</p>	€ 500
	<p>Heidelberg Printmaster 46 – Quickmaster 46</p> <p>Distributor roller</p> <p>Year: unknown SN: unknown</p> <p>New condition (never used and in original packing). Available: direct from stock</p>	<p>1 complete distributor roller (including gear and bearing) for Printmaster 46 and Quickmaster 46</p>	€ 350
	<p>Heidelberg TOK</p> <p>Rubber blankets</p> <p>Year: unknown SN: unknown</p> <p>New condition (never used and in original packing). Available: direct from stock</p>	<p>3 pieces blankets for Heidelberg TOK and TOM.</p> <p>Blanket size: 265x408x1.95 mm</p>	€ 25
	<p>Heidelberg Fuji 52 &amp; Shinohara 52</p> <p>Rubber blankets</p> <p>Year: unknown SN: unknown</p> <p>New condition (never used and in original packing). Available: direct from stock</p>	<p>7 pieces blankets for Fuji 52 &amp; Shinohara 52. Including aluminium list.</p> <p>Blanket size: 518x510x1.95 mm</p>	€ 100

	Heidelberg  Set of inking, alcolor or water rollers	Year: new SN: new  New Available: direct from stock	1 complete set of newly covered inking-, alcolor- or water roller for all Heidelberg machines. Including spindles. Bearings and gears when asked for. Including packing.  Available for: <ul style="list-style-type: none"><li>- GTO 46, GTO 52</li><li>- KOR, KORD, KORS</li><li>- MO</li><li>- SORM, SORS</li><li>- SM 52, SM 72, SM 74, SM 102 &amp; SM 104</li></ul>	On request
<b>Envelope printing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Wahli TM 531  envelope feeder	Year: 1998 SN: 98-1216  Excellent condition Available: direct from stock	Automatic envelope feeder with vacuum suction system, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, GTO, QM or PM, Sakurai, Ryobi, Shinohara etc.). Adjustable vacuum, adjustable in height between 64 – 104 cms, inclination, push guides, and a sensor at feeder end for automatic speed adjustment. All on wheels for easy installation in front of the printing press or storage elsewhere.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 36 x 42 cm	€ 2.850
	Stenz 400  envelope feeder with delivery	Year: 1999 SN: 40996623  Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 2.250
	AB Dick 1200  envelope feeder	Year: na SN: 4677  Good condition Available: direct from stock	Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 4 sucker feet and a sensor at feeder end for automatic speed adjustment. (= Astro AMC-2000feeder under AB Dick label). All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 41.3 cm	€ 500
	Schneider F50  envelope feeder	Year: 1998 SN: C-584  Fair condition (machine needs maintenance or can be used for parts) Available: direct from stock	Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 10 sucker feet and a sensor at feeder end for automatic speed adjustment. All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 37 cm	€ 300

	Unilith T-100 envelope feeder	Year: 1990 SN: unknown  Good condition Available: direct from stock	Automatic envelope feeder, designed to feed envelopes to Heidelberg GTO machines. Adjustable vacuum. The unit is placed onto the feeder board of GTO 46 or GTO 52 and can be used from there.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 22.7 x 30.3 cm	€ 300
	Just Feed envelope feeder	Excellent condition Available: direct from stock	Luxury envelope feeder system consisting of 4 adjustable platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.	€ 175
	Just Feed envelope feeder	Excellent condition Available: direct from stock	Envelope feeder system consisting of 3 platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.	€ 150
	Alpha Engineering RCV envelope delivery	Excellent condition Available: direct from stock  Year: 2001 (delivered 2002) SN: 1010	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 350 x 900 mms	€ 450
	Stielow 1.104 envelope delivery	Excellent condition Available: direct from stock  Year: 1986 SN: 993.03.86	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable.  Height: 450 mms Size: 300 x 1.300 mms	€ 450

	Astro CD-100 envelope delivery	Excellent condition (never used) Available: direct from stock  Year: na SN: na	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 290 x 950 mms	€ 350
	Sofrapli REL envelope delivery	Excellent condition Available: direct from stock  Year: na SN: 9500/ZRE	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 270 x 850 mms	€ 350
<b>Platemaking machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Xante Speedsetter VM4  CTP	Year: 2011 SN: 501122 & 94884-0037  Number of plates: na  Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Glunz & Jensen FCF 85V low-chemical plate processor, standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery  Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 5.850
	Xante Speedsetter VM4  CTP	Year: 2008 SN: 501121 & 3510  Number of plates: na  Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Proteck EQPE-70 plate processor (with chiller), standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery  Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 3.850

	AB Dick DPM 2340  CTP	Year: 2000 SN: 46-431  Excellent condition Available: direct from stock	CTP (900 – 3600 DPI), 675 nm red laser diode (10 mW) for film and/or press-ready polyester plate materials, including PC, monitor, keyboard, RIP software, and self-replenishing plate processor (inline). This machine combines with all portrait scape offset machines like Hamada, Ryobi, Adast, Heidelberg QM, etc.  Min. size: 229x305 mms Max. size: 340x508 mms Speed: 28 – 38 plates/hour (in 17 steps)	€ 1.050
	Mitsubishi DPM 2000CPS  CTP	Year: 2000 SN: 22826  Excellent condition Available: direct from stock	CTP (900 – 1200 DPI) with network connection and its own scanner (up to 1200 DPI), 670 nm red laser for film and/or press-ready polyester plate materials, including RIP software, updates, and self-replenishing plate processor (inline). This machine combines with Heidelberg GTO or SM 52, Hamada 52, Ryobi 520 etc.  Min. size: 229x305 mms Max. size: 419x551 mms	€ 950
	Kimoto Kimosetter 410 CTP  CTP printer	Year: 2010 SN: A16C35C0018H  Excellent condition Available: direct from stock	Simple and easy to use desktop CTP (1200x600 DPI) for printing the image, text, half tones directly on to the non-sensitive polyester offset plates. Direct ready to print and can be used in any dampening system (even non-chemical or non-alcohol). Automatic plate feed for 10 plates. Suitable for all Mac and Microsoft operating systems with an USB connection. This machine combines with Heidelberg GTO 46, Printmaster 46, Quickmaster 46, Hamada, Ryobi etc.  Min. plate size: 98x98 mms Max. plate size: 410x510 mms	€ 1.450
<b>Plate processors</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Kodak Mercury T-HD 1250  Plate processor	Year: 2009 SN: ME10409  Excellent condition Available: direct from stock	Plate processor for processing all brands and press ready thermal offset plates. The machine is meant to be integrated into a inline CTP installation, digital touch screen operating panel for speed, processing times, stabilizing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment.. Complete with refrigeration/cooler unit.  Max. size: 1250 mms width Min. size: 320 mms length Speed: 60 - 200 cms/min.	€ 3.450


	<p>Kodak KTP-1270</p> <p>Plate processor</p> <p><a href="https://youtu.be/Ny492rHbq9o">https://youtu.be/Ny492rHbq9o</a></p>	<p>Year: 2013 SN: 137113600033</p> <p>Excellent condition Available: direct from stock</p>	<p>Plate processor for processing all brands and press ready low-chemical thermal offset plates. The machine is meant to be integrated into a inline CTP installation, digital touch screen operating panel for speed, processing times, stabilizing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Complete with refrigeration/cooler unit.</p> <p>Max. size: 1270 mms width Min. size: 320 mms length Speed: 50 - 305 cms/min.</p>	€ 2.950
	<p>Glunz &amp; Jensen 85 HDX</p> <p>Plate processor</p>	<p>Year: 2011 SN: 95505-0021</p> <p>Excellent condition Available: direct from stock</p>	<p>Plate processor for processing all brands and press ready thermal offset plates. The machine is meant to be integrated into a inline CTP installation, digital graphical touch screen operating panel for speed, processing times, stabilizing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Complete with refrigeration/cooler unit.</p> <p>Max. size: 850 mms width Min. size: 285 mms length Speed: 50 - 220 cms/min.</p>	€ 2.450
	<p>Agfa Azura C85 (Glunz &amp; Jensen)</p> <p>Rinse- and gum processor</p>	<p>Year: 2005 SN: 92700-0187</p> <p>Good condition Available: direct from stock</p>	<p>Automatic rinse- and gum processor with manual feeder for thermal chemical free offset plates with an automatic plate insert start system. Recirculation and drying system included. With feeder board and standard delivery.</p> <p>Max.plate width: 850 mms</p>	€ 1.650
	<p>Lefra 10 550-200</p> <p>Plate processor (2 pc in stock)</p>	<p>Year: 1988 SN: 2832</p> <p>Good condition Available: direct from stock</p>	<p>Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump).</p> <p>Max.plate size: 550 x 750 mms Capacity: 15 liters</p>	€ 150
	<p>Lefra 430-500</p> <p>Plate processor</p>	<p>Year: 1998 SN: 5654</p> <p>Good condition Available: direct from stock</p>	<p>Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump).</p> <p>Max.plate size: 430 x 500 mms Capacity: 13 liters</p>	€ 150

	<p>Hyfra VWK 7/1</p> <p>Cooling- and circulation unit</p>	<p>Year: 1994 SN: 9403166</p> <p>Excellent condition Available: direct from stock</p>	<p>Independent working cooling- and circulation unit for film- or plate processors of standard offset- or ctp plate production. This unit can even be used for cooling the ink- or dampening systems of offset printing machines. Simple and universal coupling connection.</p> <p>Cooling: 814 W Cooling: 700 kcal/h Pressure: 24 bar</p>	€ 350
	<p>Bartal-Tech Ltd. Lotem 400 conveyor</p> <p>Online bridge</p>	<p>Year: 2008 SN: 903</p> <p>Excellent condition Available: direct from stock</p>	<p>Online plate bridge for online use between a Lotem 400 CTP and an online plate processor or plate washer with data connector for start/control.</p> <p>Max. plate width: 78 cms</p>	€ 850
	<p>Glunz &amp; Jenzen C5 platestacker</p> <p>Automatic plate stacker</p>	<p>Year: 2010 SN: 100858 VX</p> <p>Excellent condition Available: direct from stock</p>	<p>Online fast working plate stacker with sensors for start/control. Can be placed behind any brand, type or size CTP line for stacking the plates onto a retractable trolley. Works independently from any (high performance) processor and will start automatically when the processed plate passes the sensor. The conveyor is driven to ensure complete removal of the plate prior to stacking. The speed is adjustable. Up to 75 - 100 plates will be stacked vertically on a retractable trolley that is on wheels for easy transport of the plates to the printing press.</p> <p>Max. plate width: 85 cms Max. plate length: 125 cms</p>	€ 925
<b>Imagesetting machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	<p>Screen Katana FT-R5040</p> <p>Imagesetter</p>	<p>Year: 2000 SN: 27.95049</p> <p>Used condition (some rollers and parts inside the processor need attention) Available: direct from stock</p>	<p>Imagesetter (1000 – 3000 DPI) with an online filmprocessor (LD-M1060). Visible red laser diode (635 nm). For He-Ne sensitive film. Including: cassette, RIP software (HQ installed on Power Mac, dongle, flat screen monitor, keyboard, cables etc.).</p> <p>Max. width: 406 mm imaging area</p>	€ 3.250

	Scantext Othello  Imagesetter	Year: 1999 SN: 525.588  Excellent condition Available: direct from stock	Imagesetter (1270 – 3850 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (RipExpress, including Adobe Postscript 3) installed on Windows PC, dongle.  Max. size: 510 x 645 mm imaging area	€ 2.750
	Heidelberg Duosetter  Imagesetter	Year: 2000 (installed 2001) SN: 003311803  Excellent condition Available: direct from stock	Imagesetter (1270 – 3387 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (Adobe Postscript 3) installed on Windows PC, dongle.  Max. size: 535 x 505 mm imaging area	€ 3.450
	ECRM VR30  Imagesetter	Year: 1992 SN: 359  Used condition Available: direct from stock	Imagesetter (600 – 2430 DPI). Including: cassette.  Max. width: 300 mm imaging area	€ 450
	ECRM VR36 Scriptsetter  Imagesetter	Year: 1994 SN: 168  Good condition Available: direct from stock	Imagesetter (600 – 2430 DPI). Including: PC with RIP, software (CD) and cassette.  Max. width: 360 mm imaging area	€ 950
	ECRM RIP software, dongle and SCSI card  Imagesetter	Year: 2000 SN: 3892B366  Excellent condition Available: direct from stock	ECRM RIP software for PowerMac Vs 5.3, with dongle and SCSI card	€ 250

	<b>Agfa Avantra 30</b> Imagesetter input cassette	Year: 2008 SN: na  Good condition Available: direct from stock	Input cassette for an Agfa Avantra 30 imagesetter. For film sizes up to 762 mms	€ 150
	<b>Screen Katana FT-R3050</b>  Imagesetter input- and output cassettes (2 sets of 2 pieces)	Year: 1998 SN: na  Good condition Available: direct from stock	2 input cassettes and 2 output cassettes for a Screen Katana FT-R3050 imagesetter. For film sizes up to 558 mms	€ 250
<b>Plate- and film punches</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Universal  Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: 52 cms	€ 85
	Rotaprint  Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 35 holes Max. plate size: 45 cms	€ 125

	Carl Glisser  Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: DIN A4	€ 50
	PER-7  Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: DIN A4	€ 30
	Bacher RP 22  Table-model plate punch  (we have 4 pieces available)	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 52 cm  Punch distance: 22,5 cms Max. plate size: 52 cms	€ 350
	Kieper  Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 80 cm  Punch distance: 22,5 cms Max. plate size: 80 cms	€ 650
	Heidelberg  Table-model plate punch  (we have 2 pieces available)	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 52 cm  Punch distance: 22,5 cms Max. plate size: 52 cms	€ 650

	<b>Billows Komori</b> Floor-model plate punch	Year: 1993 SN: unknown  Excellent condition Available: direct from stock	Floor model register plate punch for Komori offset machines with a plate size up to 95 cm with foot pedal operation. Including adjustable top punch for centre punching.  Punch distance: 55,0 cms Max. plate size: 95 cms	€ 1.350
	<b>Beil Bacher 425</b> Table-model plate punch	Year: unknown SN: 9151  good condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 67 cm with manual crank. Electric register control for exact punching  Punch distance: 42,5 cms Max. plate size: 67 cms	€ 650
	<b>Bernard Prin &amp; Cie</b> Table-model plate punch	Year: unknown SN: unknown  good condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 78 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 78 cms	€ 850
	<b>Bacher 2045</b> Floor-model plate punch	Year: unknown SN: 7704  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050
	<b>Bacher 2048</b> Floor-model plate punch	Year: unknown SN: 538  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 950

	Bacher 2005.01  Floor-model plate punch	Year: unknown SN: 1719  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with foot pedal operation.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050
	Billows  Floor-model film- & plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Floor model film- and plate punch for plate size up to 160 cm. Electric punching with foot pedal. Special for large size offset machines like: MAN Ultra, Roland Ultra, Planeta Super Variant, Nebiolo, Marinoni, Cab Tree etc.  Max. plate size: 160 cms	€ 1.750
<b>Daylight control-mounting tables</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	White Screen Normlight  Daylight control table	Year: 2009 SN: 7032  Excellent condition Available: direct from stock	Table model day light control table with inner light and 2 extern TL lights for quality control of prints up to 33 x 30 cms size.  Max. size: 33 x 30 cm	€ 150
	Bieffe  Film mounting table	Year: na SN: na  Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 80 x 60 cms size. Adjustable in height and inclination. Including rulers.  Max. size: 80 x 60 cm	€ 200

	Bieffe DuoLite  Film mounting table	Year: na SN: na  Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 74 x 60 cms size. Adjustable in height and inclination with footpedal. Including rulers and 3 drawers for storage.  Max. size: 74 x 60 cm	€ 250
	Croon  Film mounting table	Year: na SN: na  Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 85 x 65 cms size. Adjustable in inclination. Including rulers with magnifying glasses.  Max. size: 85 x 65 cm	€ 250
<b>Copyframes &amp; platemakers</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Dupont Cyrel 3000E  Plate exposure unit for extra-large polymer plates	Year: 1991 SN: 82046  Excellent condition Available: direct from stock	Floor model clam shell plate exposure unit for photopolymer plates with professional digital programming and 48 UV tubes, light integrator, controlled exposure, vacuum draw down, temperature controlled bed, 25 memories, timers for exposure and vacuum, sensor control for lamp condition.  Max. size: 132 x 203 cm Plate thickness: 0,5 – 7,0 mms	€ 4.775
	Dupont Cyrel 3001LF & 3001D  Light finisher and dryer for extra-large polymer plates	Year: 1991 SN: 90006 & 94050  Good condition Available: direct from stock	Automatic floor model dryer for large size water- and solvent washable photopolymer plates. Also 5 extra drawer dryers for photopolymer plates with professional programming for the finisher and drawer, temperature controlled, timers for drying period. Drying is done by means of air circulation. All can work simultaneously.  Max. size: 132 x 203 cm Plate thickness: 0,5 – 7,0 mms	€ 2.775

	<b>Croon</b> <b>KOP01ES5000</b>  <b>Plate exposure unit / Copy frame</b>	<b>Year:</b> 1997 (delivered 1998) <b>SN:</b> 9712VB93  <b>Excellent condition</b> <b>Available:</b> direct from stock	<b>Floor model copy frame with professional digital programming and digital screen, memories, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</b>  <b>Max. size:</b> 108 x 74 cm <b>Capacity:</b> 5000 W bulb.	€ 2.275
	<b>OMM</b> <b>DH60</b>  <b>Plate exposure unit / Copy frame</b>	<b>Year:</b> 2006 <b>SN:</b> 4661  <b>Excellent condition</b> <b>Available:</b> direct from stock	<b>Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</b>  <b>Max. size:</b> 85 x 65 cm <b>Capacity:</b> 2000 W bulb.	€ 1.875
	<b>Croon</b> <b>KOP67TT3000</b>  <b>Plate exposure unit / Copy frame</b>	<b>Year:</b> 1996 <b>SN:</b> 9608TT67  <b>Excellent condition</b> <b>Available:</b> direct from stock	<b>Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</b>  <b>Max. size:</b> 80 x 67 cm <b>Capacity:</b> 3000 W bulb.	€ 1.275
	<b>Theimer</b> <b>3369 Nova</b>  <b>Plate exposure unit / Copy frame</b>	<b>Year:</b> 2002 <b>SN:</b> 2002030234  <b>Excellent condition</b> <b>Available:</b> direct from stock	<b>Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</b>  <b>Max. size:</b> 74 x 60 cm <b>Capacity:</b> 2500 W bulb.	€ 1.275
	<b>Agfa</b> <b>Dupliphot 740</b>  <b>Plate exposure unit / Copy frame</b>	<b>Year:</b> na <b>SN:</b> na  <b>Excellent condition</b> <b>Available:</b> direct from stock	<b>Floor model copy frame with professional and digital programming with memories, for screen, timers for exposure and vacuum.</b>  <b>Max. size:</b> 74 x 63 cm <b>Capacity:</b> 2000 W bulb.	€ 925

Paper cutters and guillotines	Machine/type	Year/condition/available	Description/options	Price in Euros
	OCE / GAF Helioprint PD 130  Plate exposure unit / Copy frame	Year: 1974 SN: 74-79040  Excellent condition Available: direct from stock	Floor model copy frame with simple programming and screen, timers for exposure and vacuum. 220 V, 1 phase, 9 A, 50 Hz.  Max. size: 74 x 63 cm Capacity: 1600 W bulb.	€ 625
	Eskofot 263E  Plate exposure unit / Copy frame	Year: na SN: na  Excellent condition Available: direct from stock	Floor model copy frame with simple programming (8 memories), pointlight and screen, timers for exposure and vacuum. 220 V, 1 phase, 16 A, 50 Hz.  Max. size: 80 x 63 cm Capacity: 2000 W bulb.	€ 625
	Eskofot 242  Plate exposure unit / Copy frame	Year: na SN: na  Excellent condition Available: direct from stock	Table model copy frame with simple operating, timers for exposure and vacuum. Can be used for offset plates, polymer plates for letterpress etc. 220 V, 1 phase.  Max. size: 40 x 60 cm Capacity: 1500 W bulb.	€ 325
	Eskofot 1440  Direct platemaker	Year: 1997 SN: 440416  Excellent condition Available: direct from stock	Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. It is possible to enlarge your original up to 105% and to shrink down to 64%. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 380 V, 3-phase.  Max. size: 510 x 404 mm Capacity: 2.000 W bulb.	€ 425

	<b>Wohlenberg</b> <b>92 MCS2-TV</b> <b>Guillotine</b>	Year: 1992 SN: 3255-025  Good condition Available: direct from stock	Hydraulic paper cutter with steel working table with air supply, extra-large side table right (also with air supply, digital operating panel with digital display for 99 programs with each 99 steps and memories. Push out function possible after each step. All relevant safeties (IR bars, 2 hand operation, shields, sensors). Manuals, tools and 1 spare knife. 380 V and 3 phase.  Max. size: 920 mms Min. size: 20 mms Max pile height: 100 mms.	€ 5.950
	<b>Horizon</b> <b>MS80B</b> <b>Guillotine</b> <a href="https://youtu.be/EQGvidPT2Vg">https://youtu.be/EQGvidPT2Vg</a>	Year: 1998 SN: 5670047  Excellent condition Available: direct from stock	Hydraulic paper cutter with steel air table, digital operating panel with digital display for 99 programs with each 99 steps and memories. Push out function possible after each step. All relevant safeties (IR bars, 2 hand operation, shields, sensors). Manuals, tools and 1 spare knife. 380 V and 3 phase.  Max. size: 800 mms Min. size: 19 mms Max pile height: 100 mms.	€ 6.950
	<b>Adast</b> <b>MS80G</b> <b>Guillotine</b>	Year: 1997 SN: 5650049  Excellent condition Available: direct from stock	Hydraulic paper cutter with steel air table (also on the side tables), digital Gergek System Six operating panel with digital display for 99 programs with each 99 steps and memories. Push out function possible after each step. All relevant safeties (2 hand operation, shields, sensors). Manuals, tools and 1 spare knife. 380 V and 3 phase.  Max. size: 800 mms Min. size: 19 mms Max pile height: 100 mms.	€ 4.950
	<b>Adast</b> <b>Maxima MH80-5</b> <b>Guillotine</b>	Year: na SN: 5260039  Excellent condition Available: direct from stock	Hydraulic paper cutter with airtable, electric pressing and size change and cutting. Extended sidetable left, tools and spare knife. 380 V and 3 phase.  Max. size: 800 mms Max pile height: 100 mms. Min. – max. pressure: 3-15 kN	€ 2.350
	<b>Adast</b> <b>Maxima MH80-2</b> <b>Guillotine</b>	Year: na SN: 13322  Excellent condition Available: direct from stock	Hydraulic paper cutter with electric pressing and size change and cutting. Tools and spare knife. 220 V and 3 phase.  Max. size: 800 mms Max pile height: 100 mms. Min. – max. pressure: 3-15 kN	€ 2.150

	Adast MJ-46  Guillotine	Year: na SN: 5470034  Good condition Available: direct from stock	Paper cutter with manual pressing and size change and electric cutting. Tools and spare knife.  Max. size: 460 mms Max pile height: 80 mms.	€ 950
	Ideal 7228A  Guillotine	Year: 1987 SN: 578919  Excellent condition Available: direct from stock	Electric paper cutter with stainless steel table and extended sidetables on both sides, operating panel with digital display and memories for 9 programs with 99 steps. Push out function possible after each step. All relevant safeties (2 hand operation, shields, sensors). Manuals, tools and 1 spare knife. 380 V, 3 phase, 50 Hz, 2.1 A, 7.3 A.  Max. size: 720 mms Min. size: 20 mms Max pile height: 80 mms.	€ 2.950
	Ideal 6550-95EP  Guillotine	Year: 2002 (2003 installed) SN: 2463878  Excellent condition Available: direct from stock	Electric paper cutter operating panel with digital display and memories for 9 programs with 9 steps. Push out function possible after each step. All relevant safeties (2 hand operation, shields, sensors). Manuals, tools and 1 spare knife. 220 V, 1 phase, 50 Hz, 1.4 A, 10 A.  Max. size: 650 mms Min. size: 25 mms Max pile height: 80 mms.	€ 2.450
	EBA Multicut 10/550 CNC  Guillotine	Year: 1988 SN: 2451048  Good condition Available: direct from stock	Hydraulic paper cutter with stainless steel table, digital operating panel with digital display for programming and storage. All relevant safeties (2 hand operation). Tools and spare knife. 380 V and 3 phase.  Max. size: 550 mms Max pile height: 95 mms.	€ 2.750
	EBA Multicut 360  Guillotine	Year: na SN: na  Used condition Available: direct from stock	Simple manual floor model cutter with manual operation of the size, pressure and knife. 1 spare knife.  Max. size: 360 mms Max pile height: 50 mms.	€ 175

	Ideal 1071  Guillotine	Year: na SN: na  Fair condition Available: direct from stock	Manual paper cutter with manual operation of the pressure and the knife. DIN sizes on the table for fast handling.  Max. size: 710 mms Max. pile height: 35 sheets (80 gsm)	€ 175
	VS 46  Guillotine	Year: 1998 SN: unknown  Excellent condition Available: direct from stock	Cardboard- or offset plate cutter (very heavy cast iron table model) with manual operation of the pressure and the knife.  Max. size: 460 mms	€ 250
	Summa S160 D-Series  Vinyl and contour cutter	Year: 2015 SN: na  Excellent condition	Electric vinyl and contour cutter with dual servo motor for accurate, digital cutting vinyl, die cutting or plotting on paper. Touch control panel, free software and updates, Opos (optical positioning) alignment, automatic cut-off knife at the end of a job, Ethernet port for fast and reliable connection to a network, USB connection for storing jobs for later use. 230 V, 1 phase.  Max. cutting width: 1.600 mms Max. cutting length: 50 meters Max. knife pressure: 400 – 600 grs. Speed: 141 cms/sec (diagonal)	€ 1.450
	Neolt Electro Power Trim 250 Plus  Roll knife cutter	Year: 2004 SN: 639.1568.351  Excellent condition	Electric roll knife cutter with electric movement operation of the knife and foot pedal operation. Suitable for digital- and conventional printwork (technical drawings, posters, photos etc.).  Max. cutting length: 2500 mms Max. cutting thickness: 1.6 mms	€ 750
	Universal 150  Roll knife cutter	Year: na SN: na  Good condition	Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.).  Max. cutting length: 1500 mms Max. cutting thickness: 1.6 mms	€ 150

	Pitney Bowes 1241  Automatic letter opener	Year: 2010 SN: 5484  Excellent condition Available: direct from stock	Automatic roll knife slitter for opening letters and envelopes. Very fast automatic friction feeder system, delivery tray. Can be used with all kinds of mixed envelopes. No confetti due to slitter opening action with separate waste removal.  Max. size: up to C4 size Max. thickness: 8 mms Speed: 400 letters/min.	€ 125
	Several knives for cutters/guillotines	Year: unknown SN: unknown  Available: direct from stock	2x Horizon 58/61 series 1x Ideal 6550 1x FL-92, Thungsten Carbide	€ 50 each € 50 each € 80 each
	Several knives for cutters/guillotines	Year: unknown SN: unknown  Available: direct from stock	2x three knife cutter Perfecta SDY	€ 150 each
	Tarnator 350  paper shredder	Year: 1985 SN: 6206  Excellent condition Available: direct from stock	Manual high speed shredder with roller feeder. Retractable for easy use or storage.  Max. size: 30 cm width Max. paper height: 3 mms	€ 350
	LDG 450  paper shredder	Year: na SN: na  Excellent condition Available: direct from stock	Manual heavy duty high speed shredder with roller feeder. Retractable for easy use or storage.  Max. size: 45 cm width Max. paper height: 15 mms	€ 350

Lift- and turning machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Shelby 5331  palletlift	Year: unknown SN: unknown  Available: direct from stock Good condition	Manual hand winch operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage.  Max. size 100x80 cms Max. lift height: 105 cms Capacity: up to 250 kgs	€ 150
	Tawi  Minilift 8531  Electric lift	Year: 2014 SN: 3114954  Available: direct from stock Good condition	Electric winch (battery operated (2 new batteries – December 2018), chargeable) for easy lifting boxes or reels of film/paper. Adaptable sensor to lift automatically up to the max. height. On wheels, so retractable for use on more machines or for easy storage. 240 A  Max. size 60x40 cms Max. lift height: 145 cms Capacity: up to 70 kgs	€ 550
	Intraboss  Handy 800E  palletlift	Year: 1996 SN: 997001  Available: direct from stock Used condition (battery needs replacement)	Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.  Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs	€ 250
	Intraboss  Handy 800E  palletlift	Year: 1996 SN: 997002  Available: direct from stock Good condition (battery needs replacement)	Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.  Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs	€ 250

	Lafis LEI 16 C  Mobile pallet lift	Year: 1997 SN: 32925  Excellent condition Available: direct from stock	Movable pallet lift, motor driven, operation console on steering stick. Including SPE 24 Volt automatic battery loader with analog display.  Up to size: 120 x 100 cms Max. pallet size: 120 x 100 cms Max lifting height: 12 cms. Capacity: 1.600 kgs.	€ 1.500
	Bolzoni palletlift	Year: unknown SN: unknown  Available: direct from stock Good condition	Electrical and hydraulic operation for lifting pallets. Low profile for easy access and loading with pallet lifter.  Max. size 100x140 cms Max. lift height: 95 cms Capacity: up to 1.000 kgs	€ 450
	Schneider Senator PL2  palletlift	Year: 1970 SN: 8395  Available: direct from stock Good condition	Electrical and hydraulic operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage.  Max. size 140x102 cms Max. lift height: 95 cms Capacity: up to 1000 kgs	€ 950
	Meyer 1000 Stapelwender  Pile turner  <a href="https://youtu.be/rlijfXqkteM">https://youtu.be/rlijfXqkteM</a>	Year: 1991 SN: 006/025  Excellent condition Available: direct from stock	Stationary paper pile turner with automatic pick up, automatic clamps, operating console, motor driven,  Up to size: 800 x 120 cms. Max. pile height: 120 cms. Capacity: 1.000 kgs.	€ 3.850
	Kriff Roeger Stapelwender  Pile turner	Year: 2004 SN: 371  Excellent condition Available: direct from stock	Stationary roll in – roll out automatic paper pile turner, motor driven, including all safety parameters around the machine. No pit required  Up to size: 95 x 140 cms. Max. pile height: 140 cms. Capacity: 1.200 kgs.	€ 3.850

	Diesse Maxi Toppy  Mobile pile turner  <a href="https://youtu.be/VooAbnzJlmM">https://youtu.be/VooAbnzJlmM</a>	Year: 1998 SN: 10581  Excellent condition Available: direct from stock	Movable heavy duty paper pile turner, motor driven, operation console. Including Belatron 24 Volt automatic battery loader with lcd display.  Max. pallet size: 160 x 120 cms. Max loading height: 150 cms. Capacity: 1.500 kgs.	€ 8.500
<b>Stitching- and stapling machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Bostitch 14  Wire-stitcher  <a href="https://youtu.be/0Fnbf6IUsQ">https://youtu.be/0Fnbf6IUsQ</a>	Year: unknown SN: 6080W  Good condition Available: direct from stock	Floor model electric long arm wirestitcher with foot pedal operation. Suitable for box- and cardboard stitching in order to produce cardboard boxes and cardboard crates etc.  Back gauge distance: 300 mms Thickness: up to 10 mms	€ 1.050
	Grafmasz-Lodz 4D-2B  Wire-stitcher	Year: 1979 SN: 482  Good condition Available: direct from stock	Floor model electric wirestitcher with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. 380 V, 3 phase.	€ 850
	Brehmer  Wire-stitcher	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model electric wirestitcher with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc.	€ 750
	Brehmer  Wire-stitcher	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model wirestitcher with manual/ and foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc.	€ 450

Drilling machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Iram Rationella Maskiner AB Iram-8  1-spindle electric drill	Year: 1995 SN: 265  Available: direct from stock Good condition	1 drilling head, 220 Volt machine, table model with mechanic pressure, waste removal, paper clamp and an easy acces adjustable register board.  Drill diameter capacity: 2 – 10 mms Max. drilling depth capacity: 51 mms Back gauge adjustment: 6 - 38 mms Table size: 260 x 520 mms	€ 280
	Pescha 405/14  1-spindle electric drill	Year: na SN: na  Available: direct from stock Good condition	1 drilling head, 380 Volt machine, table model with swivelling drilling head, mechanic pressure, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 295 x 430 mms	€ 250
	Kobold KOE 5268129  1-spindle electric drill	Year: na SN: 2653118  Available: direct from stock Good condition	1 drilling head, 220 Volt machine, floor model with swivelling drilling head, mechanic pressure with footpedal operation, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 720 x 420 mms	€ 350
	Foellmer SP-2  2-spindle electric drill	Year: 1992 SN: 229  Available: direct from stock Good condition	2 drilling heads, 220 Volt machine, table model with fixed distance between drills, mechanic pressure, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 15 mms Fixed distance between drills: 80 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 100 mms Table size: 400 x 600 mms	€ 550

Machine/type	Year/condition/available	Description/options	Price in Euros	
	Nagel Citoborma 280B 2-spindle electric drill	Year: 1991 SN: 914458  Available: direct from stock Good condition	2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 45 - 120 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 102 mms Table size: 780 x 430 mms	€ 1.350
	OMM Venus 2-spindle electric drill	Year: na SN: na  Available: direct from stock Good condition	2 drilling heads, 380 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board.  Drill diameter capacity: 3 – 14 mms Adjustable distance between drills: 45 - 115 mms Max. drilling depth capacity: 80 mms Back gauge adjustment: 0 - 100 mms Table size: 350 x 650 mms	€ 950
	Hang 107-30 2-spindle electric drill	Year: 1992 SN: 92 589  Available: direct from stock Used condition	2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, hydraulic pressure, waste removal and an adjustable register board. Foot pedal operation.  Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 6 - 130 mms Table size: 480 x 600 mms	€ 950
	Hang 1060120 2-spindle electric drill	Year: na SN: 17116  Available: direct from stock Good condition	2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, mechanic pressure, waste removal and an adjustable register board. Foot pedal operation.  Drill diameter capacity: 2 – 15 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 350 mms Table size: 830 x 690 mms	€ 650

	<b>Heng Xin</b> Mini laser PE-40B  Laser engraving	Year: na SN: na  Excellent condition Available: direct from stock	Laser engraving machine for eg. rubber stamps etc., servo driven with water cooling and smoke exhaust  Max. size: 120 x 100 mms Engraving speed: 200 - 300 mm/min.	€ 350
	<b>Kensol</b> K-36-T  Hot foil stamping press	Year: na SN: S5200DA  Excellent condition Available: direct from stock	Hot foil unit (3 tons pressure) with automatic transport and pneumatic operation. Adjustable step less temperature control. The machine has a register table and a foil guide attachment. Company logo's, names, titles and other data can be pressed with various colours of foils into leather (agenda's, wallets etc.), cardboard, paper or any other materials that are suitable for hot foils.  Max. size: 203 x 153 mms (6"x 8")	€ 2.450
	<b>Heidelberg</b> OHT  Tiegel/platen/letter press	Year: 1953 SN: T 46452  Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting.  Min. size: 40 x 70 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm  Speed: 1.600 – 5.500 sh/hr.	€ 1.250
	<b>Heidelberg</b> OHT  Tiegel/platen/letter press	Year: 1961 SN: T 130184 N  Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting.  Min. size: 40 x 70 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm  Speed: 1.600 – 5.500 sh/hr.	€ 1.350
	<b>Adast</b> Grafopress GPC  Tiegel/platen/letter press  <a href="https://youtu.be/kEzSmn592aw">https://youtu.be/kEzSmn592aw</a>	Year: 1974 SN:  Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop.  Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm  Speed: 1.600 – 5.000 sh/hr.	€ 1.050

	<b>Adast Grafopress GPC</b> <b>Tiegel/platen/letter press</b>	Year: 1971 SN: Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr.	€ 950
	<b>Shear-Line Super SSC-IV</b> <b>XL die-roller cutter</b> <a href="https://youtu.be/vLZkeQujxxU">https://youtu.be/vLZkeQujxxU</a>	Year: 1988 (delivered 1989) SN: na Excellent condition Available: direct from stock	Hand-fed or semi-automated die-roller cutter for die-cutting, slotting, scoring, creasing or punching forms out of large size cardboard, corrugated board, plastic corrugated board (Suncpac), gaskets, binding cloth, heavy paper, pvc, nylon and other sheet materials. Can be used to cut single or multiple boards. Suitable for all kind of forms like bags, plastic holders, cardboard- or plastic suit-cases etc. No set up time. Including a spare sleeve roller, tools, manual and electrical schemes. Max. size: 127x204 cms Nip width: 0 – 177 mms Speed: 720 strokes/hour	€ 13.450
	<b>Brandtjen &amp; Kluge WFDT 12 x 18"</b> <b>Automatic platen for pack-to-pack</b>	Year: 1990 SN: 1WFDT121278G Excellent condition Available: direct from stock	Automatic platen for letterpress printing, perforating, slitting, scoring, embossing and die-cutting of pack-to-pack materials. Including spare rollers (new) and 5 pieces frames. Min. webwidth size: 64 mms Max.webwidth size: 483 mms Inside chase dimensions: 12"x18" (305x458 mms) Speed: 1.000 – 5.000 sh/hr.	€ 3.250
<b>Cutting, slitting, creasing</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	<b>Rollem A-700</b> <b>Creaser/perforator</b>	Year: 2000 SN: A700/113 Excellent condition Available: direct from stock	Table model electric heavy duty creasing-, cutting-, slitting and perforating equipment with manual feed operation for paper-, foils and cardboard sheets. Adjustable pressure of the rollers. Digital operation with speed control Including: 2 perforating wheels and 4 creasing wheels. Max. paper width: 700 mms Paperweight: 40 – 450 gsm Table size: 790 x 950 mms	€ 1.750

	Pernuma 1480F  Creaser	Year: 1961 SN: 1643  Excellent condition Available: direct from stock	floor model heavy duty creasing equipment with foot pedal operation, register table and delivery table on top.  Max. paper width: 610 mms Paperweight: 30 – 350 gsm Table size: 610 x 800 mms	€ 950
	Pernuma 1480F  Perforator (post stamp)	Year: 1971 SN: 5239  Excellent condition Available: direct from stock	floor model heavy duty post stamp perforating equipment with foot pedal operation and register table with adjustable rulers .  Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 510 x 800 mms	€ 850
	Bickel HK65-electric  Perforator (post stamp)	Year: na SN: 8075  Excellent condition Available: direct from stock	Floor model heavy duty post stamp perforating equipment with electric operation, register table and delivery table on top. Including foot pedal. 380 V, 3 phase.  Max. paper width: 650 mms Paperweight: 30 – 250 gsm Table size: 650 x 1.100 mms	€ 1.250
	Bickel HK3/50-electric  Creaser	Year: 1986 SN: 30901  Excellent condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table and delivery table on top.. Including foot pedal. 220 V, 1 phase.  Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 500 x 700 mms	€ 1.050
	Zechini Gra-for  Creaser	Year: 1989 SN: RMI 501  Good condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table. Including foot pedal. 220 V. 1 phase.  Max. paper width: 450 mms Paperweight: 30 – 350 gsm Table size: 450 x 600 mms	€ 1.050

	Deritend 43 ST  Creaser / scorer for boxmaking	Year: na SN: 720  Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise creasing- and scoring equipment with manual feeder and electric operation. Including adjustable 2 rill-scoring wheels and adjustable delivery table. Machine is designed to crease cardboard for cartons and cardboard boxes.  Max paper size: 1040 mms width Paperweight: 200 – 650 gsm Speed: 148 rpm	€ 1.850
	Deritend 34-DS  Cutter / slitter for boxmaking	Year: na SN: 54  Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Machine is designed to cut / slit cardboard for cartons and cardboard boxes up to 18 cms lengthwise.  Max papersize: 1300 mms width Cutting length: up to 18 cms. Paperweight: 200 – 650 gsm Speed: 370 rpm	€ 1.450
	Universal  Cutter / slitter	Year: na SN: na  Excellent condition Available: direct from stock	Table model easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Stainless steel working blade and delivery.  Max papersize: 720 x 1000 mms Paperweight: 80 – 350 gsm	€ 850
<b>Laminating and varnish machines</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	ATC 24UV  UV coater and liquid laminator	Year: 2009 SN: 9041011  Excellent condition Available: direct from stock	Manual fed UV coater and liquid laminator for cost effective enhancing print work, photos, albums, business cards, direct mail pieces, fleet graphics, wall coverings etc. It can run all kinds of gloss, matte, universal or white UV curable liquid coatings. Suitable for paper, cardboard, corrugated materials, styrene, chloroplast, foam board, metal and other printable media. Adjustable thickness control, speed, pumps for filling the coating tank, cleaning tanks, exhaust and standard delivery tray. 380 V, 3 phase.  Max width: 630 mms Max nip width: 30 mms Max coating thickness: up to 30 microns Speed: 0-30 m/min.	€ 6.250

	Neschen Seal Image 62 Plus  Hot- and cold laminator	Year: 1999 SN: 1575-08-631/8.0  Excellent condition Available: direct from stock	Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc.  Max width: 1600 mms Max nip width: 29 mms Speed: 0-1.8 m/min.	€ 4.250
	Fujipla LPP1112  Hot- and cold laminator	Year: 2000 SN: 0000027  Excellent condition Available: direct from stock	Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. 230 V, 50 Hz, 1 phase, 3 Kw, 12.2 A.  Max width: 1120 mms Max nip width: 0.8 mms Speed: 0-1.8 m/min.	€ 1.950
	Neschen K600-N  Cold laminator	Year: 1998 SN: 14046  Excellent condition Available: direct from stock	High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase.  Max width: 650 mms Max nip width: 0 - 40 mms Speed: 0.3 – 6 m/min.	€ 1.750
	Sallmetall S880  Cold laminator	Year: 1988 SN: 34470  Excellent condition Available: direct from stock	High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase.  Max width: 880 mms Max nip width: 50 mms Speed: 0.3 – 3 m/min.	€ 950
	Xerox Photo Pro*33  Hot pouch laminator	Year: na SN: 000484  Excellent condition Available: direct from stock	High speed table top laminating machine for hot laminating pouch materials. Special for laminating photos. Possible for single and double side laminating. Tip touch electric operation and programming with LCD settings and control etc. 220 V, 1 phase.  Max width: 330 mms Max nip width: 1 mms Speed: 0.4 m/min.	€ 90

	Colibri PHL-1200  Hot pouch laminator	Year: na SN: na  Excellent condition Available: direct from stock	High speed table top laminating machine for hot laminating pouch materials. Special for laminating photos. Possible for single and double side laminating. Tip touch electric operation and programming with LCD settings and control etc. 220/240 V, 1 phase, 3.7A, 850 W, 50 Hz.  Max width: 320 mms Max nip width: 1 mms Speed: 0.4 m/min.	€ 90
	GBC HeatSeal H425  Hot pouch laminator	Year: na SN: 1702820  Excellent condition Available: direct from stock	High speed table top laminating machine for hot laminating pouch materials. Special for laminating photos. Possible for single and double side laminating. Tip touch electric operation and programming with LCD settings and control etc. 220 V, 1 phase.  Max width: 320 mms Max nip width: 1 mms Speed: 0.4 m/min.	€ 50
<b>Winders and rewinders</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Allan Datagraph DFS 16" / i-Tech  Digital finishing system	Year: 2008 SN: D0710806C  Working hours: less than 500  Excellent condition (like new) Available: direct from stock	Servo driven digital finishing systems for laminating, die cutting, slitting, weeding and re-rolling label materials. It will work in combination of all web format printers and flexo presses up to 410 mms web width. Cold laminating, die cutting, slitting etc are all done digitally without changes of die rollers etc.  Web width: 254 - 410 mms Speed: 0 – 50.8 mms/sec	€ 6.500
	Menzel  Winder/rewinder	Year: 1998 SN: 85886  Excellent condition Available: direct from stock	114 cms width electro-pneumatic-hydraulic floormodel winder/rewinder equipment with operating panel. Machine can be integrated into all kind of web- or roll-to-roll machinery (inspection, paper, textile, non-woven, foils, self-adhesives etc.)  Web width: 1020 mms Roll diameter: 600 mms (1.000 mms) Core diameter: 75 mms Max. winding speed: 120 m/min.	€ 4.500
	Roll Systems (by Böwe) 80015801-57  Unwinder	Year: 2005 SN: 10305  Excellent condition Available: direct from stock	595 mms width electro-hydraulic floormodel driven unwinder equipment with operating panel and decurler. The roll is lifted into the machine with a hydraulic lift and only with one push on the button. The unwinder can be integrated into all kind of web- or roll-to-roll machinery (small rotation offset, flexo, digital rotation printers, mailing lines etc.). Machine is on wheels for easy placement or storage. 220 V, 1 phase.  Web width: 595 mms Max. roll weight: 450 kgs Core diameter: 75 mms	€ 2.500

Folder Gluers	Machine/type	Year/condition/available	Description/options	Price in Euros
	Kohmann CD 1  Production line for CD wallets	Year: 1989 SN: 12002/3  Excellent condition Available: direct from stock	Air suction rotary feed cd wallet production machine (vacuum), non-stop top feeder, 3 cutting units, creaser unit, 2 side folders (flip mounts), programmable hotmelt gluing device with 2 application nozzles for gluing, 1 pocket folder, end-trimmer, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pumps and long delivery conveyor belt.  Speed: 105 m/min. (200 pc/min.)	€ 9.950
	GUK FA 72/4 F4  Folder gluer	Year: 1986 SN: 23547  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, programmable digital gluing device (HHS, type C-210) with 2 application nozzles for continuous or pattern gluing (e.g. spot-closing), knife shafts for gluing, creasing- and perforating knives, noisehoods, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pump and retractable delivery conveyor belt (type S720).  Min. / max papersize: 150x190 mm / 720x1040 mm  Speed: 1.000 – 40.000 sh/min.	€ 4.950
Folders	Machine/type	Year/condition/available	Description/options	Price in Euros
	MBO T54-1-54/4 / T54-2-54/4  Folder	Year: 1993 SN: K.07-26  Good condition (4 small belts need attention) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes on 1 <sup>st</sup> section, retractable cross unit with 4 strokes on the 2 <sup>nd</sup> section, digital operation console on the machine with counter and delivery conveyor belt with deep pile stacker. Creasing and perforating possible. All safeties and noisehoods.  Min. / max papersize: 105x150 mm / 540x890 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 22.000 or 45.000 sh/min.	€ 4.950
	MBO T49-1-49/4  Folder	Year: na SN: E11/50  Good condition (all rollers renewed in 2018) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating possible.  Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 45.000 sh/min.	€ 2.950

	<b>Stahl</b> <b>T 47/4-FA</b>  <b>Folder</b>	<b>Year:</b> 1981 <b>SN:</b> 19447  <b>Good condition</b> <b>Available:</b> direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, noisehoods, digital operation console on the machine with counter and delivery belt.  Min. / max papersize: 105x145 mm / 470x640 mm Paperweight: 40 – 250 gsm Minimum fold: 40 mms  Speed: 50 – 150 m/min	€ 2.150
	<b>Shoei</b> <b>Star SPT52</b>  <b>Folder</b>	<b>Year:</b> 1999 <b>SN:</b> 2842  <b>Good condition</b> <b>Available:</b> direct from stock	Air suction feed folder (vacuum), flatpile feeder with paper separator, 4 strokes, 1 electric knife folder, noisehoods, digital operation console on the machine with sheet checker, counter and retractable delivery belt. Including creasing, perforating and scoring wheels.  Min. / max papersize: 120x135 mm / 520x740 mm Paperweight: 40 – 250 gsm Minimum fold: 65 mms  Speed: 40.000 sh/hr.	€ 3.450
	<b>Horizon</b> <b>AFC-A43</b>  <b>Folder</b>	<b>Year:</b> 2004 <b>SN:</b> 27028  <b>Good condition</b> <b>Available:</b> direct from stock	Air suction feed folder (vacuum), flatpile feeder with paper separator, 2 strokes, 1 electric knife folder, noisehoods, digital operation console on the machine with counter and retractable delivery belt.  Min. / max papersize: 150x210 mm / 430x650 mm Paperweight: 40 – 240 gsm Minimum fold: 65 mms  Speed: 35.000 sh/hr.	€ 3.450
	<b>Faltex</b> <b>712-236</b>  <b>Folder</b>	<b>Year:</b> 1994 <b>SN:</b> 50194  <b>Good condition</b> <b>Available:</b> direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and delivery belt. Heavy duty compressor/pump. 220 V, 1 phase.  Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm  Speed: 30.000 sh/hr	€ 850
	<b>Faltex</b> <b>712-236.001</b>  <b>Folder</b>	<b>Year:</b> na <b>SN:</b> 1303  <b>Good condition</b> <b>Available:</b> direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and an extra-long conveyor belt delivery. Heavy duty compressor/pump. 220 V, 1 phase.  Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm  Speed: 30.000 sh/hr	€ 850

	Sofrapli 385AB  Folder	Year: 1994 SN: 944428  Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation with LCD counter and delivery belt. Safeties and noisehood. Heavy duty compressor/pump in noise reducing box.  Min. / max papersize: 105x150 mm / 380x650 mm Minimum fold: 40 mms Min. / max. paperweight: 45- 250 gsm  Speed: 25.000 sh/hr	€ 1.750
	Stahl T32/1  Folder	Year: 1995 SN: 65810/95  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase.  Min. / max papersize: 76x127 mm / 355x508 mm Minimum fold: 57 mms Paperweight: 40-250 gsm  Speed: 35.400 sh/hr.	€ 2.950
	Stahl SA-32.2US  Folder	Year: 1990 SN: 37018-150049  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase.  Min. / max papersize: 105x145 mm / 320x450 mm Minimum fold: 51 mms Paperweight: 40-250 gsm  Speed: 42.500 sh/min.	€ 2.250
	Nagel DocuFold Morgana 906222  Folder	Year: 2004 SN: 040936DCAJ  Good condition Available: direct from stock	Floor model vacuum suction feed folder with semi-automated size change (dial-a-fold plate settings with LCD display, flatpile feeder with 2 strokes, noise hoods, digital operation on the machine, counter and extra-long delivery belt. 220 V, 50 Hz, 1 phase, 10 A.  Min. / max papersize: 104x139 mm / 330x450 mm Minimum fold: 50 mms Paperweight: 45-300 gsm  Speed: 17.000 sh/min.	€ 2.250
	Nagel DocuFold Morgana 906222  Folder	Year: 2004 SN: na  Good condition Available: direct from stock	Floor model vacuum suction feed folder with semi-automated size change (dial-a-fold plate settings with LCD display, flatpile feeder with 2 strokes, noise hoods, digital operation on the machine, counter and delivery belt. 220 V, 50 Hz, 1 phase, 10 A.  Min. / max papersize: 104x139 mm / 330x450 mm Minimum fold: 50 mms Paperweight: 45-300 gsm  Speed: 17.000 sh/min.	€ 2.250

	<b>Matthias Bauerle Multimaster CAS 38</b> Folder	Year: 1995 SN: 95952200  Good condition Available: direct from stock	Floor model vacuum feed and fully automated folder, flatpile feeder with register table, 4 strokes, noisehoods, digital operation with programs and LCD screen on the machine and a retractable delivery belt. Including: 2 perforation- and creasing wheels.  Min. / max papersize: 70x120 mm / 380x650 mm Minimum fold: 35 mms Paperweight: 40-250 gsm  Speed: 200 m/min.	€ 2.850
	<b>Matthias Bauerle Multipli FM 35/2</b> Folder	Year: 2004 SN: 040651130  Used condition (1 roller needs to be exchanged) Available: direct from stock	Table model friction feed folder, flatpile feeder with 2 strokes, noisehoods, operation on the machine and delivery belt. 220 V, 1 phase.  Min. / max papersize: 50x70 mm / 356x525 mm Minimum fold: 50 mms Paperweight: 40-250 gsm  Speed: 20.000 sh/min.	€ 550
	<b>Matthias Bauerle Multipli FM 352</b> Folder	Year: 1985 SN: 85651263  Fair condition Available: direct from stock	Table model friction feed folder, flatpile feeder with 2 strokes, noisehoods, operation on the machine and delivery belt. 220 V, 1 phase.  Min. / max papersize: 50x70 mm / 356x525 mm Minimum fold: 50 mms Paperweight: 40-250 gsm  Speed: 20.000 sh/min.	€ 150
	<b>OCE 931</b> Plan folder	Year: 2002 SN: 42592  Good condition Available: direct from stock	Floor model manual feed plan folder for folding large size technical drawings to DIN A4 size end result.  Min. / max paperwidth 1150mm Min. / max paperlength: 420 mm / 4000 mm Fixed fold: 210 mms Paperweight: 40-200 gsm	€ 250
	<b>Chatel Reprographie Sinus 1221</b> Plan folder	Year: 2008 SN: 11441  Excellent condition Available: direct from stock	Floor model manual feed plan folder for folding large size technical drawings to DIN A4 size end result.  Min. / max paperwidth 1150mm Min. / max paperlength: 420 mm / 3500 mm Fixed fold: 210 mms Paperweight: 40-200 gsm	€ 270

Delivery equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bourg BBR JS80140-W  Stacker delivery	Year: 2005 SN: 11342150  Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery.  Min./max. size: 110 x 50 / 450 x 320 mm Thickness: 0.1 – 60 mm (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850
	GUK  Small size delivery	Year: na SN: na  Used condition Available: direct from stock	Retractable and mobile, height adjustable small size delivery for pharmaceutical GUK (or other brand) folders. Undependable driven with its own motor.  Max paperwidth: 430 mm	€ 350
	Pitney Bowes Speed Sort SS CON09-TUV-XX  Conveyor belt delivery	Year: 2008 SN: 0804129  Excellent condition (new and never used) Available: direct from stock	Retractable conveyor belt for online use with all kind of mailing equipment. Machine has air supply for easy layout of paper, envelopes or other mail results.  Belt length: 260 cms Belt width: 26 cms.	€ 950
	MBO P-92  Pressing unit	Year: 1980 SN: 80065384  Good condition Available: direct from stock	Heavy duty pressing unit for compressing single signatures from one-up to multiple-up production. Easy retractable. Fast and easy format adjustment without use of tools. Including interface to MBO folders. Retractable on wheels for easy storage.  Max. size: 920 mm Max. pressure: 20.000 N. Speed: 50-180 m/min.	€ 2.000

	OMG Multiplo P850  Stacker delivery	Year: 1985 SN: 647  Good condition Available: direct from stock	Signature presser/stacker. For flat batched delivery of folded signatures with pressing attachment. Automatically forms 1, 2 or more batches of preselected, counted and stacked signs. Works independently and with any brand or make of folding- or gathering machines. Adjustable infeed height, 4 pressing rollers and delivery air table. Retractable on wheels for easy storage.  Max. width: 850 mms	€ 3.500
	Rima Systems RS-10S 9-1/4"  Stacker delivery	Year: 1992 SN: 102726-10  Good condition Available: direct from stock	Automatic high speed compensating stacker for behind saddle stitchers, perfect binders, mailing lines and inserters. Adaptable feeder height from 629 – 1054 mms. Quick non-tool setup, various delivery directions (left or right, alternating or straight out with conveyor belt. All on wheels for convenient storage when not in use. 380 V, 3 phase, 50 Hz, 3,9 A, 1,5 kW, 5,5 bar and 45 l/min air consumption.  Max./ min. size: 320 x 470 / 127 x 152 mms Product thickness: 1 – 32 mms Stacking height: 127 – 330 mms Speed: up to 18.000 product/hour	€ 2.500
<b>Collators and bookletmakers</b>		Machine/type	Year/condition/available	Description/options
	CP Bourg - Ordibel Ordinella 615  Collator	Year: 1986 SN: 4054/7457  Excellent condition Available: direct from stock	Collator (15 bins) with friction collating, programming; double sheet detection; counter and zig-zag delivery.  216 x 275 mm. size (min) 216 x 330 mm. size (max)	€ 400
	Horizon AC-160  Collator	Year: na SN: 23026  Good condition Available: direct from stock	Collator (16 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English).110/ 220 V, 300 W, 50/60 Hz.  148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 45 – 160 gsm. Speed: 900 - 2.400 sets/hr.	€ 950
	Horizon QC-P10  Collator	Year: na SN: 012025  Good condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 230 V, 170 W, 50 Hz.  148 x 210 mm. size (min) 315 x 450 mm size (max). Paperweight: 40 – 135 gsm. Speed: 3.300 sets/hr.	€ 750

	Duplo DC-1200H  Collator	Year: na SN: 10101438  Excellent condition Available: direct from stock	Collator (12 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr.	€ 850
	Plockmatic 410  Collator	Year: na SN: 410092318  Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  120 x 210 mm. size (min) 216 x 356 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 750
	Plockmatic 310  Collator	Year: na SN: 310034881  Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 1.100
	Plockmatic 310  Collator	Year: na SN: 310042465  Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 1.100
	Uchida AR-8  Collator	Year: 2002 SN: 02250045  Excellent condition Available: direct from stock	Collator (8 bins) with vacuum suction collating, programming; jamming; double sheet detection; pre-set counter and jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  95 x 150 mm. size (min) 328 x 470 mm size (max). Paperweight: 45 – 250 gsm. Speed: 2.400 sets/hr.	€ 3.850

	<p>CP Bourg BST-10 &amp; AGR-T, PA-T, TR-T &amp; TR-JOG-T</p> <p>Collator and booklet maker</p>	<p>Year: 1997 SN: 020140443, 232140370, 228040472, 212740562</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (10 bins) with vacuum suction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Bourg AGR booklet maker with 2 Höhner wirestitchers, folder, trimmer and with conveyor belt and jogger delivery. Manual and partsbook (English)</p> <p>115 x 200 mm. size (min) 350 x 520 mm size (max). Paperweight: 45 – 250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 4.200 sets/hr.</p>	€ 7.850
	<p>Watkiss Vario Pro 8, Bookmaster Pro, Trimmer Pro</p> <p>Collator and booklet maker</p>	<p>Year: 2015 SN: WA/VAR/6148, WA/BMP/1519, WA/TMP/1476</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (8 bins) fully automatic (change and size), with vacuum suction collating, programming on colour touch screen; jamming; double sheet detection and pre-set counter. Including Watkiss bookmaster pro booklet maker, data cable for communication, 2 staplers, folder, trimmer and a tray delivery. Manual and partsbook (English)</p> <p>140 x 210 mm. size (min) 320 x 482 mm size (max). Paperweight: 40 – 300 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 3.000 - 7.200 sets/hr.</p>	€ 4.850
	<p>Plockmatic 310+ &amp; 60</p> <p>Collator and booklet maker</p>	<p>Year: 2003 SN: 310012079</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase, 2 A.</p> <p>138 x 210 mm. size (min) 338 x 364 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 - 2.100 sets/hr.</p>	€ 1.250
	<p>Plockmatic 310+ &amp; 61</p> <p>Collator and booklet maker</p>	<p>Year: 2003 SN: 310A0065 &amp; 61071270</p> <p>good condition Available: direct from stock</p>	<p>Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase.</p> <p>138 x 210 mm. size (min) 338 x 364 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 - 2.100 sets/hr.</p>	€ 1.850
	<p>Duplo DC-8 Mini &amp; KAS Fold</p> <p>Collator and booklet maker</p>	<p>Year: na SN: 20201713 &amp; 8360</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (8 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including KAS booklet maker, counter, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 230 V, 1 phase.</p> <p>148 x 210 mm. size (min) 297 x 420 mm size (max). Paperweight: 50 – 130 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 2.000 - 3.300 sets/hr.</p>	€ 1.050

	Duplo DBM-100  Bookletmaker	Year: 1995 SN: 70301561  Booklets: na  Fair condition Available: direct from stock	Parts machine, bookletmaker with online function, folder with 2 staplers (DBM-100), and short delivery belt.  Max. size: 320x450 mm. Min. size: 200x200 mm. Capacity: 25 sheets of 80 gsm Speed: 2.400 sets/hr.	€ 275
	Plockmatic 61  Bookletmaker	Year: na SN: 61051029  Booklets: unknown  Good condition Available: direct from stock	Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase.  Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.	€ 1.075
	Plockmatic 61  Bookletmaker	Year: na SN: 61071221  Booklets: unknown  Good condition Available: direct from stock	Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase.  Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.	€ 1.075
	Plockmatic 60  Bookletmaker	Year: na SN: 60003471  Booklets: unknown  Good condition Available: direct from stock	Manual feeder bookletmaker manual feed, folder, 2 staplers and standard delivery tray. Including manual and partsbook. 220 V, 1 phase.  Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.	€ 975
	Nagel Foldnak 4  Bookletmaker	Year: 1998 SN: 982880  Booklets: unknown  Excellent condition Available: direct from stock	Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. 220 V, 1 phase.  Type of staples: 26/6, 26/8S, Ri26/6 Max. size: 345x450 mms Min. size: 140x210 mms Paperweight: 45-240 gsm Max thickness: 2.5 mms (25 sheets of 80 gsm) Speed: 1.200 booklets/hr.	€ 1.075

	<p>Takofold 100E Bookletmaker <a href="https://youtu.be/yf8LYysFAAM">https://youtu.be/yf8LYysFAAM</a></p>	<p>Year: unknown SN: 3122 Booklets: unknown Excellent condition Available: direct from stock</p>	<p>Manual feeder bookletmaker with folder, 2 staplers, a pressing station for nice pressed folds and a short delivery belt. 220 V, 1 phase, 50 Hz.</p> <p>Max. size: 450x320 mms Paperweight: 45-240 gsm Max thickness: (17 sheets of 80 gsm) Speed: 1.000 booklets/hr.</p>	€ 425
	<p>Nagel Foldnak 1 &amp; 2 Conveyor belt delivery</p>	<p>Year: na SN: na Booklets: unknown Good condition Available: direct from stock</p>	<p>Electric conveyor belt delivery for Nagel Foldnak 1 and Foldnak 2 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase.</p> <p>Max. size: 450x345 mms</p>	€ 125
	<p>Hohner 48/5S Wire loop stitcher head</p>	<p>Year: unknown SN: unknown Excellent condition Available: direct from stock</p>	<p>4x Hohner loop wire stitcher heads. Completely re-furbished by Hohner and in shape of new.</p>	€ 850 each
<b>Binding equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	<p>Bourg BB-3000 &amp; BBR Perfect binder</p>	<p>Year: 2000 SN: 611055750 Good condition Available: direct from stock</p>	<p>Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust) automatic cover feeder (vacuum suction) and pressing. Including BBR stacker delivery. On wheels for easy use and storage. Including manual, schemes and partsbook. 380 V, 3 phase, 15 A, 50/60 Hz.</p> <p>Min. / max size: 90x60 / 320 x385 mms Thickness: 0.1 – 45 mms (2 up to 500 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 500 sets/hr.</p>	€ 3.750
	<p>Duplo DPB-500PUR Perfect binder</p>	<p>Year: 2012 SN: 081200407 Fair condition (PUR parts need replacement of the piping and connectors) Available: direct from stock</p>	<p>Professional high-speed floor model and fully automated 1-clamp perfect binder with feeding system and transport and electric pressing, dust free milling (up to 1.8 mm depth) with exhaust. Touch screen operations with memories for 20 jobs. Automatic size- and format change, side gluing (with scoring wheels), vacuum suction cover feeder. No glue machine coming with this binder.</p> <p>Min./max size: 120 x 120 mms / 360 x 320 mms Thickness: 0.1 – 51 mms (2 up to 500 pages) Paper thickness: 52 – 157 gsm / Cover thickness: 80 – 300 gsm Binding speed: up to 170 - 525 sets/hr.</p>	€ 2.680

	Planax Type 1191  Perfect binder	Year: unknown SN: 688  Good condition Available: direct from stock	Simple manual table model 1-clamp perfect binder for hot glue with electric transport and manual pressing.  Max binding length: 440 mms Thickness: 0.1 – 60 mms (2 up to 450 pages) Binding speed: up to 220 sets/hr.	€ 1.150
	Planax Perfect-Binder FII  Perfect binder	Year: 2004 SN: 1188/762  Good condition Available: direct from stock	Simple semi-automated floor model 1-clamp perfect binder for cold glue, including side glue and with dust free milling (up to 1.8 mms depth and including exhaust), electric transport and electric pressing of the cover. Removable glue pot for easy cleaning. Including 1188 delivery table (heated). 380 V, 3 ph, 2,44 Kw, 50/60 Hz.  Min. / max size: 150 x 110 / 380 x 350 mms Thickness: 0.1 – 40 mms (2 up to 350 pages) Max. cover thickness: 250 gsm (300 gsm grooved) Binding speed: up to 170 - 220 sets/hr.	€ 1.750
	Demco 500H  Hot melt pistol	Year: na SN: 1435  Good condition Available: direct from stock	Simple manual hotmelt pistol for hot glue. Including consumable (glue cartridges). 220/240 V, 1 ph, 50/60 Hz.	€ 250
	Planax 1188  Perfect binder	Year: na SN: na  Good condition Available: direct from stock	Simple stacker delivery table (heated) for forced drying cold glue bound books, blocks, magazines etc. 220 V, 1 ph, 50/60 Hz.  Min. / max size: 150 x 110 / 380 x 350 mms	€ 75
	Bourg BBR JS80140-W  Stacker delivery	Year: 2005 SN: 11342150  Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery.  Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850

	Mekanotch Junior  Milling and notching machine	Year: 8803314 SN: 1988  Excellent condition Available: direct from stock	Industrial electric spine milling and notching machine with an adjustable clamp system for preparing and improving books, blocks and piles of paper before gluing or binding with glue or a perfect binder. Depth of milling can be adjusted. Suitable for all types of paper (standard, glossy, coated or calendered paper) All safeties (2 knob operation, shields etc.)  Milling depth: 0 – 4 mms - notching intervals: 15 mms Min. max paper length: 152 - 380 mms Thickness: 3 – 79 mms (25 up to 600 pages) Binding speed: up to 300 sets/hr.	€ 1.450
	Ibico Kombo A4-PB  Punch and closer	Year: unknown SN: 209923  Excellent condition Available: direct from stock	Simple manual table model punch and binding system for 21 rectangle holes and binder A4 size  Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 7.200 sh/hr.	€ 75
	Ibico A4 EP  Punch	Year: unknown SN: 5/658  Excellent condition Available: direct from stock	Simple electric table model punch for 24 rectangle holes and binder A4+ size  Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 5.000 sh/hr.	€ 185
	Ibico A3 AB  Closer	Year: unknown SN: 20439  Excellent condition Available: direct from stock	Simple manual table model closer for 29 rectangle holes and binders up to A3 size  Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr.	€ 115
	Lamirel Combi  Combi punch/binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple manual table model punch and binder for 24 rectangle holes and binder A4+ size  Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 115 sheets Punching speed: up to 5.000 sh/hr. Binding speed: up to 250 sets/hr.	€ 85

	<b>GBC</b> Surebind System Two  Punch and finisher	Year: 2005 SN: ND05776  Excellent condition Available: direct from stock	Electric table model surebind punch and finisher for binding pre-punched paper with 10 pins spines up to A4 size. Including automatic reverse to prevent paper jams, ready light when binding is complete, waste removal  Punching capacity: 22 sheets (80 gsm) Binding capacity (adjustable): 4 up to 200 sheets  Binding speed: up to 250 sets/hr.	€ 350
	<b>GBC</b> Pronto P2000  Closer	Year: na SN: TC65661H  Excellent condition Available: direct from stock	Heavy semi-automatic electric table model automatic closer for binding pre-punched paper with plastic Wire'O combs (ProClick) up to A4 size. On button operation and full automated and digital settings with LCD screen. Bindings can be easily opened and closed again for adding or removing pages. Coming with 8 boxes of ProClick bindings.  Binding capacity (adjustable): 4 up to 500 sheets  Binding speed: up to 500 sets/hr.	€ 285
	<b>Prima</b> Opera 41  Paperlock binder	Year: na SN: na  Excellent condition Available: direct from stock	Heavy manual table model binder for binding pre-punched paper with self-adhesive papercombs without glue, metal- or plastic bindings up to A4 size.  Binding capacity (adjustable): 4 up to 500 sheets  Binding speed: up to 250 sets/hr.	€ 85
	<b>Wire'O</b>  Wire'O binders	Year: na SN: na  Excellent condition Available: direct from stock	One pallet of boxes with Wire'O bindings. All size and all colors. Total worth around euro 1.500.	€ 250
	<b>GBC</b>  Wire'O binders	Year: na SN: na  Excellent condition Available: direct from stock	One pallet of boxes with plastic bindings. All size and all colors. Total worth around euro 2.500.	€ 250

Joggers	Machine/type	Year/condition/available	Description/options	Price in Euros
	Unibind XU 638 Binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 6 clamps and 6 heated stations. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document.	€ 70
	GBC Ibico 310 E Binder	Year: unknown SN: 83756  Fantastic condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4 size with 1 heated station. Binding is achieved in minutes through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document. Inclusive 1 cooling down holder and some consumables (covers). 220 V, 500 W, 2.3 A.  Binding capacity: up to 200 pages (80 gsm)	€ 50
	Thermo Prima 21 Binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 1 clamp and 3 programs. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document.  Lot of consumables coming with it.	€ 50
	Universal Book casing-in machine	Year: unknown SN: unknown  Good condition Available: direct from stock	Semi-automatic floor model casing-in machine for hard-cover bookbinding, that presses the linen covers around the pre-glued books. Pneumatic pressing with 2-knob operation.  Max. 400 mms binding length and 5 - 35 mms thickness.	€ 400
	Bookpress 24x24 Bookpress	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Traditional and manual table model bookpress  Max. seize: 240 x 240 mms Max. 100 mms height.	€ 100

	Foellmer C 1  Vibrating table	Year: unknown SN: 1045  Excellent condition Available: direct from stock	Table model vibrating table, for manual straight vibrating of piles of paper. Vibrating is adjustable.  Max. papersize: 52 x 36 cm	€ 125
	Planatol Planatol  Jogging unit	Year: unknown SN: 01488  Fair condition Available: direct from stock	Table model jogger, for corner and manual straight jogging  Max. papersize: A3	€ 50
	Ideal Vibro 3  Jogging unit	Year: 1973 SN: 10459  Excellent condition Available: direct from stock	Table model jogger, adjustable in vibration and angle.  Max. papersize: A3	€ 75
	Lindaco A3+  Jogging unit	Year: 1996 SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 35 x 45 cms	€ 200
	Bourg TR-JOG-T  Jogging unit	Year: unknown SN: 293040310  Good condition Available: direct from stock	Floor model criss cross jogger for online use with Bourg equipment, adjustable in vibration and angle.  Max. papersize: 35 x 50 cms	€ 350

	Universal A3+ Jogging unit	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 35 x 50 cms	€ 200
	Universal A3+ Jogging unit	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 47 x 47 cms	€ 250
	Schneider Senator Vibra Jogging unit	Year: 1987 SN: 91061  Good condition Available: direct from stock	Floor model jogger, including airtable, footpedal operation, adjustable in vibration and angle. Including manual side flap at right side.  Max. papersize: 115 x 80 cms	€ 1.150
	Polar RB-2 Jogging unit	Year: 1994 SN: 6481197  Good condition Available: direct from stock	Floor model jogger with air supply (also on the sides) and automatic inclination. All adjustable in angle and height. Both side flaps work manually. With foot pedal and heavy duty compressor unit for pressure and air supply.  Max. papersize: 720 x 870 mms Min. / max pile height: 30 – 165 mms Table height: 860 – 950 mms	€ 1.750
	Schneider Senator 1073 Jogging unit	Year: 1990 SN: 183-1223  Excellent condition Available: direct from stock	Floor model jogger with stainless steel table, air supply (also on the sides) and airstrike roller, automatic inclination adjustable in angle. Both side flaps also work automatically. With operating panel and heavy duty compressor unit for pressure and air supply.  Max. papersize: 120 x 85 cms	€ 2.750

Packing, mailing and binding	Machine/type	Year/condition/available	Description/options	Price in Euros
	Ranpak FillPak TTKS-0209  Kraft paper packing machine	Year: new SN: F1627516  Excellent condition (new and never used – in original packing) Available: direct from stock	Mobile floor model electric voidfill- and cushion packaging machine that produces up to cushion air filled kraft paper for packing all products into boxes from fanfold kraft paper. Free hands for packing and cutting with foot pedal operation.  Thickness kraftpaper: 50 – 70 gsm Speed: 1.4 m/sec.	€750
	Beck Packautomaten HV 400  Shrink tunnel	Year: 1989 SN: 8891174  Excellent condition Available: direct from stock	Floor model shrink tunnel for foil and polywrapper for wrapping print work, boxes, bottles etc. into polyethylene materials. On wheels and can be placed into an inline situation. 2x Static eliminators and driven roller system.  Size: 350 width and 150 mms height Speed: 10-35 m/min.	€ 1.850
	IFP Packaging Machinery TM 40/20  Shrink tunnel	Year: 2010 SN: 3345  Excellent condition Available: direct from stock	Floor model shrink tunnel for foil (PPT, PPE and Cryovac) and polywrapper for wrapping print work, boxes, bottles etc. into polyethylene materials. On wheels and can be placed into an inline situation. 2x Static eliminators and independent driven roller system.  Size: 400 width and 200 mms height Speed: 4-20 m/min.	€ 2.250
	Polybag Mailbag  Mailing- and wrapping machine	Year: 2009 SN: na  Excellent condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc.  Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour	€ 3.150
	Dibipack 4255  Mailing- and shrink wrapping machine	Year: 2009 SN: 127-9  Good condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for (shrink-) wrapping magazines, catalogues, brochures or other mailing products. All is wrapped and after that shrinking is possible and done automatically. Constant temperature control, timers for vacuum, duration, sealing etc. This machine is suitable for the graphic industry, logistics, mailings, post etc. 380 V, 3 phase, 3 kW.  Min./max size: 160 x 100 / 320 x 500 mms Thickness up to 200 mms Speed: up to 240 - 300 cycles/hour	€ 1.450

	BVM Mailmaster 4004  Mailing- and wrapping machine	Year: 2001 SN: 010402498/B01 & 43509  Excellent condition Available: direct from stock	Automatic mailing wrapping line with 3 feeders (handfeed or automatic with Sitma 0019-156 & GUK SVA/35-SP feeders) for wrapping magazines, catalogues, brochures or other mailing products. Size change is done automatically with the operating panel. All is packed tight, so no shrinking is required. Constant temperature control. This line is suitable for the graphic industry, logistics, mailings, post etc.  Size: from 80 mms up to DIN A3 long and max. 60 mms height Size bag length: 80 – 550 mms (adjustable) Speed: up to 130 cycles/minute	€ 30.000
	Kern 620  Collator and mailing system	SN: 620.0092  Good condition Available: direct from stock	Floormodel collator (1 station max. A3 size and 1 station 30x20 cm) with friction collating; double sheet detection; counter and delivery. Coming with envelope feeder (min 76x140 mms up to 162x229 mms; 50 – 100 gsm), folding- and filling station for cards to this envelopes  70x70 mm size (min). 430 x 320 mm size (max). Paperweight: 70 – 240 gsm	€ 1.250
	Kirk Rudy 203  Feeder head	Year: na SN: 1291 365  Excellent condition Available: direct from stock	Labelling and Pick-and-Place head for integration into direct mail equipment or packing lines. This tip-on head can feed cards or similar flexible paper items to an online mailing- or packing line. The items are shuttle fed onto a vacuum pushing system. Connection with mis-feed signal in order to stop the complete line.  Min. size: 5.1 x 5.1 cm Max. size: 18 x 20,3 cm  Speed: 12.000 sh/hr.	€ 350
	Kingpin 828S  Strapping machine  <a href="https://youtu.be/R2FTCe-4qY8">https://youtu.be/R2FTCe-4qY8</a>	Year: 1987 (delivered 1988) SN: 61105  Good condition Available: direct from stock	Floor model manual strapping for packing/thermo closing boxes with print work or bind piles of (printed) paper, brochures, magazines, books etc. with a wire strapping material. Sensor controlled operation. Including large unwind for bigger rolls with binding materials. 6 new rolls of binding material coming with the machine.  Length of strap: 0,2 - 2 m.	€ 650
	ACL Pack STR-8060  Strapping machine	Year: 2005 SN: 30206  Excellent condition Available: direct from stock	Floor model automatic strapping for packing/thermo closing boxes with print work or bind piles of (printed) paper, brochures, magazines, books etc. with a wire strapping material. Sensor controlled operation, so the machine is suitable for a inline solution. Including large unwind for bigger rolls with binding materials. 6 new rolls of binding material coming with the machine.  Size: 600 x 500 mms (wxh)	€ 1.200

	<p>Signode KRS 50x40 Strapping machine</p> <p>Year: 1990 SN: 503195</p> <p>Fair condition (machine needs some small repairs) Available: direct from stock</p>	<p>Floor model strapper for inline strapping print work, packages of magazines/newspapers etc., with binding straps up to 50 mms width. Including unwind for rolls. Easy pick up, transport, and delivery of the packs due to rolling conveyor belt.</p> <p>Size: 500 x 400 mms (wxh)</p>	€ 750
	<p>Super Power Stretch Film wrapping material</p> <p>Year: 2015 SN: unknown</p> <p>Excellent condition (new) Available: direct from stock</p>	<p>30 rolls of black wrapping foil for automatic wrapping boxes, pallets or other equipment with an automatic polywrapper.</p> <p>Roll width: 500 mms</p>	€ 1.150
	<p>Alpha-Dot Inline printer</p> <p>Year: unknown SN: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Conveyor and driven roller belt (up to 400 mms width) with flexible inkjet printer (including remote keyboard for text input).</p> <p>Machine is used for batch printing on cardboard boxes. Can be integrated in another line and is adjustable in height.</p>	€ 1.650
	<p>Prior Scales</p> <p>Year: unknown SN: unknown</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model on wheels (retractable). One stationary weighing scale with rollers for in line situation.</p>	€ 350
	<p>GM GM-3000</p> <p>Year: unknown SN: 33752</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model digital weighing scale with many programmable possibilities. Used for mixing colours and pantone inks. 240 V, 1 ph.</p> <p>Max. weight: 3000 grs Accuracy: 1 gr</p>	€ 35

	Endra KO-76  Manual strapping machine	Year: na SN: 27104  Excellent condition Available: direct from stock	Manual hand strapper for packing/closing boxes into band strapping materials with clips. Including large unwind on wheels for flexible use and suited for bigger rolls with binding/strapping materials. Cardboard with 6 new rolls binding materials is coming with the equipment.	€ 350
	Universal  Paper band taper	Year: na SN: na  Good condition Available: direct from stock	Manual paper band taper to close packages and boxes etc. with pre-glued paper band. The paper band can be adjusted in length from 0 up to 40 cms and will be cut off at that length. Including 17 rolls of new paper band.	€ 80
<b>Pumps and miscellaneous</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Mixers for glue or coatings.	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Mixers for glue or coatings. 2 available.	€ 500
	Kaeser Aquamat 2  Oil water separator	Year: 2005 SN: 3600  Good condition Available: direct from stock	Compressed air condensate is a by-product of all compressors. It is a mixture of oil and water with ambient particulates and hydrocarbons that have been concentrated during the compression process. Much of the oil is the result of oil vapours and aerosols present in the compressor intake air. This type of oil-water mixture may be classified as hazardous waste, federal and local environmental laws often prohibit the discharge of untreated condensate into surface drains. Kaeser's Aquamat 2 condensate management system offers a reliable and economical method of oil/water separation and can be used in combination up to 3 compressors.  Productivity: 1 – 90 m3/min.	€ 550

	<p>Rietschle SKG-200-2.18</p> <p>Pressure pump</p>	<p>Year: 1982 SN: 434182</p> <p>Good condition Available: direct from stock</p>	<p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 2.820 l/min Pressure: 97 mbar Consumption: 0.37 Kw</p>	€ 450
	<p>Nishimura FB-400</p> <p>Pressure pump</p>	<p>Year: na SN: 53-5</p> <p>Excellent condition Available: direct from stock</p>	<p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 1.5 m3/min Rotational shaft speed: 2.850 turns/min. Consumption: 380 V, 3 Ph, 0.4 Kw</p>	€ 450
	<p>Orion CBX 15NK</p> <p>Vacuum / pressure pump</p>	<p>Year: 2000 SN: 410010</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 0,6 m3/min – 0.6 bar/-0.6 bar Rotational shaft speed: 1.750 turns/min. Consumption: 200 V – 0,75 kW</p>	€ 1.450
	<p>Rietschle DCL 40/DV</p> <p>Vacuum / pressure pump</p>	<p>Year: na SN: 1900</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in binding area.</p> <p>Delivery: 40 m3/hr – 0.6 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 380 V – 1.5 kW</p>	€ 1.050
	<p>Rietschle TR 25DV (30)</p> <p>Vacuum / pressure pump</p>	<p>Year: 1987 SN: 040510</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 25 m3/hr – 0.6 bar/-0.6 bar Rotational shaft speed: 1.450 turns/min. Consumption: 220 V – 1.1 kW</p>	€ 800

	<p>Rietschle TR 25DV (02)</p> <p>Vacuum / pressure pump</p>	<p>Year: 1982 SN: 726918</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 25 m<sup>3</sup>/hr – 0.7 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 220 V – 1.1 kW</p>	€ 800
	<p>Gast 1022</p> <p>Mag drive pump</p>	<p>Year: 1989 SN: 89-18210</p> <p>Good condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 15 m<sup>3</sup>/hr – 0.6 bar Vacuum: 116 mbar Rotational shaft speed: 1.425 turns/min. Consumption: 220 V – 0.6 kW</p>	€ 500
	<p>March MDXT-3</p> <p>Fluid pump</p>	<p>Year: na SN: QQ 113344</p> <p>Good condition Available: direct from stock</p>	<p>1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area.</p> <p>Delivery: 30 l/min. (max. head: 4 m.) Pressure: 0.55 bar Rotational shaft speed: 3.500 turns/min. Consumption: 220 V – 0.8A, 0,03 kW</p>	€ 100
	<p>Iwaki 2MD-15RU</p> <p>Fluid pump</p>	<p>Year: na SN: 0381195</p> <p>Good condition Available: direct from stock</p>	<p>1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area.</p> <p>Delivery: 20 l/min. (max. head: 2-2.5 m.) Pressure: 0.55 bar Rotational shaft speed: 3.000 turns/min. Consumption: 220 V – 0.8A, 0,02 kW</p>	€ 100
	<p>Bonfiglioli Bonfitronic 3.180.3000</p> <p>Motor drive</p>	<p>Year: na SN: 1232</p> <p>Good condition Available: direct from stock</p>	<p>1 drive motor suitable for belt drive of different kind of equipment in press- or binding area.</p> <p>Rotational shaft speed: 3000 turns/min. Torque: 4.5 Nm Consumption: 220 V – 4.9 A, 750 W</p>	€ 250

	<p>Heidelberg Roller-Matic  Rewinder for washing cloth</p>	<p>Year: 2000 SN:  Excellent condition Available: direct from stock</p>	<p>Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc.)  Working width: up to 1100 mms</p>	<p>€ 950</p>
--	--	---	--	--------------

All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2010)**. All machines are owned by us and can be seen in our warehouse in Venray - the Netherlands. Our delivery terms can be read on: <http://www.mctrade.nl/delivery-terms.html>. We are glad to send you a print of our terms. You can receive our newsletters and stock list by adding your email address to our mailing list: <http://www.mctrade.nl/subscribe.html>.

**Machines in stock at: 15 January 2019**  
Also see: [www.mctrade.nl](http://www.mctrade.nl)

**McTrade** warehouse and office: Venootstraat 4-a; NL-5804 CN; Venray; the Netherlands  
tel. +31 (0)6 53443948; fax +31 (0)478 571091; E-mail: [info@mctrade.nl](mailto:info@mctrade.nl)