



BIG IN SMALL MACHINERY

| 4, 5&6-colour printing machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|----------------------------------|--|--|--|----------------|
| | Nilpeter F-3000 Five-colour flexo press | Year: 1994 SN: 4755 Impressions: na Excellent condition Available: direct from stock | Modern 6-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 6 flexo print units (coating possibility on the 6 th unit), 6x hot-air dryers on all units and 1 UV dryer on the 6 th unit, web turn cross bar after 3 rd printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals. Max. web width: 300 mms Speed: 120 m/min. | € 68.500 |
| | Nilpeter F-280 Five-colour flexo press | Year: 1992 SN: R0-80/4700 Impressions: na Excellent condition Available: direct from stock | Modern 5-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 5 flexo print units (coating possibility on the 5 th unit), 5x hot-air dryers on all units and 1 UV dryer on the 5 th unit, web turn cross bar after 2 nd printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind, Tecsan Webwatcher video inspection control and a perforating- and sheeter unit. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals. Max. web width: 280 mms Speed: 120 m/min. | € 63.500 |
| | Screen Truepress TP-344N Four-colour digital offset press | Year: 2007 SN: 2007/7 Impressions: 13.5 mio Excellent condition Available: direct from stock | Modern 4-colour portrait-scape digital offset machine with a fully automated integrated processless thermal CTP system (2400 DPI – 300 LPI and stochastic raster) on both towers and full automated plate change system, full automated paper size change format, automatic ink key control, alcolour dampening and Technotrans mixer/cooler, blanket-, ink roller- and dampening roller wash, universal tack feeder. With RIP, network connection, software. Min. size: 90x148 mms (suitable for envelope printing) Max. size: 340x470 mms Paperweight: 0.04 – 0.4 mms Speed: 2.500 – 7.000 sh/hr. | € 55.000 |
| | MAN Roland Favorit RVF OB Four-colour offset press | Year: 1990 SN: 649-20451B Impressions: na Good condition Available: direct from stock | Modern 4-colour portrait-scape offset machine with a Mabeg high pile feeder, vacuum belt feeder, quick clamp plate change, Dahlgren alcolour with 2 mixers/coolers, ink roller wash, RCI-2 remote control table with operation and ink key control, IR dryer (Jac. De Vries), powderspray and high pile delivery. Min. size: 210x280 mms Max. size: 720x520 mms Paperweight: 0.04 – 0.4 mms Speed: 2.000 – 10.000 sh/hr. | € 28.000 |

| 2-colour offset machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|--|---|--|----------------|
|  | Komori Lihrone 220 Two-colour offset machine | Year: 2007 (installed 2008) SN: L-220-2015 Impressions: only 27 mio Excellent condition (new rollers April 2017) Available: direct from stock | Modern full options 2-colour landscape offset machine, with complete remote operation for all functions, PQC management with CIP3 console (2 colour LCD touch screen operating panels), stream feeder, quick format change, anti-static device, semi-automatic plate change, alcolour dampening with Tecnotrans Alpha.D recirculation cooler/mixer, all chromed cylinders, low pile delivery, powder spray, automatic inkroller- and rubber wash Min. size: 100x 148 mms Max. size: 520 x 375 mms Paperweight: 0.04 – 0.4 mms Speed: 3.800 – 13.000 sh/hr. | € 32.750 |
|  | Ryobi 522 HXX Two-colour offset machine | Year: 2000 (installed 2001) SN: 1103 Impressions: 52 mio Excellent condition (new rollers April 2018) Available: direct from stock | Modern full options 2-colour landscape offset machine, with digital operation for all functions, small size stream feeder, quick format change with vacuum belt feeder system, anti-static device, SAPC semi-automatic plate change, AAC Control for Ryobimatic alcohol dampening with Tecnotrans recirculation cooler/mixer, all chromed cylinders, low pile delivery, powder spray, automatic inkroller- and rubber wash Min. size: 100x 150 mms Max. size: 520 x 375 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 13.000 sh/hr. | € 14.750 |
|  | Shinohara Fuji 52-IIP NP Two-colour offset machine | Year: 1989 SN: 20234037 Impressions: na Good condition Available: direct from stock | Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. Including NP unit Min. size: 100x 148 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr. | € 9.750 |
|  | Heidelberg GTOZ 52+ Two-colour offset machine | Year: 1989 SN: 695681 Impressions: 51 mio good condition Available: direct from stock | Modern 2-colour landscape offset machine, plus version, chain delivery, tack feeder, quick clamp plate change, Kompac Varn III dampening, low pile delivery, powder spray, ink roller wash Min. size: 105x 180 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr. | € 14.750 |

| 2-colour envelope machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|---|---|---|----------------|
|  | Adast Dominant 525P Two-colour offset machine | Year: 1999 SN: 10268 Impressions: na Excellent condition Available: direct from stock | Modern 2-colour land-scape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. 380 V, 3 Ph, 50 Hz, 16 A. Min. size: 100x 148 mmms Max. size: 520 x 381 mmms Paperweight: 0.04 – 0.4 mmms Speed: 3.000 – 10.000 sh/hr. | € 7.750 |
|  | Hamada C248E Two-colour offset machine | Year: 2003 SN: CTQ-8JO66 Impressions: only 9.9 mio Excellent condition Available: direct from stock | Modern 2-colour land-scape offset machine with chain delivery, tack feeder, conventional dampening, low pile delivery, ink roller wash, small size printing device Min. size: 90 x 140 mmms Max. size: 365 x 480 mmms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr. | € 5.750 |
|  | Hamada 234M Two-colour offset machine | Year: 1998 SN: unknown Impressions: na Excellent condition Available: direct from stock | Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, conventional molleton dampening and powder spray. Manual and spare part books (English). Machine has new rollers. Min. size: 90 x 140 mmms Max. size: 340 x 450 mmms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr. | € 4.350 |
|  | Hamada 234K Two-colour offset machine | Year: 2002 SN: unknown Impressions: 3 mio Excellent condition (like new) Available: direct from stock | Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, Kompac Varn III dampening and powder spray. Manual and spare part books (English). Min. size: 90 x 140 mmms Max. size: 340 x 450 mmms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr. | € 5.100 |

| | | | | |
|---|---|--|--|-----------------------|
|  | <p>Winkler & Dünnebier 212</p> <p>Two-colour offset machine</p> | <p>Year: 1991 SN: 12.044</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>High speed 2-colour printing press for envelopes, non- stop bottom- and top loader system, rotating vacuum suction feeder, quick plate change system, Baldwin alcohol dampening with cooler/mixer, recto-verso printing mode possible, and extra-long conveyor belt delivery.</p> <p>Min. size: 76 x 100 mms Max. size: 460 x 406 mms Paperweight: 45 – 200 gsm Speed: 3.000 – 72.000 sh/hr.</p> | € 12.850 |
|  | <p>Halm Jet Press JP-TWOD-P</p> <p>Two-colour offset machine</p> | <p>Year: 2003 SN: 1617RC</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>High speed 3" 2-colour printing press for envelopes, rotating vacuum suction feeder, quick plate change system, Baldwin alcohol dampening with cooler/mixer, perfector for 2/0 and 1/1 printing mode, powder spray and extra-long delivery belt. Also coming with an independent driven packing- or feeder roller line (U-form).</p> <p>Min. size: 82 x 108 mms Max. size: 230 x 305 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 60.000 sh/hr.</p> | € 12.850 |
|  | <p>Whitacre Superspeed P7-13</p> <p>Two-colour offset machine</p> | <p>Year: 1991 SN: 139-91</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>High speed 2-colour printing press for envelopes, paper bags, brochures, covers, index tabs, cardboard, mulit page booklet covers, die-cut stock, pre-fold boxes, photo mailers, expanders etc., vacuum feeder drum, side register guides, pusher lugs, quick plate change system, perfector for 2/0 and 1/1 printing mode, Baldwin alcohol dampening with cooler/mixer, powder spray and long delivery belt. Coming with plate-punch and plate-bender.</p> <p>Min. size: 180 x 180 mms Max. size: 430 x 510 mms Speed: 3.000 – 17.500/35.000/70.000 sh/hr.</p> | € 11.850 |
| 1-colour offset machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | <p>Heidelberg KOR</p> <p>One-colour offset machine</p> | <p>Year: SN:</p> <p>Impressions: na</p> <p>Good condition</p> <p>Available: direct from stock</p> | <p>Conventional 1-colour land-scape offset machine with chain delivery, standard version, conventional dampening, universal tack feeder and powder spray.</p> <p>Min. size: 125 x 150 mms Max. size: 400 x 570 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 6.000 sh/hr.</p> | € 3.500 |

| | | | | |
|--|---|--|--|---------|
|  | Hamada Alpha 52+ NP One-colour offset machine | Year: 1993 SN: GA-00201 Impressions: na Excellent condition Available: direct from stock | Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, stream feeder, conventional dampening (including integrated mixer/cooling) and powder spray. Including NP unit. Manuals and parts book. Min. size: 257 x 182 mms Max. size: 360 x 520 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr. | € 7.500 |
|  | Hamada C48 One-colour offset machine | Year: 1995 SN: CSQ50005 Impressions: 12 mio imps. Excellent condition Available: direct from stock | Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, universal tack feeder, conventional dampening, digital control panel and powder spray. Including plate punch. Min. size: 140 x 100 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr. | € 3.850 |
|  | Heidelberg GTO 46 One-colour offset machine | Year: 1979 SN: 668528 Impressions: na Used condition Available: direct from stock | Modern 1-colour land-scape offset machine, minus version with chain delivery, quick plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray. Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr. | € 3.450 |
|  | Heidelberg GTO 46+ One-colour offset machine | Year: 1980 SN: 670829 Impressions: na Excellent condition Available: direct from stock | Modern 1-colour land-scape offset machine, plus version with chain delivery, quick clamp plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray. Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr. | € 5.950 |
|  | Heidelberg TOK-M2 One-colour offset machine | Year: 1994 SN: 499.517 Impressions: 6 mio Excellent condition Available: direct from stock | Modern 1-colour portret-scape offset machine, chain delivery, quick clamp plate change system, universal tack feeder, integrated dampening, inkroller washer, operating panel on the machine and powder spray. Min. size: 74 x 105 mms Max. size: 280 x 394 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr. | € 2.250 |

| | | | | |
|--|---|--|--|---------|
|  | <p>Adast Dominant 414</p> <p>One-colour offset machine</p> | <p>Year: 1992 SN: 41411382</p> <p>Impressions: na</p> <p>Good condition</p> <p>Available: direct from stock</p> | <p>Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.</p> <p>Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.</p> | € 2.250 |
|  | <p>Adast Dominant 414</p> <p>One-colour offset machine</p> | <p>Year: 1995 SN: 4148110631</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.</p> <p>Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.</p> | € 2.350 |
|  | <p>Gestetner 313CD</p> <p>One-colour offset machine</p> <p>https://youtu.be/hsfBlrzwdoo</p> | <p>Year: 1986 SN: 160446</p> <p>Impressions: na</p> <p>Good condition</p> <p>Available: direct from stock</p> | <p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p> | € 1.950 |
|  | <p>Gestetner 311CD</p> <p>One-colour offset machine</p> | <p>Year: 1990 SN: 33B727</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>Traditional 1-colour portrait-scape offset machine digital controls, counters, with universal tack feeder, simple operating on the machine and a Kompac Varn dampening, chain delivery. 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 140 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p> | € 1.850 |
|  | <p>Gestetner 211 ET</p> <p>One-colour offset machine</p> <p>https://youtu.be/OQXWyoKHeOk</p> | <p>Year: 1988 SN: 23B604</p> <p>Impressions: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p> | <p>Traditional 1-colour portrait-scape offset machine with universal tack feeder, simple operating on the machine and a conventional molleton dampening, standard chute delivery. Including: Envelope Feeder system (retractable). 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 90 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p> | € 1.200 |

| | | | | |
|---|--|--|--|-----------------------|
|  | Rotaprint R30S One-colour offset machine | Year: na SN: 24691 Impressions: na Good condition Available: direct from stock | Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray. Min. size: 89 x 140 mms Max. size: A3+ size Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr. | € 700 |
| Digital printing machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Kodak Digimaster EX110 B/W printer | Year: 2010 SN: 00X2X03019 Impressions: 20 mio Excellent condition Available: direct from stock | Modern fully automatic high speed B/W printer for fast and high quality production (600 DPI LED imaging technology) with 6 automated feeder drawers, automatic toner density control, auto tray switching. Including SUN Fiery Adobe RIP and can be connected into a network (Window and Mac). Including top exit and finisher with 1 corner- and 2 side staplers and high pile stacker delivery. Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 60-200 gsm Speed: 55 - 110 sh/min. | € 2.750 |
|  | Xerox Workcentre 5655 B/W copier & printer https://youtu.be/ennAJqf8Nzw | Year: 2010 SN: 3633610001 Impressions: 1.2 mio Excellent condition Available: direct from stock | Modern fully automatic B/W printer for fast and high quality production (600x5600, 4800x600 DPI and 256 gradations in halftone) with automatic toner density control, auto-reduction and enlargement, auto tray switching. Zoom: 25 – 400%. Can be connected into a network. Including finisher. Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 50-120 gsm Speed: 30-55 sh/min. | € 650 |
|  | Xerox Phaser 7760DN Colour printer | Year: 2008 SN: AUB341212 Impressions: only 6.817! (machine is used only as proofer) Excellent condition Available: direct from stock | Modern fully automatic colour and B/W printer for fast and high quality (photo-) production (1200 DPI) with automatic toner density control, Adobe pdf. Can be connected into a network with Ethernet, Fast Ethernet or Gigabit Ethernet to Windows, MacOS, Linux or other systems. Printing envelopes (C6 – C4 size) is possible. Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 75-255 gsm Speed: 30-45 sh/min. | € 850 |

| | | | | |
|---|--|--|--|----------------|
|  | LaserMaster DM1000 Four colour printer / plotter | Year: na SN: 8501660 Impressions: na Good condition Available: direct from stock | Modern fully automatic large size thermic A0 size inkjet printer / plotter, 4 colour cartridges, runs on rolls of paper (matte and glossy). Including ColorMark Docking Station for calibrated ink profiles. Suitable for film and all paper materials to print posters or displays. Resolution: 800 DPI. Ink cartridges are HP compatible. Roll min. size: 203x254 mms Roll max. width: 920 mms | € 450 |
| Sign and screen machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Tampoflex T75-100 One-colour pad printing press | Year: 1990 SN: unknown Impressions: na Good condition Available: direct from stock | Semi-automatic tampon pad printing machine with pneumatic electronic operation that guarantees excellent printing uniformity and independent pressure regulation on parts and cliché. Foot pedal. The machine can be used for printing all kinds and irregular shapes of promotional items, textiles, cosmetic items, sports, medicals, automotive, electronics, packaging etc. 75 x 100 mm size Speed: 2.000 cycles/hr. | € 2.250 |
|  | Universal Buttons and book corners | Year: na SN: na Impressions: na Excellent condition Available: direct from stock | Professional floor model table press with pneumatic operation and 2 foot pedals pressing and closing buttons or metal book corner protectors around the corners of books, scrapbook albums, agendas, menus, document sleeves, boxes, or cardboard paper binders for an exclusive design and finishing. | € 750 |
|  | Universal Vacuum pick up table | Year: na SN: na Impressions: na Excellent condition Available: direct from stock | Professional floor model pick up table with vacuum and pneumatic operation and 2 hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A3 size item. Table size: 145 x 60 cms | € 200 |

| | | | | |
|---|---|---|---|-----------------------|
|  | Kokkelink Vacuum pick up table | Year: na SN: na Impressions: na Excellent condition Available: direct from stock | Professional floor model pick up table with vacuum and pneumatic operation and manual hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A4 size item. Table size: 70 x 35 cms | € 150 |
|  | Kaixuan KX757 516M2-35 Overlock sewing machine | Year: 2007 SN: 0708055 Good condition Available: direct from stock | Professional industrial table model 2 needle and 5 thread overlock sewing machine. Speed up to 7.500 spm. | € 650 |
| Numbering machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Graphic Whizard J-1 Numbering stamp machine | Year: 2002 SN: 1610602 Impressions: na Excellent condition Available: direct from stock | Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number. | € 350 |
|  | Graphic Whizard GW Junior Numbering stamp machine | Year: 2010 SN: 2412928 Impressions: na Excellent condition Available: direct from stock | Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number. | € 375 |

| | | | | |
|---|--|--|--|-----------------------|
|  | Reiner 360-388 Numbering stamp machine | Year: unknown SN: unknown Impressions: na Good condition Available: direct from stock | Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert. | € 250 |
|  | Reiner 360-388 Numbering stamp machine | Year: unknown SN: unknown Impressions: na Excellent condition Available: direct from stock | Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert. Footpedal operation. | € 450 |
| Washing equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Heidelberg Roller-Matic Rewinder for washing cloth | Year: 2000 SN: Excellent condition Available: direct from stock | Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc. Working width: up to 1100 mms | € 950 |
|  | Heidelberg Roller-Matic Rewinder for washing cloth | Year: 1999 SN: Excellent condition Available: direct from stock | Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc. Working width: up to 1100 mms | € 950 |

| Image | Machine/type | Year/condition/available | Description/options | Price in Euros |
|--|-------------------------------------|---|--|----------------|
|  | Baldwin Jimek SC Washing device | Year: 2004 SN: 150-2628 Excellent condition Available: direct from stock | Stainless steel automatic washing station with pump and circulation system for multi-colour offset machines. This machine was shortly used for washing the Baldwin Jimek ink- and dampening roller systems of a newspaper rotation press. All safeties, filter system, temperature control, timers etc. | € 1.950 |
|  | Degra Fra-560 Roller wash system | Year: 1989 SN: 5601010189 Good condition Available: direct from stock | Roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste, integrated high pressure water pump and sprayer. Max. roller length: 85 cms | € 850 |
|  | Universal Roller wash system | Year: 1998 SN: unknown Excellent condition Available: direct from stock | Stainless steel roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste. Max. roller length: 85 cms | € 450 |
|  | Tin can waste press | Year: unknown SN: unknown Good condition Available: direct from stock | Pneumatic press to waste and flatten empty ink cans. An ink can is flattened to less than 0.5 cms. All safeties and operation with foot pedal. | € 450 |
| Powder spray equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |

| | | | | |
|---|-------------------------------------|--|--|-----------------------|
|  | Rietschle Powderspray | Year : unknown SN: 008886 Excellent condition Available: direct from stock | Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. Can be mounted on existing system in delivery. | € 200 |
|  | Universal Powderspray | Year: unknown SN: unknown Excellent condition Available: direct from stock | Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. With expansion tank. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version. | € 200 |
|  | Universal Powderspray | Year: unknown SN: unknown Good condition Available: direct from stock | Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version. | € 200 |
| Miscelaneous printing equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Gretag D19C Densito-meter | Year: 2013 (showroom model) SN: 10613 Excellent condition (new in package, never used) Available: direct from stock | Handheld full options densito-meter with all 14 programs in operation. New reloadable batteries and loader. All in protection case. | € 950 |

| | | | | |
|--|---|--|--|-------|
|  | <p>Gretag D182</p> <p>Densito-meter</p> | <p>Year: na SN: 3250-21345</p> <p>Good condition Available: direct from stock</p> | Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader. | € 250 |
|  | <p>Kasuga Denki AD-2</p> <p>Tape marker</p> | <p>Year: unknown SN: 8209026</p> <p>Good condition Available: direct from stock</p> | <p>Tape inserter unit for small offset machines like Sakurai, Fuji, Shinohara, Gestetner, Rotaprint, AB Dick, Ryobi.</p> <p>Stand-alone version.</p> | € 500 |
|  | <p>Gestetner 201 or 211</p> <p>Ink units</p> | <p>Year: unknown SN: unknown</p> <p>Fair condition Available: direct from stock</p> | 2 ink units for Gestetner 211 series | € 150 |
|  | <p>Heidelberg Printmaster 46 – Quickmaster 46</p> <p>Distributor roller</p> | <p>Year: unknown SN: unknown</p> <p>New condition (never used and in original packing). Available: direct from stock</p> | 1 complete distributor roller (including gear and bearing) for Printmaster 46 and Quickmaster 46 | € 350 |
|  | <p>Heidelberg TOK</p> <p>Rubber blankets</p> | <p>Year: unknown SN: unknown</p> <p>New condition (never used and in original packing). Available: direct from stock</p> | <p>3 pieces blankets for Heidelberg TOK and TOM.</p> <p>Blanket size: 265x408x1.95 mm</p> | € 25 |

| | | | | |
|--|---|---|---|-----------------------|
|  | Heidelberg Fuji 52 & Shinohara 52 Rubber blankets | Year: unknown SN: unknown New condition (never used and in original packing). Available: direct from stock | 7 pieces blankets for Fuji 52 & Shinohara 52. Including aluminium list. Blanket size: 518x510x1.95 mm | € 100 |
|  | Heidelberg Set of inking, alcolor or water rollers | Year: new SN: new New Available: direct from stock | 1 complete set of newly covered inking-, alcolor- or water roller for all Heidelberg machines. Including spindles. Bearings and gears when asked for. Including packing. Available for: <ul style="list-style-type: none">- GTO 46, GTO 52- KOR, KORD, KORS- MO- SORM, SORS- SM 52, SM 72, SM 74, SM 102 & SM 104 | On request |
| Envelope printing equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Wahl TM 531 envelope feeder | Year: 1998 SN: 98-1216 Excellent condition Available: direct from stock | Automatic envelope feeder with vacuum suction system, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, GTO, QM or PM, Sakurai, Ryobi, Shinohara etc.). Adjustable vacuum, adjustable in height between 64 – 104 cms, inclination, push guides, and a sensor at feeder end for automatic speed adjustment. All on wheels for easy installation in front of the printing press or storage elsewhere. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 36 x 42 cm | € 2.850 |
|  | Stenz 400 envelope feeder with delivery | Year: 1999 SN: 40996623 Excellent condition Available: direct from stock | Automatic envelope feeder with a horizontal non stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms | € 2.250 |
|  | AB Dick 1200 envelope feeder | Year: na SN: 4677 Good condition Available: direct from stock | Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 4 sucker feet and a sensor at feeder end for automatic speed adjustment. (= Astro AMC-2000feeder under AB Dick label). All on wheels for easy storage. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 41.3 cm | € 500 |

| | | | | |
|--|--|---|---|-------|
|  | Schneider F50 envelope feeder Year: 1998 SN: C-584 | Fair condition (machine needs maintenance or can be used for parts) Available: direct from stock | Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 10 sucker feet and a sensor at feeder end for automatic speed adjustment. All on wheels for easy storage. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 37 cm | € 300 |
|  | Unilith T-100 envelope feeder Year: 1990 SN: unknown | Good condition Available: direct from stock | Automatic envelope feeder, designed to feed envelopes to Heidelberg GTO machines. Adjustable vacuum. The unit is placed onto the feeder board of GTO 46 or GTO 52 and can be used from there. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 22.7 x 30.3 cm | € 300 |
|  | Just Feed envelope feeder Excellent condition Available: direct from stock | | Luxury envelope feeder system consisting of 4 adjustable platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging. | € 175 |
|  | Just Feed envelope feeder Excellent condition Available: direct from stock | | Envelope feeder system consisting of 3 platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging. | € 150 |
|  | Alpha Engineering RCV envelope delivery Excellent condition Available: direct from stock Year: 2001 (delivered 2002) SN: 1010 | | Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 350 x 900 mms | € 450 |



| | | | | |
|---|---------------------------------------|---|--|-----------------------|
|  | Stielow 1.104 envelope delivery | Excellent condition Available: direct from stock Year: 1986 SN: 993.03.86 | Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height: 450 mms Size: 300 x 1.300 mms | € 450 |
|  | Astro CD-100 envelope delivery | Excellent condition (never used) Available: direct from stock Year: na SN: na | Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 290 x 950 mms | € 350 |
|  | Sofrapli REL envelope delivery | Excellent condition Available: direct from stock Year: na SN: 9500/ZRE | Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 270 x 850 mms | € 350 |
| Platemaking machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Xante Speedsetter VM4 CTP | Year: 2011 SN: 501122 & 94884-0037 Number of plates: na Good condition Available: direct from stock | Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Glunz & Jensen FCF 85V low-chemical plate processor, standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour | € 5.850 |

| Plate processors | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|--|---|--|----------------|
|  | Xante Speedsetter VM4 CTP | Year: 2008 SN: 501121 & 3510 Number of plates: na Good condition Available: direct from stock | Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Proteck EQPE-70 plate processor (with chiller), standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour | € 3.850 |
|  | AB Dick DPM 2340 CTP | Year: 2000 SN: 46-431 Excellent condition Available: direct from stock | CTP (900 – 3600 DPI), 675 nm red laser diode (10 mW) for film and/or press-ready polyester plate materials, including PC, monitor, keyboard, RIP software, and self-replenishing plate processor (inline). This machine combines with all portrait scape offset machines like Hamada, Ryobi, Adast, Heidelberg QM, etc. Min. size: 229x305 mms Max. size: 340x508 mms Speed: 28 – 38 plates/hour (in 17 steps) | € 1.050 |
|  | Mitsubishi DPM 2000CPS CTP | Year: 2000 SN: 22826 Excellent condition Available: direct from stock | CTP (900 – 1200 DPI) with network connection and its own scanner (up to 1200 DPI), 670 nm red laser for film and/or press-ready polyester plate materials, including RIP software, updates, and self-replenishing plate processor (inline). This machine combines with Heidelberg GTO or SM 52, Hamada 52, Ryobi 520 etc. Min. size: 229x305 mms Max. size: 419x551 mms | € 950 |
|  | Kimoto Kimosetter 410 CTP CTP printer | Year: 2010 SN: A16C35C0018H Excellent condition Available: direct from stock | Simple and easy to use desktop CTP (1200x600 DPI) for printing the image, text, half tones directly on to the non-sensitive polyester offset plates. Direct ready to print and can be used in any dampening system (even non-chemical or non-alcohol). Automatic plate feed for 10 plates. Suitable for all Mac and Microsoft operating systems with an USB connection. This machine combines with Heidelberg GTO 46, Printmaster 46, Quickmaster 46, Hamada, Ryobi etc. Min. plate size: 98x98 mms Max. plate size: 410x510 mms | € 1.450 |

| | | | | |
|--|--|---|---|---------|
|  | Kodak Mercury T-HD 1250 Plate processor | Year: 2009 SN: ME10409 Excellent condition Available: direct from stock | Plate processor for processing all brands and press ready thermal offset plates. The machine is meant to be integrated into a inline CTP installation, digital touch screen operating panel for speed, processing times, stabilizing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment.. Complete with refrigeration/cooler unit. Max. size: 1250 mms width Min. size: 320 mms length Speed: 60 - 200 cms/min. | € 3.450 |
|  | Glunz & Jensen C85 Plate rinse- and gum processor | Year: 2011 SN: 95455-0173 Excellent condition Available: direct from stock | Online plate rinse- and gum processor for processing all brands and press ready CTP offset plates. The machine is meant to be integrated into a inline CTP installation for washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Including recirculation for replenishment. 220 V,50/60 Hz, 10 A. Max. size: 850 mms plate width | € 1.950 |
|  | Lefra 10 550-200 Plate processor (2 pc in stock) | Year: 1988 SN: 2832 Good condition Available: direct from stock | Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump). Max.plate size: 550 x 750 mms Capacity: 15 liters | € 150 |
|  | Lefra 430-500 Plate processor | Year: 1998 SN: 5654 Good condition Available: direct from stock | Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump). Max.plate size: 430 x 500 mms Capacity: 13 liters | € 150 |
|  | Hyfra VWK 7/1 Cooling- and circulation unit | Year: 1994 SN: 9403166 Excellent condition Available: direct from stock | Independent working cooling- and circulation unit for film- or plate processors of standard offset- or ctp plate production. This unit can even be used for cooling the ink- or dampening systems of offset printing machines. Simple and universal coupling connection. Cooling: 814 W Cooling: 700 kcal/h Pressure: 24 bar | € 350 |

| | | | | |
|---|--|---|---|-----------------------|
|  | Bartal-Tech Ltd. Lotem 400 conveyor Online bridge | Year: 2008 SN: 903 Excellent condition Available: direct from stock | Online plate bridge for online use between a Lotem 400 CTP and an online plate processor or plate washer with data connector for start/control. Max. plate width: 78 cms | € 850 |
|  | Glunz & Jenzen C5 platestacker Automatic plate stacker | Year: 2010 SN: 100858 VX Excellent condition Available: direct from stock | Online fast working plate stacker with sensors for start/control. Can be placed behind any brand, type or size CTP line for stacking the plates onto a retractable trolley. Works independently from any (high performance) processor and will start automatically when the processed plate passes the sensor. The conveyor is driven to ensure complete removal of the plate prior to stacking. The speed is adjustable. Up to 75 - 100 plates will be stacked vertically on a retractable trolley that is on wheels for easy transport of the plates to the printing press. Max. plate width: 85 cms Max. plate length: 125 cms | € 925 |
| Imagesetting machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Screen Katana FT-R5040 Imagesetter | Year: 2000 SN: 27.95049 Used condition (some rollers and parts inside the processor need attention) Available: direct from stock | Imagesetter (1000 – 3000 DPI) with an online filmprocessor (LD-M1060). Visible red laser diode (635 nm). For He-Ne sensitive film. Including: cassette, RIP software (HQ installed on Power Mac, dongle, flat screen monitor, keyboard, cables etc.). Max. width: 406 mm imaging area | € 3.250 |
|  | Scantext Othello Imagesetter | Year: 1999 SN: 525.588 Excellent condition Available: direct from stock | Imagesetter (1270 – 3850 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (RipExpress, including Adobe Postscript 3) installed on Windows PC, dongle. Max. size: 510 x 645 mm imaging area | € 2.750 |

| Machine/type | Year/condition/available | Description/options | Price in Euros | |
|---|---|---|--|---------|
|  | Heidelberg Duosetter Imagesetter | Year: 2000 (installed 2001) SN: 003311803 Excellent condition Available: direct from stock | Imagesetter (1270 – 3387 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (Adobe Postscript 3) installed on Windows PC, dongle. Max. size: 535 x 505 mm imaging area | € 3.450 |
|  | ECRM RIP software, dongle and SCSI card Imagesetter | Year: 2000 SN: 3892B366 Excellent condition Available: direct from stock | ECRM RIP software for PowerMac Vs 5.3, with dongle and SCSI card | € 250 |
|  | Agfa Avantra 30 Imagesetter input cassette | Year: 2008 SN: na Good condition Available: direct from stock | Input cassette for an Agfa Avantra 30 imagesetter. For film sizes up to 762 mms | € 150 |
|  | Screen Katana FT-R3050 Imagesetter input- and output cassettes (2 sets of 2 pieces) | Year: 1998 SN: na Good condition Available: direct from stock | 2 input cassettes and 2 output cassettes for a Screen Katana FT-R3050 imagesetter. For film sizes up to 558 mms | € 250 |

| | | | | |
|--|--|---|--|-------|
|  | Universal Table-model plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: 52 cms | € 85 |
|  | Rotaprint Table-model plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 35 holes Max. plate size: 45 cms | € 125 |
|  | Carl Glisser Table-model plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: DIN A4 | € 50 |
|  | PER-7 Table-model plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: DIN A4 | € 30 |
|  | Bacher RP 22 Table-model plate punch (we have 4 pieces available) | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch for Bacher 225 for plate size up to 52 cm Punch distance: 22,5 cms Max. plate size: 52 cms | € 350 |

| | | | | |
|--|---|---|--|-------|
|  | Kieper Table-model plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch for Bacher 225 for plate size up to 80 cm Punch distance: 22,5 cms Max. plate size: 80 cms | € 650 |
|  | SIS Pass Systems Table-model plate punch | Year: unknown SN: 5216 Excellent condition Available: direct from stock | Table model plate punch for Bacher 425 for plate size up to 80 cm Punch distance: 42,5 cms Max. plate size: 78 cms | € 650 |
|  | Heidelberg Table-model plate punch (we have 2 pieces available) | Year: unknown SN: unknown Excellent condition Available: direct from stock | Table model plate punch for Bacher 225 for plate size up to 52 cm Punch distance: 22,5 cms Max. plate size: 52 cms | € 650 |
|  | Beil Bacher 425 Table-model plate punch | Year: unknown SN: 9151 good condition Available: direct from stock | Table model plate punch for Bacher 425 for plate size up to 67 cm with manual crank. Electric register control for exact punching Punch distance: 42,5 cms Max. plate size: 67 cms | € 650 |
|  | Bernard Prin & Cie Table-model plate punch | Year: unknown SN: unknown good condition Available: direct from stock | Table model plate punch for Bacher 425 for plate size up to 78 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 78 cms | € 850 |

| Daylight control-mounting tables | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|--|---|---|----------------|
|  | Bacher 2045 Floor-model plate punch | Year: unknown SN: 7704 good condition Available: direct from stock | Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 100 cms | € 1.050 |
|  | Bacher 2048 Floor-model plate punch | Year: unknown SN: 538 good condition Available: direct from stock | Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 100 cms | € 950 |
|  | Bacher 2005.01 Floor-model plate punch | Year: unknown SN: 1719 good condition Available: direct from stock | Floor model plate punch for Bacher 425 for plate size up to 100 cm with foot pedal operation. Punch distance: 42,5 cms Max. plate size: 100 cms | € 1.050 |
|  | Billows Floor-model film- & plate punch | Year: unknown SN: unknown Excellent condition Available: direct from stock | Floor model film- and plate punch for plate size up to 160 cm. Electric punching with foot pedal. Special for large size offset machines like: MAN Ultra, Roland Ultra, Planeta Super Variant, Nebiolo, Marinoni, Cab Tree etc. Max. plate size: 160 cms | € 1.750 |

| | | | | |
|--|---|---|---|-----------------------|
|  | White Screen Normlight Daylight control table | Year: 2009 SN: 7032 Excellent condition Available: direct from stock | Table model day light control table with inner light and 2 extern TL lights for quality control of prints up to 33 x 30 cms size. Max. size: 33 x 30 cm | € 150 |
|  | Croon Normlight Daylight control table | Year: 2005 SN: na Excellent condition Available: direct from stock | Floor model day light control table with 3 extern TL lights for quality control of prints up to 100 x 80 cms size. Including drawers for storage of prints, proofs, films and plates. Max. size: 100 x 80 cm | € 850 |
|  | Bieffe DuoLite Film mounting table | Year: na SN: na Excellent condition Available: direct from stock | Table with inner lights and for film mounting up to 74 x 60 cms size. Adjustable in height and inclination with footpedal. Including rulers and 3 drawers for storage. Max. size: 74 x 60 cm | € 250 |
|  | Croon Film mounting table | Year: na SN: na Excellent condition Available: direct from stock | Table with inner lights and for film mounting up to 85 x 65 cms size. Adjustable in inclination. Including rulers with magnifying glasses. Max. size: 85 x 65 cm | € 250 |
| Copyframes & platemakers | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | OMM DH60 Plate exposure unit / Copy frame | Year: 2006 SN: 4661 Excellent condition Available: direct from stock | Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc. Max. size: 85 x 65 cm Capacity: 2000 W bulb. | € 1.875 |

| | | | | |
|--|---|---|---|---------|
|  | Croon KOP67TT3000 Plate exposure unit / Copy frame | Year: 1996 SN: 9608TT67 Excellent condition Available: direct from stock | Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc. Max. size: 80 x 67 cm Capacity: 3000 W bulb. | € 1.275 |
|  | Theimer 3369 Nova Plate exposure unit / Copy frame | Year: 2002 SN: 2002030234 Excellent condition Available: direct from stock | Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc. Max. size: 74 x 60 cm Capacity: 2500 W bulb. | € 1.275 |
|  | Agfa Dupliphot 740 Plate exposure unit / Copy frame | Year: na SN: na Excellent condition Available: direct from stock | Floor model copy frame with professional and digital programming with memories, for screen, timers for exposure and vacuum. Max. size: 74 x 63 cm Capacity: 2000 W bulb. | € 925 |
|  | Eskofot 263E Plate exposure unit / Copy frame | Year: na SN: na Excellent condition Available: direct from stock | Floor model copy frame with simple programming (8 memories), pointlight and screen, timers for exposure and vacuum. 220 V, 1 phase, 16 A, 50 Hz. Max. size: 80 x 63 cm Capacity: 2000 W bulb. | € 625 |
|  | Eskofot 242 Plate exposure unit / Copy frame | Year: na SN: na Excellent condition Available: direct from stock | Table model copy frame with simple operating, timers for exposure and vacuum. Can be used for offset plates, polymer plates for letterpress etc. 220 V, 1 phase. Max. size: 40 x 60 cm Capacity: 1500 W bulb. | € 325 |

| | | | | |
|---|--|---|---|-----------------------|
|  | Eskofot 1440 Direct platemaker | Year: 1997 SN: 440416 Excellent condition Available: direct from stock | Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. It is possible to enlarge your original up to 105% and to shrink down to 64%. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 380 V, 3-phase. Max. size: 510 x 404 mms Capacity: 2.000 W bulb. | € 425 |
| Paper cutters and guillotines | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Adast Maxima MH80-2 Guillotine | Year: na SN: 13322 Excellent condition Available: direct from stock | Hydraulic paper cutter with electric pressing and size change and cutting. Tools and spare knife. 220 V and 3 phase. Max. size: 800 mms Max pile height: 100 mms. Min. – max. pressure: 3-15 kN | € 2.150 |
|  | Adast MJ-46 Guillotine | Year: na SN: 5470034 Good condition Available: direct from stock | Paper cutter with manual pressing and size change and electric cutting. Tools and spare knife. Max. size: 460 mms Max pile height: 80 mms. | € 950 |
|  | Ideal 6550-90 Guillotine | Year: 1990 SN: 756871 Excellent condition Available: direct from stock | Electric paper cutter with manual size, electric pressing and cutting. Manuals, tools and 1 spare knife. 380 V, 3 phase, 50 Hz, 1.55 Kw, 4,2 A. Max. size: 650 mms Min. size: 25 mms Max pile height: 80 mms. | € 1.150 |

| | | | | |
|--|---------------------------------------|--------------------------|--|---------|
|  | Ideal 5221 A Guillotine | Year: 1988 SN: 596498 | Electric paper cutter with operating panel with digital display . All relevant safeties (2 hand operation, sensors). Manuals, tools and 1 spare knife. 220/230 V, 1 phase, 50 Hz, 1.4 Kw, 10 A. Max. size: 520 mms Min. size: 25 mms Max pile height: 80 mms. | € 1.150 |
|  | Ideal 3915-95 Guillotine | Year: na SN: 39159385 | Electric cutter with manual operation of the size, pressure and electric cutting. 1spare knife, tools and manual. 220 V, 1 phase, 50 Hz. Max. size: 390 mms Max pile height: 40 mms. | € 650 |
|  | HSM R48000 Guillotine | Year: na SN: na | Simple manual floor model cutter with manual operation of the size, pressure and knife. 1spare knife. Max. size: 480 mms Max pile height: 60 mms. | € 375 |
|  | EBA Multicut 360 Guillotine | Year: na SN: na | Simple manual floor model cutter with manual operation of the size, pressure and knife. 1spare knife. Max. size: 360 mms Max pile height: 50 mms. | € 175 |
|  | Ideal 1071 Guillotine | Year: na SN: na | Manual paper cutter with manual operation of the pressure and the knife. DIN sizes on the table for fast handling. Max. size: 710 mms Max. pile height: 35 sheets (80 gsm) | € 175 |

| | | | | |
|--|---|--|--|-------|
|  | VS 46 Guillotine | Year: 1998 SN: unknown Excellent condition Available: direct from stock | Cardboard- or offset plate cutter (very heavy cast iron table model) with manual operation of the pressure and the knife. Max. size: 460 mms | € 250 |
|  | Neolt Electro Power Trim 250 Plus Roll knife cutter | Year: 2004 SN: 639.1568.351 Excellent condition | Electric roll knife cutter with electric movement operation of the knife and foot pedal operation. Suitable for digital- and conventional printwork (technical drawings, posters, photos etc.). Max. cutting length: 2500 mms Max. cutting thickness: 1.6 mms | € 750 |
|  | Universal 150 Roll knife cutter | Year: na SN: na Good condition | Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.). Max. cutting length: 1500 mms Max. cutting thickness: 1.6 mms | € 150 |
|  | Rowe 59 Roll knife cutter | Year: na SN: na Good condition | Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.). Max. cutting length: 1500 mms Max. cutting thickness: 1.6 mms | € 150 |
|  | Pitney Bowes 1241 Automatic letter opener | Year: 2010 SN: 5484 Excellent condition Available: direct from stock | Automatic roll knife slitter for opening letters and envelopes. Very fast automatic friction feeder system, delivery tray. Can be used with all kinds of mixed envelopes. No confetti due to slitter opening action with separate waste removal. Max. size: up to C4 size Max. thickness: 8 mms Speed: 400 letters/min. | € 125 |

|  | Several knives for cutters/guillotines | Year: unknown SN: unknown Available: direct from stock | 1x Ideal 36 series 1x Ideal 43 series 2x Ideal 52 series 1x Ideal 65 series 1x EBA 55 series 2x Horizon 58/61 series 1x FL-92, Thungsten Carbide 1x Polar 92 | € 50 each € 50 each € 50 each € 80 each € 80 each € 50 each € 80 each € 80 each |
|---|--|---|---|--|
|  | Several knives for cutters/guillotines | Year: unknown SN: unknown Available: direct from stock | 2x three knife cutter Perfecta SDY | € 150 each |
|  | Tarnator 350 paper shredder | Year: 1985 SN: 6206 Excellent condition Available: direct from stock | Manual high speed shredder with roller feeder. Retractable for easy use or storage. Max. size: 30 cm width Max. paper height: 3 mms | € 350 |
|  | LDG 450 paper shredder | Year: na SN: na Excellent condition Available: direct from stock | Manual heavy duty high speed shredder with roller feeder. Retractable for easy use or storage. Max. size: 45 cm width Max. paper height: 15 mms | € 350 |
| Lift- and turning machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |

| | | | | |
|--|---|--|---|---------|
|  | Shelby 5331 palletlift | Year: unknown SN: unknown Available: direct from stock Good condition | Manual hand winch operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage. Max. size 100x80 cms Max. lift height: 105 cms Capacity: up to 250 kgs | € 150 |
|  | Tawi Minilift 8531 Electric lift | Year: 2014 SN: 3114954 Available: direct from stock Good condition | Electric winch (battery operated (2 new batteries – December 2018), chargeable) for easy lifting boxes or reels of film/paper. Adaptable sensor to lift automatically up to the max. height. On wheels, so retractable for use on more machines or for easy storage. 240 A Max. size 60x40 cms Max. lift height: 145 cms Capacity: up to 70 kgs | € 550 |
|  | Intraboss Handy 800E palletlift | Year: 1996 SN: 997001 Available: direct from stock Used condition (battery needs replacement) | Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage. Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs | € 250 |
|  | Intraboss Handy 800E palletlift | Year: 1996 SN: 997002 Available: direct from stock Good condition (battery needs replacement) | Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage. Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs | € 250 |
|  | Lafis LEI 16 C Mobile pallet lift | Year: 1997 SN: 32925 Excellent condition Available: direct from stock | Movable pallet lift, motor driven, operation console on steering stick. Including SPE 24 Volt automatic battery loader with analog display. Up to size: 120 x 100 cms Max. pallet size: 120 x 100 cms Max lifting height: 12 cms. Capacity: 1.600 kgs. | € 1.500 |

| Stitching- and stapling machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|--|--|--|----------------|
|  | Schneider Senator PL2 palletlift | Year: 1970 SN: 8395 Available: direct from stock Good condition | Electrical and hydraulic operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage. Max. size 140x102 cms Max. lift height: 95 cms Capacity: up to 1000 kgs | € 950 |
|  | Meyer 1000 Stapelwender Pile turner https://youtu.be/rlijfXqkteM | Year: 1991 SN: 006/025 Excellent condition Available: direct from stock | Stationary paper pile turner with automatic pick up, automatic clamps, operating console, motor driven, Up to size: 800 x 120 cms. Max. pile height: 120 cms. Capacity: 1.000 kgs. | € 3.850 |
|  | Krifft Roeger Stapelwender Pile turner | Year: 2004 SN: 371 Excellent condition Available: direct from stock | Stationary roll in – roll out automatic paper pile turner, motor driven, including all safety parameters around the machine. No pit required Up to size: 95 x 140 cms. Max. pile height: 140 cms. Capacity: 1.200 kgs. | € 3.850 |
|  | Diesse Maxi Toppy Mobile pile turner https://youtu.be/VooAbnzJImM | Year: 1998 SN: 10581 Excellent condition Available: direct from stock | Movable heavy duty paper pile turner, motor driven, operation console. Including Belatron 24 Volt automatic battery loader with lcd display. Max. pallet size: 160 x 120 cms. Max loading height: 150 cms. Capacity: 1.500 kgs. | € 8.500 |

| Drilling machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|--|--|--|---|----------------|
|  | Bizzozero 108 B Wire-stitcher | Year: unknown SN: 215 Good condition Available: direct from stock | Floor model electric wirestitcher with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. Backgauge: 320 mm Thickness: 0.1 – 15 mms | € 1.250 |
|  | Brehmer Wire-stitcher | Year: unknown SN: unknown Good condition Available: direct from stock | Floor model electric wirestitcher with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. | € 750 |
|  | Bostitch 14 Wire-stitcher https://youtu.be/0Fnbf6IUsQ | Year: unknown SN: 6080W Good condition Available: direct from stock | Floor model electric long arm wirestitcher with foot pedal operation. Suitable for box- and cardboard stitching in order to produce cardboard boxes and cardboard crates etc. Back gauge distance: 300 mms Thickness: up to 10 mms | € 1.050 |
|  | Brehmer Wire-stitcher | Year: unknown SN: unknown Good condition Available: direct from stock | Floor model wirestitcher with manual/ and foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. | € 450 |
|  | Nagel Varinak Block- and saddle stapler | Year: 1987 SN: 870305 Good condition Available: direct from stock | Table model stapler with electric operation and footpedal. Suitable for saddle- and block stapling in order to produce books, booklets, blocks, etc. But also paper, cardboard, leather, textiles and synthetic materials can be used. All safeties. 220 V, 1 phase, 50 Hz, 0,7A. Back gauge: 40 mms Max.: 170 sheets of 80 gsm (= 17 mms) Type of staples: 50/6 - 50/20 (staple length 6 – 20 mms) Speed: 150 staples/min. | € 325 |

| | | | | |
|--|--|--|---|---------|
|  | Pescha 405/14 1-spindle electric drill | Year: na SN: na Available: direct from stock Good condition | 1 drilling head, 380 Volt machine, table model with swivelling drilling head, mechanic pressure, waste removal and an adjustable register board. Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 295 x 430 mms | € 250 |
|  | Kobold KOE 5268129 1-spindle electric drill | Year: na SN: 2653118 Available: direct from stock Good condition | 1 drilling head, 220 Volt machine, floor model with swivelling drilling head, mechanic pressure with footpedal operation, waste removal and an adjustable register board. Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 720 x 420 mms | € 350 |
|  | Foellmer SP-2 2-spindle electric drill | Year: 1992 SN: 229 Available: direct from stock Good condition | 2 drilling heads, 220 Volt machine, table model with fixed distance between drills, mechanic pressure, waste removal and an adjustable register board. Drill diameter capacity: 2 – 15 mms Fixed distance between drills: 80 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 100 mms Table size: 400 x 600 mms | € 550 |
|  | Nagel Citoborma 280B 2-spindle electric drill | Year: 1991 SN: 914458 Available: direct from stock Good condition | 2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board. Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 45 - 120 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 102 mms Table size: 780 x 430 mms | € 1.350 |
|  | OMM Venus 2-spindle electric drill | Year: na SN: na Available: direct from stock Good condition | 2 drilling heads, 380 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board. Drill diameter capacity: 3 – 14 mms Adjustable distance between drills: 45 - 115 mms Max. drilling depth capacity: 80 mms Back gauge adjustment: 0 - 100 mms Table size: 350 x 650 mms | € 950 |

| | | | | |
|---|--|--|--|-----------------------|
|  | Hang 107-30 2-spindle electric drill | Year: 1992 SN: 92 589 Available: direct from stock Used condition | 2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, hydraulic pressure, waste removal and an adjustable register board. Foot pedal operation. Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 6 - 130 mms Table size: 480 x 600 mms | € 950 |
|  | Hang 1060120 2-spindle electric drill | Year: na SN: 17116 Available: direct from stock Good condition | 2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, mechanic pressure, waste removal and an adjustable register board. Foot pedal operation. Drill diameter capacity: 2 – 15 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 350 mms Table size: 830 x 690 mms | € 650 |
| Letterpress machinery | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Heng Xin Mini laser PE-40B Laser engraving | Year: na SN: na Excellent condition Available: direct from stock | Laser engraving machine for eg. rubber stamps etc., servo driven with water cooling and smoke exhaust Max. size: 120 x 100 mms Engraving speed: 200 - 300 mm/min. | € 350 |
|  | Kensol K-36-T Hot foil stamping press | Year: na SN: S5200DA Excellent condition Available: direct from stock | Hot foil unit (3 tons pressure) with automatic transport and pneumatic operation. Adjustable step less temperature control. The machine has a register table and a foil guide attachment. Company logo's, names, titles and other data can be pressed with various colours of foils into leather (agenda's, wallets etc.), cardboard, paper or any other materials that are suitable for hot foils. Max. size: 203 x 153 mms (6"x 8") | € 2.450 |

| Cutting, slitting, creasing | Machine/type | Year/condition/available | Description/options | Price in Euros |
|---|--|---|--|----------------|
|  | Heidelberg OHT Tiegel/platen/letter press | Year: 1953 SN: T 46452 Excellent condition Available: direct from stock | For numbering, perforating, slitting, scoring, embossing and die-cutting. Min. size: 40 x 70 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.500 sh/hr. | € 1.250 |
|  | Heidelberg OHT Tiegel/platen/letter press | Year: 1961 SN: T 130184 N Excellent condition Available: direct from stock | For numbering, perforating, slitting, scoring, embossing and die-cutting. Min. size: 40 x 70 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.500 sh/hr. | € 1.350 |
|  | Adast Grafopress GPC Tiegel/platen/letter press https://youtu.be/kEzSmn592aw | Year: 1974 SN: Excellent condition Available: direct from stock | For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr. | € 1.050 |
|  | Adast Grafopress GPC Tiegel/platen/letter press | Year: 1971 SN: Excellent condition Available: direct from stock | For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr. | € 950 |

| | | | | |
|--|--|--|---|---------|
|  | Pernuma 1480F Creaser | Year: 1961 SN: 1643 Excellent condition Available: direct from stock | floor model heavy duty creasing equipment with foot pedal operation, register table and delivery table on top. Max. paper width: 610 mms Paperweight: 30 – 350 gsm Table size: 610 x 800 mms | € 950 |
|  | Pernuma 1480F Perforator (post stamp) | Year: 1971 SN: 5239 Excellent condition Available: direct from stock | floor model heavy duty post stamp perforating equipment with foot pedal operation and register table with adjustable rulers . Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 510 x 800 mms | € 850 |
|  | Bickel HK65-electric Perforator (post stamp) | Year: na SN: 8075 Excellent condition Available: direct from stock | Floor model heavy duty post stamp perforating equipment with electric operation, register table and delivery table on top. Including foot pedal. 380 V, 3 phase. Max. paper width: 650 mms Paperweight: 30 – 250 gsm Table size: 650 x 1.100 mms | € 1.250 |
|  | Bickel HK3/50-electric Creaser | Year: 1986 SN: 30901 Excellent condition Available: direct from stock | Table model heavy duty creasing equipment with electric operation, register table and delivery table on top.. Including foot pedal. 220 V, 1 phase. Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 500 x 700 mms | € 1.050 |
|  | Zechini Gra-for Creaser | Year: 1989 SN: RMI 501 Good condition Available: direct from stock | Table model heavy duty creasing equipment with electric operation, register table. Including foot pedal. 220 V. 1 phase. Max. paper width: 450 mms Paperweight: 30 – 350 gsm Table size: 450 x 600 mms | € 1.050 |

|  | Universal Creaser | Year: na SN: na Excellent condition Available: direct from stock | Table model creasing equipment with manual crank operation, register table. Max. paper width: 520 mms Paperweight: 30 – 350 gsm Table size: 520 x 600 mms | € 180 |
|---|---|--|---|----------------|
|  | Deritend 43 ST Creaser / scorer for boxmaking | Year: na SN: 720 Excellent condition Available: direct from stock | Floor model heavy duty, easy to handle lengthwise creasing- and scoring equipment with manual feeder and electric operation. Including adjustable 2 rill-scoring wheels and adjustable delivery table. Machine is designed to crease cardboard for cartons and cardboard boxes. Max paper size: 1040 mms width Paperweight: 200 – 650 gsm Speed: 148 rpm | € 1.850 |
|  | Deritend 34-DS Cutter / slitter for boxmaking | Year: na SN: 54 Excellent condition Available: direct from stock | Floor model heavy duty, easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Machine is designed to cut / slit cardboard for cartons and cardboard boxes up to 18 cms lengthwise. Max papersize: 1300 mms width Cutting length: up to 18 cms. Paperweight: 200 – 650 gsm Speed: 370 rpm | € 1.450 |
|  | Universal Cutter / slitter | Year: na SN: na Excellent condition Available: direct from stock | Table model easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Stainless steel working blade and delivery. Max papersize: 720 x 1000 mms Paperweight: 80 – 350 gsm | € 850 |
| Laminating and varnish machines | Machine/type | Year/condition/available | Description/options | Price in Euros |

| | | | | |
|--|--|--|--|---------|
|  | ATC 24UV UV coater and liquid laminator | Year: 2009 SN: 9041011 Excellent condition Available: direct from stock | Manual fed UV coater and liquid laminator for cost effective enhancing print work, photos, albums, business cards, direct mail pieces, fleet graphics, wall coverings etc. It can run all kinds of gloss, matte, universal or white UV curable liquid coatings. Suitable for paper, cardboard, corrugated materials, styrene, chloroplast, foam board, metal and other printable media. Adjustable thickness control, speed, pumps for filling the coating tank, cleaning tanks, exhaust and standard delivery tray. 380 V, 3 phase. Max width: 630 mms Max nip width: 30 mms Max coating thickness: up to 30 microns Speed: 0-30 m/min. | € 6.250 |
|  | Neschen Seal Image 62 Plus Hot- and cold laminator | Year: 1999 SN: 1575-08-631/8.0 Excellent condition Available: direct from stock | Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. Max width: 1600 mms Max nip width: 29 mms Speed: 0-1.8 m/min. | € 4.250 |
|  | Fujipla LPP1112 Hot- and cold laminator | Year: 2000 SN: 0000027 Excellent condition Available: direct from stock | Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. 230 V, 50 Hz, 1 phase, 3 Kw, 12.2 A. Max width: 1120 mms Max nip width: 0.8 mms Speed: 0-1.8 m/min. | € 1.950 |
|  | Neschen K600-N Cold laminator | Year: 1998 SN: 14046 Excellent condition Available: direct from stock | High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase. Max width: 650 mms Max nip width: 0 - 40 mms Speed: 0.3 – 6 m/min. | € 950 |
|  | Sallmetall S880 Cold laminator | Year: 1988 SN: 34470 Excellent condition Available: direct from stock | High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase. Max width: 880 mms Max nip width: 50 mms Speed: 0.3 – 3 m/min. | € 950 |

| | | | | |
|---|---|---|---|-----------------------|
|  | Colibri PHL-1200 Hot pouch laminator | Year: na SN: na Excellent condition Available: direct from stock | High speed table top laminating machine for hot laminating pouch materials. Special for laminating photos. Possible for single and double side laminating. Tip touch electric operation and programming with LCD settings and control etc. 220/240 V, 1 phase, 3.7A, 850 W, 50 Hz. Max width: 320 mms Max nip width: 1 mms Speed: 0.4 m/min. | € 90 |
| Winders and rewinders | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Allan Datagraph DFS 16" / i-Tech Digital finishing system | Year: 2008 SN: D0710806C Working hours: less than 500 Excellent condition (like new) Available: direct from stock | Servo driven digital finishing systems for laminating, die cutting, slitting, weeding and re-rolling label materials. It will work in combination of all web format printers and flexo presses up to 410 mms web width. Cold laminating, die cutting, slitting etc are all done digitally without changes of die rollers etc. Web width: 254 - 410 mms Speed: 0 – 50.8 mms/sec | € 6.500 |
|  | Menzel Winder/rewinder | Year: 1998 SN: 85886 Excellent condition Available: direct from stock | 114 cms width electro-pneumatic-hydraulic floormodel winder/rewinder equipment with operating panel. Machine can be integrated into all kind of web- or roll-to-roll machinery (inspection, paper, textile, non-woven, foils, self-adhesives etc.) Web width: 1020 mms Roll diameter: 600 mms (1.000 mms) Core diameter: 75 mms Max. winding speed: 120 m/min. | € 4.500 |
|  | Roll Systems (by Böwe) 80015801-57 Unwinder | Year: 2005 SN: 10305 Excellent condition Available: direct from stock | 595 mms width electro-hydraulic floormodel driven unwinder equipment with operating panel and decurler. The roll is lifted into the machine with a hydraulic lift and only with one push on the button. The unwinder can be integrated into all kind of web- or roll-to-roll machinery (small rotation offset, flexo, digital rotation printers, mailing lines etc.). Machine is on wheels for easy placement or storage. 220 V, 1 phase. Web width: 595 mms Max. roll weight: 450 kgs Core diameter: 75 mms | € 2.500 |
| Folder Gluers | Machine/type | Year/condition/available | Description/options | Price in Euros |

| | | | | |
|---|---|--|--|-----------------------|
|  | Kohmann CD 1 Production line for CD wallets | Year: 1989 SN: 12002/3 Excellent condition Available: direct from stock | Air suction rotary feed cd wallet production machine (vacuum), non-stop top feeder, 3 cutting units, creaser unit, 2 side folders (flip mounts), programmable hotmelt gluing device with 2 application nozzles for gluing, 1 pocket folder, end-trimmer, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pumps and long delivery conveyor belt. Speed: 105 m/min. (200 pc/min.) | € 9.950 |
|  | GUK FA 72/4 F4 Folder gluer | Year: 1986 SN: 23547 Excellent condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 4 strokes, programmable digital gluing device (HHS, type C-210) with 2 application nozzles for continuous or pattern gluing (e.g. spot-closing), knife shafts for gluing, creasing- and perforating knives, noisehoods, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pump and retractable delivery conveyor belt (type S720). Min. / max papersize: 150x190 mm / 720x1040 mm Speed: 1.000 – 40.000 sh/min. | € 4.950 |
| Folders | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | MBO K65 / 4 KL-FS Folder | Year: 1993 SN: 62930102 / 930214207 Excellent condition Available: direct from stock | Air suction feed folder (vacuum), deep pile flatpile feeder with vaculift, vacuum belt feeder, 4 strokes on 1 st section, 2 electric knife cross folders, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating. All safeties. 200 V, 3 Ph, 50 Hz, 21 A. Min. / max papersize: 150x200 mm / 650x960 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 22.000 or 45.000 sh/min. | € 7.950 |
|  | MBO T54-1-54/4 / T54-2-54/4 Folder | Year: 1993 SN: K.07-26 Good condition (4 small belts need attention) Available: direct from stock | Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes on 1 st section, retractable cross unit with 4 strokes on the 2 nd section, digital operation console on the machine with counter and delivery conveyor belt with deep pile stacker. Creasing and perforating possible. All safeties and noisehoods. Min. / max papersize: 105x150 mm / 540x890 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 22.000 or 45.000 sh/min. | € 4.950 |


| | | | | |
|--|-----------------------------------|--|---|---------|
|  | MBO T49-1-49/4 Folder | Year: na SN: E11/50 Good condition (all rollers renewed in 2018) Available: direct from stock | Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating possible. Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 45.000 sh/min. | € 2.950 |
|  | Stahl T 47/4-FA Folder | Year: 1981 SN: 19447 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 4 strokes, noisehoods, digital operation console on the machine with counter and delivery belt. Min. / max papersize: 105x145 mm / 470x640 mm Paperweight: 40 – 250 gsm Minimum fold: 40 mms Speed: 50 – 150 m/min | € 2.150 |
|  | Shoei Star SPT52 Folder | Year: 1999 SN: 2842 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with paper separator, 4 strokes, 1 electric knife folder, noisehoods, digital operation console on the machine with sheet checker, counter and retractable delivery belt. Including creasing, perforating and scoring wheels. Min. / max papersize: 120x135 mm / 520x740 mm Paperweight: 40 – 250 gsm Minimum fold: 65 mms Speed: 40.000 sh/hr. | € 3.450 |
|  | Horizon AFC-A43 Folder | Year: 2004 SN: 27028 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with paper separator, 2 strokes, 1 electric knife folder, noisehoods, digital operation console on the machine with counter and retractable delivery belt. Min. / max papersize: 150x210 mm / 430x650 mm Paperweight: 40 – 240 gsm Minimum fold: 65 mms Speed: 35.000 sh/hr. | € 3.450 |
|  | Faltex 712-236 Folder | Year: 1994 SN: 50194 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and delivery belt. Heavy duty compressor/pump. 220 V, 1 phase. Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm Speed: 30.000 sh/hr | € 850 |


| | | | | |
|--|--|---|---|---------|
|  | Faltex 712-236.001 Folder | Year: na SN: 1303 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and an extra-long conveyor belt delivery. Heavy duty compressor/pump. 220 V, 1 phase. Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm Speed: 30.000 sh/hr | € 850 |
|  | Sofrapli 385AB Folder | Year: 1994 SN: 944428 Good condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation with LCD counter and delivery belt. Safeties and noisehood. Heavy duty compressor/pump in noise reducing box. Min. / max papersize: 105x150 mm / 380x650 mm Minimum fold: 40 mms Min. / max. paperweight: 45- 250 gsm Speed: 25.000 sh/hr | € 1.750 |
|  | Stahl T32/1 Folder | Year: 1995 SN: 65810/95 Excellent condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase. Min. / max papersize: 76x127 mm / 355x508 mm Minimum fold: 57 mms Paperweight: 40-250 gsm Speed: 35.400 sh/hr. | € 2.950 |
|  | Stahl SA-32.2US Folder | Year: 1990 SN: 37018-150049 Excellent condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase. Min. / max papersize: 70x100 mm / 320x450 mm Minimum fold: 35 mms Paperweight: 40-250 gsm Speed: 40.000 sh/min. | € 2.250 |
|  | Multigraf Eurograf 235.311 Folder | Year: na SN: na Excellent condition Available: direct from stock | Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase. Min. / max papersize: 90x120 mm / 350x650 mm Minimum fold: 40 mms Paperweight: 40-240 gsm Speed: 30.000 sh/min. | € 1.450 |

| | | | | |
|---|--|--|---|-----------------------|
|  | <p>Nagel DocuFold Morgana 906222</p> <p>Folder</p> | <p>Year: 2004 SN: 040936DCAJ</p> <p>Good condition Available: direct from stock</p> | <p>Floor model vacuum suction feed folder with semi-automated size change (dial-a-fold plate settings with LCD display, flatpile feeder with 2 strokes, noise hoods, digital operation on the machine, counter and extra-long delivery belt. 220 V, 50 Hz, 1 phase, 10 A.</p> <p>Min. / max papersize: 104x139 mm / 330x450 mm Minimum fold: 50 mms Paperweight: 45-300 gsm Speed: 17.000 sh/min.</p> | € 2.250 |
|  | <p>Matthias Bauerle Multimaster CAS 38</p> <p>Folder</p> | <p>Year: 1995 SN: 95952200</p> <p>Good condition Available: direct from stock</p> | <p>Floor model vacuum feed and fully automated folder, flatpile feeder with register table, 4 strokes, noisehoods, digital operation with programs and LCD screen on the machine and a retractable delivery belt. Including: 2 perforation- and creasing wheels.</p> <p>Min. / max papersize: 70x120 mm / 380x650 mm Minimum fold: 35 mms Paperweight: 40-250 gsm Speed: 200 m/min.</p> | € 2.850 |
|  | <p>OCE 931</p> <p>Plan folder</p> | <p>Year: 2002 SN: 42592</p> <p>Good condition Available: direct from stock</p> | <p>Floor model manual feed plan folder for folding large size technical drawings to DIN A4 size end result.</p> <p>Min. / max paperwidth 1150mm Min. / max paperlength: 420 mm / 4000 mm Fixed fold: 210 mms Paperweight: 40-200 gsm</p> | € 250 |
| Delivery equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | <p>Bourg BBR JS80140-W</p> <p>Stacker delivery</p> | <p>Year: 2005 SN: 11342150</p> <p>Excellent condition Available: direct from stock</p> | <p>Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery.</p> <p>Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.</p> | € 850 |

| | | | | |
|---|--|---|---|---------|
|  | GUK Small size delivery | Year: na SN: na Used condition Available: direct from stock | Retractable and mobile, height adjustable small size delivery for pharmaceutical GUK (or other brand) folders. Undependable driven with its own motor. Max paperwidth: 430 mm | € 350 |
|  | Pitney Bowes Speed Sort SSSCON09-TUV-XX Conveyor belt delivery | Year: 2008 SN: 0804129 Excellent condition (new and never used) Available: direct from stock | Retractable conveyor belt for online use with all kind of mailing equipment. Machine has air supply for easy layout of paper, envelopes or other mail results. Belt length: 260 cms Belt width: 26 cms. | € 950 |
|  | MBO P-92 Pressing unit | Year: 1980 SN: 80065384 Good condition Available: direct from stock | Heavy duty pressing unit for compressing single signatures from one-up to multiple-up production. Easy retractable. Fast and easy format adjustment without use of tools. Including interface to MBO folders. Retractable on wheels for easy storage. Max. size: 920 mms Max. pressure: 20.000 N. Speed: 50-180 m/min. | € 2.000 |
|  | OMG Multiplo P850 Stacker delivery | Year: 1985 SN: 647 Good condition Available: direct from stock | Signature presser/stacker. For flat batched delivery of folded signatures with pressing attachment. Automatically forms 1, 2 or more batches of preselected, counted and stacked signs. Works independently and with any brand or make of folding- or gathering machines. Adjustable infeed height, 4 pressing rollers and delivery air table. Retractable on wheels for easy storage. Max. width: 850 mms | € 3.500 |
|  | Rima Systems RS-10S 9-1/4" Stacker delivery | Year: 1992 SN: 102726-10 Good condition Available: direct from stock | Automatic high speed compensating stacker for behind saddle stitchers, perfect binders, mailing lines and inserters. Adaptable feeder height from 629 – 1054 mms. Quick non-tool setup, various delivery directions (left or right, alternating or straight out with conveyor belt. All on wheels for convenient storage when not in use. 380 V, 3 phase, 50 Hz, 3,9 A, 1,5 kW, 5,5 bar and 45 l/min air consumption. Max. / min. size: 320 x 470 / 127 x 152 mms Product thickness: 1 – 32 mms Stacking height: 127 – 330 mms Speed: up to 18.000 product/hour | € 2.500 |

| Collators and bookletmakers | Machine/type | Year/condition/available | Description/options | Price in Euros |
|--|---|--|--|----------------|
|  | CP Bourg - Ordibel Ordinella 615 Collator | Year: 1986 SN: 4054/7457 Excellent condition Available: direct from stock | Collator (15 bins) with friction collating, programming; double sheet detection; counter and zig-zag delivery. 216 x 275 mm. size (min) 216 x 330 mm. size (max) | € 400 |
|  | Horizon AC-160 Collator | Year: na SN: 23026 Good condition Available: direct from stock | Collator (16 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English).110/ 220 V, 300 W, 50/60 Hz. 148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 45 – 160 gsm. Speed: 900 - 2.400 sets/hr. | € 950 |
|  | Horizon QC-P10 Collator | Year: na SN: 012025 Good condition Available: direct from stock | Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 230 V, 170 W, 50 Hz. 148 x 210 mm. size (min) 315 x 450 mm size (max). Paperweight: 40 – 135 gsm. Speed: 3.300 sets/hr. | € 750 |
|  | Duplo DC-1200H Collator | Year: na SN: 10101438 Excellent condition Available: direct from stock | Collator (12 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr. | € 850 |
|  | Plockmatic 410 Collator | Year: na SN: 410092318 Excellent condition Available: direct from stock | Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 216 x 356 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr. | € 750 |

| | | | | |
|--|---|--|--|---------|
|  | Plockmatic 310 Collator | Year: na SN: 310034881 Excellent condition Available: direct from stock | Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr. | € 1.100 |
|  | Plockmatic 310 Collator | Year: na SN: 310042465 Excellent condition Available: direct from stock | Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr. | € 1.100 |
|  | Uchida AR-8 Collator | Year: 2002 SN: 02250045 Excellent condition Available: direct from stock | Collator (8 bins) with vacuum suction collating, programming; jamming; double sheet detection; pre-set counter and jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 95 x 150 mm. size (min) 328 x 470 mm size (max). Paperweight: 45 – 250 gsm. Speed: 2.400 sets/hr. | € 3.850 |
|  | CP Bourg BST-10 & AGR-T, PA-T, TR-T & TR-JOG-T Collator and booklet maker | Year: 1997 SN: 020140443, 232140370, 228040472, 212740562 Excellent condition Available: direct from stock | Collator (10 bins) with vacuum suction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Bourg AGR booklet maker with 2 Höhner wirestitchers, folder, trimmer and with conveyor belt and jogger delivery. Manual and partsbook (English) 115 x 200 mm. size (min) 350 x 520 mm size (max). Paperweight: 45 – 250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 4.200 sets/hr. | € 7.850 |
|  | Watkiss Vario Pro 8, Bookmaster Pro, Trimmaster Pro Collator and booklet maker | Year: 2015 SN: WA/VAR/6148, WA/BMP/1519, WA/TMP/1476 Excellent condition Available: direct from stock | Collator (8 bins) fully automatic (change and size), with vacuumsuction collating, programming on colour touch screen; jamming; double sheet detection and pre-set counter. Including Watkiss bookmaster pro booklet maker, data cable for communication, 2 staplers, folder , trimmer and a tray delivery. Manual and partsbook (English) 140 x 210 mm. size (min) 320 x 482 mm size (max). Paperweight: 40 – 300 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 3.000 - 7.200 sets/hr. | € 4.850 |

| | | | | |
|--|--|---|--|---------|
|  | Plockmatic 310+ & 60 Collator and booklet maker | Year: 2003 SN: 310012079 Excellent condition Available: direct from stock | Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase, 2 A. 200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr. | € 1.250 |
|  | Plockmatic CollatorPro 310+ & BinderPro 61 Collator and booklet maker | Year: 2006 SN: L090A011353 & L061A00335 Excellent condition Available: direct from stock | Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase, 50/60 Hz, 2 A. 200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr. | € 1.850 |
|  | Plockmatic 310+ & 61 Collator and booklet maker | Year: 2003 SN: 310A0065 & 61071270 good condition Available: direct from stock | Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase. 200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr. | € 1.650 |
|  | Duplo DC-8 Mini & KAS Fold Collator and booklet maker | Year: na SN: 20201713 & 8360 Excellent condition Available: direct from stock | Collator (8 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including KAS booklet maker, counter, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 230 V, 1 phase. 148 x 210 mm. size (min) 297 x 420 mm size (max). Paperweight: 50 – 130 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 2.000 - 3.300 sets/hr. | € 1.050 |
|  | Duplo DBM-100 Bookletmaker | Year: 1995 SN: 70301561 Booklets: na Fair condition Available: direct from stock | Parts machine, bookletmaker with online function, folder with 2 staplers (DBM-100), and short delivery belt. Max. size: 320x450 mm. Min. size: 200x200 mm. Capacity: 25 sheets of 80 gsm Speed: 2.400 sets/hr. | € 275 |


| | | | | |
|--|----------------------------------|--|--|---------|
|  | Plockmatic 61 Bookletmaker | Year: na SN: 61051029 Booklets: unknown Good condition Available: direct from stock | Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A. Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr. | € 1.075 |
|  | Plockmatic 61 Bookletmaker | Year: na SN: 61071221 Booklets: unknown Good condition Available: direct from stock | Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A. Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr. | € 1.075 |
|  | Plockmatic 60 Bookletmaker | Year: na SN: 60003471 Booklets: unknown Good condition Available: direct from stock | Manual feeder bookletmaker manual feed, folder, 2 staplers and standard delivery tray. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A. Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr. | € 975 |
|  | Plockmatic 88/89 Bookletmaker | Year: na SN: 89081074 Booklets: 508.000 / 331.000 Good condition (trimmer small mechanical malfunction) Available: direct from stock | Manual feeder automatic and digital bookletmaker manual feed, folder, 2 staplers, front end trimmer and standard delivery tray. Automatic form- and size change (A4, A3 and 2 free programmable sizes) with tip touch operation. Including manual and partsbook. 110/220 V, 50/60 Hz, 1 phase. Min. size: 210x297 mms Max. size: 303x446 mms Paperweight: 60 – 200 gsm Max. thickness: 20 sheets of 80 gsm Speed: 1.800-2.800 booklets/hr. | € 875 |
|  | Nagel Foldnak 4 Bookletmaker | Year: 1998 SN: 982880 Booklets: unknown Excellent condition Available: direct from stock | Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. 220 V, 1 phase. Type of staples: 26/6, 26/8S, Ri26/6 Max. size: 345x450 mms Min. size: 140x210 mms Paperweight: 45-240 gsm Max thickness: 2.5 mms (25 sheets of 80 gsm) Speed: 1.200 booklets/hr. | € 1.075 |

| | | | | |
|---|---|--|--|-----------------------|
|  | <p>Takofold 100E Bookletmaker https://youtu.be/yf8LYysFAAM</p> | <p>Year: unknown SN: 3122 Booklets: unknown Excellent condition Available: direct from stock</p> | <p>Manual feeder bookletmaker with folder, 2 staplers, a pressing station for nice pressed folds and a short delivery belt. 220 V, 1 phase, 50 Hz. Max. size: 450x320 mms Paperweight: 45-240 gsm Max thickness: (17 sheets of 80 gsm) Speed: 1.000 booklets/hr.</p> | € 425 |
|  | <p>Nagel Foldnak 1 & 2 Conveyor belt delivery</p> | <p>Year: na SN: na Booklets: unknown Good condition Available: direct from stock</p> | <p>Electric conveyor belt delivery for Nagel Foldnak 1 and Foldnak 2 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase. Max. size: 450x345 mms</p> | € 125 |
|  | <p>Höhner Hohner 48/5S Universal Wire loop stitcher head</p> | <p>Year: na SN: na Excellent condition Available: direct from stock</p> | <p>4x Höhner loop wire stitcher heads. Completely re-furbished by Höhner and in shape of new.</p> | € 850 each |
| Binding equipment | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | <p>Bourg BB-3000 & BBR Perfect binder</p> | <p>Year: 2000 SN: 611055750 Good condition Available: direct from stock</p> | <p>Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust) automatic cover feeder (vacuum suction) and pressing. Including BBR stacker delivery. On wheels for easy use and storage. Including manual, schemes and partsbook. 380 V, 3 phase, 15 A, 50/60 Hz. Min. / max size: 90x60 / 320 x385 mms Thickness: 0.1 – 45 mms (2 up to 450 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 500 sets/hr.</p> | € 3.750 |

| | | | | |
|--|--|---|--|---------|
|  | Duplo DPB-500PUR Perfect binder | Year: 2012 SN: 081200407 Fair condition (PUR parts need replacement of the piping and connectors) Available: direct from stock | Professional high-speed floor model and fully automated 1-clamp perfect binder with feeding system and transport and electric pressing, dust free milling (up to 1.8 mm depth) with exhaust. Touch screen operations with memories for 20 jobs. Automatic size- and format change, side gluing (with scoring wheels), vacuum suction cover feeder. No glue machine coming with this binder. Min./max size: 120 x 120 mms / 360 x 320 mms Thickness: 0.1 – 51 mms (2 up to 500 pages) Paper thickness: 52 – 157 gsm / Cover thickness: 80 – 300 gsm Binding speed: up to 170 - 525 sets/hr. | € 2.680 |
|  | Planax Type 1191 Perfect binder | Year: unknown SN: 688 Good condition Available: direct from stock | Simple manual table model 1-clamp perfect binder for hot glue with electric transport and manual pressing. Max binding length: 440 mms Thickness: 0.1 – 60 mms (2 up to 450 pages) Binding speed: up to 220 sets/hr. | € 1.150 |
|  | Planax Perfect-Binder FII Perfect binder | Year: 2004 SN: 1188/762 Good condition Available: direct from stock | Simple semi-automated floor model 1-clamp perfect binder for cold glue, including side glue and with dust free milling (up to 1.8 mms depth and including exhaust), electric transport and electric pressing of the cover. Removable glue pot for easy cleaning. Including 1188 delivery table (heated). 380 V, 3 ph, 2,44 Kw, 50/60 Hz. Min. / max size: 150 x 110 / 380 x 350 mms Thickness: 0.1 – 40 mms (2 up to 350 pages) Max. cover thickness: 250 gsm (300 gsm grooved) Binding speed: up to 170 - 220 sets/hr. | € 1.750 |
|  | Universal 43 Gluing table | Year: na SN: na Good condition Available: direct from stock | Simple manual gluing table for blockswith pressure spindle. Including heater/dryer and adjustable in angle. All on wheels for easy storage. 220 V, 1 ph. Max. width: 430 mms Max. pile height: 520 mms | € 250 |
|  | Demco 500H Hot melt pistol | Year: na SN: 1435 Good condition Available: direct from stock | Simple manual hotmelt pistol for hot glue. Including consumable (glue cartridges). 220/240 V, 1 ph, 50/60 Hz. | € 250 |

| | | | | |
|--|--|--|---|---------|
|  | Planax 1188 Perfect binder | Year: na SN: na Good condition Available: direct from stock | Simple stacker delivery table (heated) for forced drying cold glue bound books, blocks, magazines etc. 220 V, 1 ph, 50/60 Hz. Min. / max size: 150 x 110 / 380 x 350 mms | € 75 |
|  | Bourg BBR JS80140-W Stacker delivery | Year: 2005 SN: 11342150 Excellent condition Available: direct from stock | Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery. Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr. | € 850 |
|  | Mekanotch Junior Milling and notching machine | Year: 8803314 SN: 1988 Excellent condition Available: direct from stock | Industrial electric spine milling and notching machine with an adjustable clamp system for preparing and improving books, blocks and piles of paper before gluing or binding with glue or a perfect binder. Depth of milling can be adjusted. Suitable for all types of paper (standard, glossy, coated or calendered paper) All safeties (2 knob operation, shields etc.) Milling depth: 0 – 4 mms - notching intervals: 15 mms Min. max paper length: 152 - 380 mms Thickness: 3 – 79 mms (25 up to 600 pages) Binding speed: up to 300 sets/hr. | € 1.450 |
|  | Ibico Kombo A4-PB Punch and closer | Year: unknown SN: 209923 Excellent condition Available: direct from stock | Simple manual table model punch and binding system for 21 rectangle holes and binder A4 size Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 7.200 sh/hr. | € 75 |
|  | Ibico A4 EP Punch | Year: unknown SN: 5/658 Excellent condition Available: direct from stock | Simple electric table model punch for 24 rectangle holes and binder A4+ size Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 5.000 sh/hr. | € 185 |

| | | | | |
|--|--|---|---|-------|
|  | Ibico A3 AB Closer | Year: unknown SN: 20439 Excellent condition Available: direct from stock | Simple manual table model closer for 29 rectangle holes and binders up to A3 size Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr. | € 115 |
|  | Lamirel Combi Combi punch/binder | Year: unknown SN: unknown Good condition Available: direct from stock | Simple manual table model punch and binder for 24 rectangle holes and binder A4+ size Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 115 sheets Punching speed: up to 5.000 sh/hr. Binding speed: up to 250 sets/hr. | € 85 |
|  | GBC Pronto P2000 Closer | Year: na SN: TC65661H Excellent condition Available: direct from stock | Heavy semi-automatic electric table model automatic closer for binding pre-punched paper with plastic Wire'O combs (ProClick) up to A4 size. On button operation and full automated and digital settings with LCD screen. Bindings can be easily opened and closed again for adding or removing pages. Coming with 8 boxes of ProClick bindings. Binding capacity (adjustable): 4 up to 500 sheets Binding speed: up to 500 sets/hr. | € 285 |
|  | Xerox ChannelBind Binder/closer | Year: na SN: na Excellent condition Available: direct from stock | Heavy table model binder/closer with crank operation for binding magazines, reports, books etc. up to A4 size. Binding capacity (adjustable): 4 up to 500 sheets Binding speed: up to 300 sets/hr. | € 85 |
|  | Prima Opera 41 Paperlock binder | Year: na SN: na Excellent condition Available: direct from stock | Heavy manual table model binder for binding pre-punched paper with self-adhesive papercombs without glue, metal- or plastic bindings up to A4 size. Binding capacity (adjustable): 4 up to 500 sheets Binding speed: up to 250 sets/hr. | € 85 |

| | | | | |
|--|---|---|--|-------|
|  | JBI Compact PB Wire'O binder and closer | Year: na SN: na Excellent condition Available: direct from stock | Manual table model punch and closer for Wire'O binders A4 size. Calendar punch possible. Thickness indicator at the possible for the correct choice of the binding. In a protection box. Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 240 sheets Punching speed: up to 3.000 sh/hr. Closing speed: up to 150 sets/hr. | € 285 |
|  | Kugler Specials 3 Punch blocks | Year: na SN: na Good condition Available: direct from stock | Exchangeable punch block (49 cms, 96 holes, round 3.0 mm over total distance 47.7 cm) for Kugler punching systems. Also 2 punch blocks with 4 holes (12.5 cms, 4 holes, round 4.5 mm –over total distance 4.5 cm). Punch blocks can be switched and installed within a few moments. | € 595 |
|  | Renz DTP 340 (M) Punch block | Year: 2011 SN: 3734000040.4159 Fair condition (4 drivers missing) Available: direct from stock | Exchangeable punch block (round 4.0 mm - 3:1) for the electric Renz DTP 340M punching systems (Wire'O). Drivers can be switched off individually. Punch block can be switched and installed within one minute. Thickness: 25 sheets of 80 gsm Width: 340 mm | € 195 |
|  | Wire'O Wire'O bindings | Year: na SN: na Excellent condition Available: direct from stock | One pallet of boxes with Wire'O bindings. All size and all colors. Total worth around euro 1.500. | € 250 |
|  | GBC Plastic bindings | Year: na SN: na Excellent condition Available: direct from stock | One pallet of boxes with plastic bindings. All size and all colors. Total worth around euro 2.500. | € 250 |

| Joggers | Machine/type | Year/condition/available | Description/options | Price in Euros |
|--|----------------------------------|---|--|----------------|
|  | Planax Thermoband | Year: na SN: na Excellent condition (new) Available: direct from stock | 3 boxes with Planax thermoband for threadless binding and spine taping of books, magazines, brochures, catalogues, pads etc. Planax Thermoband is coated with a Planatol hot melt adhesive and can be used with all kinds and types of paper in spine taping equipment. 1 box of 10 rolls 25 mms width and 50 m. length – black 1 box of 8 rolls 30 mms width and 50 m. length – black 1 box of 6 rolls 40 mms width and 50 m. length – black | € 50 |
|  | Unibind XU 638 Binder | Year: unknown SN: unknown Good condition Available: direct from stock | Simple table model thermal hotmelt glue binder A4+ size with 6 clamps and 6 heated stations. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document. | € 70 |
|  | GBC Ibico 310 E Binder | Year: unknown SN: 83756 Fantastic condition Available: direct from stock | Simple table model thermal hotmelt glue binder A4 size with 1 heated station. Binding is achieved in minutes through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document. Inclusive 1 cooling down holder and some consumables (covers). 220 V, 500 W, 2.3 A. Binding capacity: up to 200 pages (80 gsm) | € 50 |
|  | Thermo Prima 21 Binder | Year: unknown SN: unknown Good condition Available: direct from stock | Simple table model thermal hotmelt glue binder A4+ size with 1 clamp and 3 programs. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document. Lot of consumables coming with it. | € 50 |
|  | Universal Book casing-in machine | Year: unknown SN: unknown Good condition Available: direct from stock | Semi-automatic floor model casing-in machine for hard-cover bookbinding, that presses the linen covers around the pre-glued books. Pneumatic pressing with 2- knob operation. Max. 400 mms binding length and 5 - 35 mms thickness. | € 400 |

| | | | | |
|--|--|--|---|-------|
|  | Foellmer C 1 Vibrating table | Year: unknown SN: 1045 Excellent condition Available: direct from stock | Table model vibrating table, for manual straight vibrating of piles of paper. Vibrating is adjustable. Max. papersize: 52 x 36 cm | € 125 |
|  | Planatol Planatol Jogging unit | Year: unknown SN: 01488 Fair condition Available: direct from stock | Table model jogger, for corner and manual straight jogging Max. papersize: A3 | € 50 |
|  | Ideal Vibro 3 Jogging unit | Year: 1973 SN: 10459 Excellent condition Available: direct from stock | Table model jogger, adjustable in vibration and angle. Max. papersize: A3 | € 75 |
|  | Bourg TR-JOG-T Jogging unit | Year: unknown SN: 293040310 Good condition Available: direct from stock | Floor model criss cross jogger for online use with Bourg equipment, adjustable in vibration and angle. Max. papersize: 35 x 50 cms | € 350 |
|  | Van Dijk 40x50 Jogging unit | Year: unknown SN: unknown Good condition Available: direct from stock | Floor model jogger, adjustable in vibration and angle. Max. papersize: 40 x 50 cms | € 200 |

| | | | | |
|--|--|---|--|---------|
|  | Universal A3+ Jogging unit | Year: unknown SN: unknown Good condition Available: direct from stock | Floor model jogger, adjustable in vibration and angle. Max. papersize: 35 x 50 cms | € 200 |
|  | Universal A3+ Jogging unit | Year: unknown SN: unknown Good condition Available: direct from stock | Floor model jogger, adjustable in vibration and angle. Max. papersize: 47 x 47 cms | € 250 |
|  | Schneider Senator Vibra Jogging unit | Year: 1987 SN: 91061 Good condition Available: direct from stock | Floor model jogger, including airtable, footpedal operation, adjustable in vibration and angle. Including manual side flap at right side. Max. papersize: 115 x 80 cms | € 1.150 |
|  | Polar RB-2 Jogging unit | Year: 1994 SN: 6481197 Good condition Available: direct from stock | Floor model jogger with air supply (also on the sides) and automatic inclination. All adjustable in angle and height. Both side flaps work manually. With foot pedal and heavy duty compressor unit for pressure and air supply. Max. papersize: 720 x 870 mms Min. / max pile height: 30 – 165 mms Table height: 860 – 950 mms | € 1.750 |
|  | Schneider Senator 1073 Jogging unit | Year: 1990 SN: 183-1223 Excellent condition Available: direct from stock | Floor model jogger with stainless steel table, air supply (also on the sides) and airstrike roller, automatic inclination adjustable in angle. Both side flaps also work automatically. With operating panel and heavy duty compressor unit for pressure and air supply. Max. papersize: 120 x 85 cms | € 2.750 |

| Packing, mailing and binding | Machine/type | Year/condition/available | Description/options | Price in Euros |
|--|--|---|---|----------------|
|  | Ranpak FillPak TTKS-0209 Kraft paper packing machine | Year: new SN: F1627516 Excellent condition (new and never used – in original packing) Available: direct from stock | Mobile floor model electric voidfill- and cushion packaging machine that produces up to cushion air filled kraft paper for packing all products into boxes from fanfold kraft paper. Free hands for packing and cutting with foot pedal operation. Thickness kraftpaper: 50 – 70 gsm Speed: 1.4 m/sec. | €750 |
|  | Beck Packautomaten HV 400 Shrink tunnel | Year: 1989 SN: 8891174 Excellent condition Available: direct from stock | Floor model shrink tunnel for foil and polywrapper for wrapping print work, boxes, bottles etc. into polyethylene materials. On wheels and can be placed into an inline situation. 2x Static eliminators and driven roller system. Size: 350 width and 150 mms height Speed: 10-35 m/min. | € 1.850 |
|  | IFP Packaging Machinery TM 40/20 Shrink tunnel | Year: 2010 SN: 3345 Excellent condition Available: direct from stock | Floor model shrink tunnel for foil (PPT, PPE and Cryovac) and polywrapper for wrapping print work, boxes, bottles etc. into polyethylene materials. On wheels and can be placed into an inline situation. 2x Static eliminators and independent driven roller system. Size: 400 width and 200 mms height Speed: 4-20 m/min. | € 2.250 |
|  | AVC MCS-30/35 sealing- and shrink wrapping machine | Year: 2006 SN: 142670606 Excellent condition Available: direct from stock | Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrinktunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Max size: 350 x 300 x120 mms | € 2.250 |
|  | Minipack FM-75 sealing- and shrink wrapping machine | Year: 1987 SN: 87-3735 Used condition Available: direct from stock | Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrinktunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Max size: 400 x 250 x200 mms | € 450 |

| | | | | |
|--|--|--|--|----------|
|  | Polybag Mailbag Mailing- and wrapping machine | Year: 2009 SN: na Excellent condition Available: direct from stock | Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour | € 3.150 |
|  | BVM Mailmaster 4004 Mailing- and wrapping machine | Year: 2001 SN: 010402498/B01 & 43509 Excellent condition Available: direct from stock | Automatic mailing wrapping line with 3 feeders (handfeed or automatic with Sitma 0019-156 & GUK SVA/35-SP feeders) for wrapping magazines, catalogues, brochures or other mailing products. Size change is done automatically with the operating panel. All is packed tight, so no shrinking is required. Constant temperature control. This line is suitable for the graphic industry, logistics, mailings, post etc. Size: from 80 mms up to DIN A3 long and max. 60 mms height Size bag length: 80 – 550 mms (adjustable) Speed: up to 130 cycles/minute | € 30.000 |
|  | Kern 620 Collator and mailing system | SN: 620.0092 Good condition Available: direct from stock | Floormodel collator (1 station max. A3 size and 1 station 30x20 cm) with friction collating; double sheet detection; counter and delivery. Coming with envelope feeder (min 76x140 mms up to 162x229 mms; 50 – 100 gsm), folding- and filling station for cards to this envelopes 70x70 mm size (min). 430 x 320 mm size (max). Paperweight: 70 – 240 gsm | € 1.250 |
|  | Kirk Rudy 203 Feeder head | Year: na SN: 1291 365 Excellent condition Available: direct from stock | Labelling and Pick-and-Place head for integration into direct mail equipment or packing lines. This tip-on head can feed cards or similar flexible paper items to an online mailing- or packing line. The items are shuttle fed onto a vacuum pushing system. Connection with mis-feed signal in order to stop the complete line. Min. size: 5.1 x 5.1 cm Max. size: 18 x 20,3 cm Speed: 12.000 sh/hr. | € 350 |
|  | Kingpin 828S Strapping machine https://youtu.be/R2FTCe-4qY8 | Year: 1987 (delivered 1988) SN: 61105 Good condition Available: direct from stock | Floor model manual strapping for packing/thermo closing boxes with print work or bind piles of (printed) paper, brochures, magazines, books etc. with a wire strapping material. Sensor controlled operation. Including large unwind for bigger rolls with binding materials. 6 new rolls of binding material coming with the machine. Length of strap: 0,2 - 2 m. | € 650 |

| | | | |
|--|---|---|---------|
|  | <p>Signode KRS 50x40 Strapping machine</p> <p>Year: 1990 SN: 503195</p> <p>Fair condition (machine needs some small repairs) Available: direct from stock</p> | <p>Floor model strapper for inline strapping print work, packages of magazines/newspapers etc., with binding straps up to 50 mms width. Including unwind for rolls. Easy pick up, transport, and delivery of the packs due to rolling conveyor belt.</p> <p>Size: 500 x 400 mms (wxh)</p> | € 750 |
|  | <p>Super Power Stretch Film wrapping material</p> <p>Year: 2015 SN: unknown</p> <p>Excellent condition (new) Available: direct from stock</p> | <p>30 rolls of black wrapping foil for automatic wrapping boxes, pallets or other equipment with an automatic polywrapper.</p> <p>Roll width: 500 mms</p> | € 1.150 |
|  | <p>Alpha-Dot Inline printer</p> <p>Year: unknown SN: unknown</p> <p>Good condition Available: direct from stock</p> | <p>Conveyor and driven roller belt (up to 400 mms width) with flexible inkjet printer (including remote keyboard for text input).</p> <p>Machine is used for batch printing on cardboard boxes. Can be integrated in another line and is adjustable in height.</p> | € 1.650 |
|  | <p>Prior Scales</p> <p>Year: unknown SN: unknown</p> <p>Excellent condition Available: direct from stock</p> | <p>Floor model on wheels (retractable). One stationary weighing scale with rollers for in line situation.</p> | € 350 |
|  | <p>GM GM-3000</p> <p>Year: unknown SN: 33752</p> <p>Excellent condition Available: direct from stock</p> | <p>Table model digital weighing scale with many programmable possibilities. Used for mixing colours and pantone inks. 240 V, 1 ph.</p> <p>Max. weight: 3000 grs Accuracy: 1 gr</p> | € 35 |

| | | | | |
|---|--|---|---|-----------------------|
|  | Endra KO-76 Manual strapping machine | Year: na SN: 27104 Excellent condition Available: direct from stock | Manual hand strapper for packing/closing boxes into band strapping materials with clips. Including large unwind on wheels for flexible use and suited for bigger rolls with binding/strapping materials. Cardboard with 6 new rolls binding materials is coming with the equipment. | € 350 |
|  | Universal Paper band taper | Year: na SN: na Good condition Available: direct from stock | Manual paper band taper to close packages and boxes etc. with pre-glued paper band. The paper band can be adjusted in length from 0 up to 40 cms and will be cut off at that length. Including 17 rolls of new paper band. | € 80 |
| Pumps and miscellaneous | Machine/type | Year/condition/available | Description/options | Price in Euros |
|  | Mixers for glue or coatings. | Year: unknown SN: unknown Excellent condition Available: direct from stock | Mixers for glue or coatings. 2 available. | € 500 |
|  | Kaeser Aquamat 2 Oil water separator | Year: 2005 SN: 3600 Good condition Available: direct from stock | Compressed air condensate is a by-product of all compressors. It is a mixture of oil and water with ambient particulates and hydrocarbons that have been concentrated during the compression process. Much of the oil is the result of oil vapours and aerosols present in the compressor intake air. This type of oil-water mixture may be classified as hazardous waste, federal and local environmental laws often prohibit the discharge of untreated condensate into surface drains. Kaeser's Aquamat 2 condensate management system offers a reliable and economical method of oil/water separation and can be used in combination up to 3 compressors. Productivity: 1 – 90 m3/min. | € 550 |

| | | | | |
|--|---|--|--|---------|
|  | <p>Rietschle SKG-200-2.18</p> <p>Pressure pump</p> | <p>Year: 1982 SN: 434182</p> <p>Good condition Available: direct from stock</p> | <p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 2.820 l/min Pressure: 97 mbar Consumption: 0.37 Kw</p> | € 450 |
|  | <p>Nishimura FB-400</p> <p>Pressure pump</p> | <p>Year: na SN: 53-5</p> <p>Excellent condition Available: direct from stock</p> | <p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 1.5 m3/min Rotational shaft speed: 2.850 turns/min. Consumption: 380 V, 3 Ph, 0.4 Kw</p> | € 450 |
|  | <p>Orion CBX 15NK</p> <p>Vacuum / pressure pump</p> | <p>Year: 2000 SN: 410010</p> <p>Excellent condition Available: direct from stock</p> | <p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 0,6 m3/min – 0.6 bar/-0.6 bar Rotational shaft speed: 1.750 turns/min. Consumption: 200 V – 0,75 kW</p> | € 1.450 |
|  | <p>Rietschle DCL 40/DV</p> <p>Vacuum / pressure pump</p> | <p>Year: na SN: 1900</p> <p>Excellent condition Available: direct from stock</p> | <p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in binding area.</p> <p>Delivery: 40 m3/hr – 0.6 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 380 V – 1.5 kW</p> | € 1.050 |
|  | <p>Rietschle TR 25DV (02)</p> <p>Vacuum / pressure pump</p> | <p>Year: 1982 SN: 726918</p> <p>Excellent condition Available: direct from stock</p> | <p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 25 m3/hr – 0.7 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 220 V – 1.1 kW</p> | € 800 |

| | | | | |
|---|---|--|--|-------|
|  | Gast 1022 Mag drive pump | Year: 1989 SN: 89-18210 Good condition Available: direct from stock | 1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area. Delivery: 15 m3/hr – 0.6 bar Vacuum: 116 mbar Rotational shaft speed: 1.425 turns/min. Consumption: 220 V – 0.6 kW | € 500 |
|  | March MDXT-3 Fluid pump | Year: na SN: QQ 113344 Good condition Available: direct from stock | 1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area. Delivery: 30 l/min. (max. head: 4 m.) Pressure: 0.55 bar Rotational shaft speed: 3.500 turns/min. Consumption: 220 V – 0.8A, 0,03 kW | € 100 |
|  | Iwaki 2MD-15RU Fluid pump | Year: na SN: 0381195 Good condition Available: direct from stock | 1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area. Delivery: 20 l/min. (max. head: 2-2.5 m.) Pressure: 0.55 bar Rotational shaft speed: 3.000 turns/min. Consumption: 220 V – 0.8A, 0,02 kW | € 100 |
|  | Bonfiglioli Bonfigtronic 3.180.3000 Motor drive | Year: na SN: 1232 Good condition Available: direct from stock | 1 drive motor suitable for belt drive of different kind of equipment in press- or binding area. Rotational shaft speed: 3000 turns/min. Torque: 4.5 Nm Consumption: 220 V – 4.9 A, 750 W | € 250 |

All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2010)**. All machines are owned by us and can be seen in our warehouse in Venray - the Netherlands. Our delivery terms can be read on: <http://www.mctrade.nl/delivery-terms.html>. We are glad to send you a print of our terms. You can receive our newsletters and stock list by adding your email address to our mailing list: <http://www.mctrade.nl/subscribe.html>.

Machines in stock at: 15 May 2019

Also see: www.mctrade.nl

McTrade warehouse and office: Venootstraat 4-a; NL-5804 CN; Venray; the Netherlands
tel. +31 (0)6 53443948; fax +31 (0)478 571091; E-mail: info@mctrade.nl