

## BIG IN SMALL MACHINERY

**INDEX: PRINTING P. 1-16 \*\*\* PRE-PRESS P. 16-27 \*\*\* AFTER-PRESS P. 28-59 \*\*\* PACKING: P. 59-64 \*\*\* MISCELLANEOUS P. 64-66**

4, 5&6-colour printing machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Nilpeter F-3000  Five-colour flexo press	Year: 1994 SN: 4755  Impressions: na  Excellent condition Available: direct from stock	Modern 6-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 6 flexo print units (coating possibility on the 6 <sup>th</sup> unit), 6x hot-air dryers on all units and 1 UV dryer on the 6 <sup>th</sup> unit, web turn cross bar after 3 <sup>rd</sup> printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals.  Max. web width: 300 mms Speed: 120 m/min.	€ 68.500
	Nilpeter F-280  Five-colour flexo press	Year: 1992 SN: R0-80/4700  Impressions: na  Excellent condition Available: direct from stock	Modern 5-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 5 flexo print units (coating possibility on the 5 <sup>th</sup> unit), 5x hot-air dryers on all units and 1 UV dryer on the 5 <sup>th</sup> unit, web turn cross bar after 2 <sup>nd</sup> printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind, Tecsan Webwatcher video inspection control and a perforating- and sheeter unit. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals.  Max. web width: 280 mms Speed: 120 m/min.	€ 63.500
	Screen Truepress TP-344N  Four-colour digital offset press	Year: 2007 SN: 2007/7  Impressions: 13.5 mio  Excellent condition Available: direct from stock	Modern 4-colour portrait-scape digital offset machine with a fully automated integrated processless thermal CTP system (2400 DPI – 300 LPI and stochastic raster) on both towers and full automated plate change system, full automated paper size change format, automatic ink key control, alcolour dampening and Technotrans mixer/cooler, blanket-, ink roller- and dampening roller wash, universal tack feeder. With RIP, network connection, software.  Min. size: 90x148 mms (suitable for envelope printing) Max. size: 340x470 mms Paperweight: 0.04 – 0.4 mms Speed: 2.500 – 7.000 sh/hr.	€ 55.000
	MAN Roland Favorit RVF OB  Four-colour offset press	Year: 1990 SN: 649-20451B  Impressions: na  Good condition Available: direct from stock	Modern 4-colour portrait-scape offset machine with a Mabeg high pile feeder, vacuum belt feeder, quick clamp plate change, Dahlgren alcolour with 2 mixers/coolers, ink roller wash, RCI-2 remote control table with operation and ink key control, IR dryer (Jac. De Vries), powderspray and high pile delivery.  Min. size: 210x280 mms Max. size: 720x520 mms Paperweight: 0.04 – 0.4 mms Speed: 2.000 – 10.000 sh/hr.	€ 28.000

2-colour offset machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Komori Lihrone 220  Two-colour offset machine	Year: 2007 (installed 2008) SN: L-220-2015  Impressions: only 27 mio  Excellent condition (new rollers April 2017) Available: direct from stock	Modern full options 2-colour landscape offset machine, with complete remote operation for all functions, PQC management with CIP3 console (2 colour LCD touch screen operating panels), stream feeder, quick format change, anti-static device, semi-automatic plate change, alcolour dampening with Tecnotrans Alpha.D recirculation cooler/mixer, all chromed cylinders, low pile delivery, powder spray, automatic inkroller- and rubber wash  Min. size: 100x 148 mms Max. size: 520 x 375 mms Paperweight: 0.04 – 0.4 mms Speed: 3.800 – 13.000 sh/hr.	€ 32.750
	Shinohara Fuji 52-IIP NP  Two-colour offset machine	Year: 1989 SN: 20234037  Impressions: na  Good condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. Including NP unit  Min. size: 100x 148 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 8.750
	Adast Dominant 525P  Two-colour offset machine	Year: 1999 SN: 10268  Impressions: na  Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. 380 V, 3 Ph, 50 Hz, 16 A.  Min. size: 100x 148 mms Max. size: 520 x 381 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.750
	Hamada C248E  Two-colour offset machine	Year: 2003 SN: CTQ-8JO66  Impressions: only 9.9 mio  Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine with chain delivery, tack feeder, conventional dampening, low pile delivery, ink roller wash, small size printing device  Min. size: 90 x 140 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 5.750
	Hamada DU34M Duetto  Two-colour offset machine	Year: na SN: DFQ-7A147  Impressions:  Excellent condition Available: direct from stock	Modern portrait-scape 1/1 blanket to blanket offset machine with chain delivery, automatic running plate change, tack feeder, conventional dampening, digital tip-touch operation, high pile delivery, ink roller wash, small size printing device  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 2.250

	Hamada DU34M Duetto 3400PF  Two-colour offset machine	Year: na SN: na  Impressions:  Excellent condition Available: direct from stock	Modern portrait-scape 1/1 blanket to blanket offset machine with chain delivery, automatic running plate change, tack feeder, conventional dampening, digital tip-touch operation, high pile delivery, ink roller wash, small size printing device  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 2.250
	Hamada 234M  Two-colour offset machine	Year: 1998 SN: unknown  Impressions: na  Excellent condition Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, conventional molleton dampening and powder spray. Manual and spare part books (English). Machine has new rollers.  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 4.350
	Hamada 234K  Two-colour offset machine	Year: 2002 SN: unknown  Impressions: 3 mio  Excellent condition (like new) Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, Kompac Varn III dampening and powder spray. Manual and spare part books (English).  Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 5.100
<b>2-colour envelope machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Winkler & Dünnebier 212  Two-colour offset machine	Year: 1991 SN: 12.044  Impressions: na  Excellent condition Available: direct from stock	High speed 2-colour printing press for envelopes, non- stop bottom- and top loader system, rotating vacuum suction feeder, quick plate change system, Baldwin alcohol dampening with cooler/mixer, recto-verso printing mode possible, and extra-long conveyor belt delivery.  Min. size: 76 x 100 mms Max. size: 460 x 406 mms Paperweight: 45 – 200 gsm Speed: 3.000 – 72.000 sh/hr.	€ 12.850

	Whitacre Superspeed P7-13  Two-colour offset machine	Year: 1991 SN: 139-91  Impressions: na  Excellent condition Available: direct from stock	High speed 2-colour printing press for envelopes, paper bags, brochures, covers, index tabs, cardboard, multi page booklet covers, die-cut stock, pre-fold boxes, photo mailers, expanders etc., vacuum feeder drum, side register guides, pusher lugs, quick plate change system, perfector for 2/0 and 1/1 printing mode, Baldwin alcohol dampening with cooler/mixer, powder spray and long delivery belt. Coming with plate-punch and plate-bender.  Min. size: 180 x 180 mms Max. size: 430 x 510 mms Speed: 3.000 – 17.500/35.000/70.000 sh hr.	€ 11.850
<b>1-colour offset machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Heidelberg KOR  One-colour offset machine	Year: SN:  Impressions: na  Good condition Available: direct from stock	Conventional 1-colour landscape offset machine with chain delivery, standard version, conventional dampening, universal tack feeder and powder spray.  Min. size: 125 x 150 mms Max. size: 400 x 570 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 6.000 sh/hr.	€ 3.500
	Hamada Alpha 52+ NP  One-colour offset machine	Year: 1993 SN: GA-00201  Impressions: na  Excellent condition Available: direct from stock	Modern 1-colour landscape offset machine with chain delivery, quick plate change system, stream feeder, conventional dampening (including integrated mixer/cooler) and powder spray. Including NP unit. Manuals and parts book.  Min. size: 257 x 182 mms Max. size: 360 x 520 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.500
	Hamada C48  One-colour offset machine	Year: 1995 SN: CSQ50005  Impressions: 12 mio imps.  Excellent condition Available: direct from stock	Modern 1-colour landscape offset machine with chain delivery, quick plate change system, universal tack feeder, conventional dampening, digital control panel and powder spray. Including plate punch.  Min. size: 140 x 100 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 3.850

	<b>Hamada Superb 47</b> One-colour offset machine	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, universal tack feeder, conventional dampening, digital control panel and powder spray. Including plate punch.  Min. size: 140 x 100 mms Max. size: 365 x 470 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 9.000 sh/hr.	€ 1.850
	<b>Heidelberg GTO 46</b> One-colour offset machine	Year: 1979 SN: 668528  Impressions: 53 mio  Used condition Available: direct from stock	Modern 1-colour land-scape offset machine, minus version with chain delivery, quick plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray.  Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 3.450
	<b>Heidelberg GTO 46+</b> One-colour offset machine	Year: 1980 SN: 670829  Impressions: 61 mio  Good condition Available: direct from stock	Modern 1-colour land-scape offset machine, plus version with chain delivery, quick clamp plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray.  Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 5.950
	<b>Adast Dominant 414</b> One-colour offset machine	Year: 1992 SN: 41411382  Impressions: na  Good condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.  Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.250
	<b>Adast Dominant 414</b> One-colour offset machine	Year: 1995 SN: 4148110631  Impressions: na  Excellent condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine.  Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.350


	<p>Gestetner 313CD One-colour offset machine <a href="https://youtu.be/hsfBlrzwdoo">https://youtu.be/hsfBlrzwdoo</a></p>	<p>Year: 1986 SN: 160446</p> <p>Impressions: na</p> <p>Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 313CD One-colour offset machine</p>	<p>Year: 1986 SN: 160235</p> <p>Impressions: na</p> <p>Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 411CD One-colour offset machine</p>	<p>Year: 1994 SN: 41B220</p> <p>Impressions: 9.4 mio.</p> <p>Excellent condition Available: direct from stock</p>	<p>Traditional 1-colour portrait-scape offset machine digital controls, counters, with universal tack feeder, digital operating on the machine and a Kompac Varn dampening, ink- and rubberwash, chain delivery. 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 140 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 311CD One-colour offset machine</p>	<p>Year: 1990 SN: 33B727</p> <p>Impressions: na</p> <p>Excellent condition Available: direct from stock</p>	<p>Traditional 1-colour portrait-scape offset machine digital controls, counters, with universal tack feeder, digital operating on the machine and a Kompac Varn dampening, inkwash, chain delivery. 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 140 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.850
	<p>Rotaprint R30S One-colour offset machine</p>	<p>Year: na SN: 24691</p> <p>Impressions: na</p> <p>Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray.</p> <p>Min. size: 89 x 140 mms Max. size: A3+ size Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.</p>	€ 700

Digital printing machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Xerox Workcentre 5655  B/W copier & printer  <a href="https://youtu.be/ennAJqf8Nzw">https://youtu.be/ennAJqf8Nzw</a>	Year: 2010 SN: 3633610001  Impressions: 1.2 mio  Excellent condition Available: direct from stock	Modern fully automatic B/W printer for fast and high quality production (600x5600, 4800x600 DPI and 256 gradations in halftone) with automatic toner density control, auto-reduction and enlargement, auto tray switching. Zoom: 25 – 400%. Can be connected into a network. Including finisher.  Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 50-120 gsm Speed: 30-55 sh/min.	€ 650
	Xerox Phaser 7760DN  Colour printer	Year: 2008 SN: AUB341212  Impressions: only 6.817! (machine is used only as proofer)  Excellent condition Available: direct from stock	Modern fully automatic colour and B/W printer for fast and high quality (photo-) production (1200 DPI) with automatic toner density control, Adobe pdf. Can be connected into a network with Ethernet, Fast Ethernet or Gigabit Ethernet to Windows, MacOS, Linux or other systems. Printing envelopes (C6 – C4 size) is possible.  Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 75-255 gsm Speed: 30-45 sh/min.	€ 850
	LaserMaster DM1000  Four colour printer / plotter	Year: na SN: 8501660  Impressions: na  Good condition Available: direct from stock	Modern fully automatic large size thermic A0 size inkjet printer / plotter, 4 colour cartridges, runs on rolls of paper (matte and glossy). Including ColorMark Docking Station for calibrated ink profiles. Suitable for film and all paper materials to print posters or displays. Resolution: 800 DPI. Ink cartridges are HP compatible.  Roll min. size: 203x254 mm Roll max. width: 920 mm	€ 450
Sign and screen machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Tampoflex T75-100  One-colour pad printing press	Year: 1990 SN: unknown  Impressions: na  Good condition Available: direct from stock	Semi-automatic tampon pad printing machine with pneumatic electronic operation that guarantees excellent printing uniformity and independent pressure regulation on parts and cliché. Foot pedal. The machine can be used for printing all kinds and irregular shapes of promotional items, textiles, cosmetic items, sports, medicals, automotive, electronics, packaging etc.  75 x 100 mm size Speed: 2.000 cycles/hr.	€ 2.250

	Universal Buttons and book corners	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Professional floor model table press with pneumatic operation and 2 foot pedals pressing and closing buttons or metal book corner protectors around the corners of books, scrapbook albums, agendas, menus, document sleeves, boxes, or cardboard paper binders for an exclusive design and finishing.	€ 750
	Kokkelink Vacuum pick up table	Year: na SN: na  Impressions: na  Excellent condition Available: direct from stock	Professional floor model pick up table with vacuum and pneumatic operation and manual hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A4 size item.  Table size: 70 x 35 cms	€ 150
	Kaixuan KX757 516M2-35  Overlock sewing machine	Year: 2007 SN: 0708055  Good condition Available: direct from stock	Professional industrial table model 2 needle and 5 thread overlock sewing machine. Speed up to 7.500 spm.	€ 650
<b>Numbering machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Graphic Whizard J-1  Numbering stamp machine	Year: 2002 SN: 1610602  Impressions: na  Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number.	€ 350

	Reiner 360-388  Numbering stamp machine	Year: unknown SN: unknown  Impressions: na  Good condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert.	€ 250
	Reiner 360-388  Numbering stamp machine	Year: unknown SN: unknown  Impressions: na  Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert. Footpedal operation.	€ 450
<b>Washing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Heidelberg Roller-Matic  Rewinder for washing cloth	Year: 2000 SN:  Excellent condition Available: direct from stock	Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc.  Working width: up to 1100 mms	€ 950
	Heidelberg Roller-Matic  Rewinder for washing cloth	Year: 1999 SN:  Excellent condition Available: direct from stock	Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc.  Working width: up to 1100 mms	€ 950

	Machine/type	Year/condition/available	Description/options	Price in Euros
	Degra Fra-560 Roller wash system	Year: 1989 SN: 5601010189  Good condition Available: direct from stock	Stainless steel automatic washing station with pump and circulation system for multi-colour offset machines. This machine was shortly used for washing the Baldwin Jimek ink- and dampening roller systems of a newspaper rotation press.  All safeties, filter system, temperature control, timers etc.	€ 1.950
	Universal Roller wash system	Year: 1998 SN: unknown  Excellent condition Available: direct from stock	Roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste, integrated high pressure water pump and sprayer.  Max. roller length: 85 cms	€ 850
	Tin can waste press	Year: unknown SN: unknown  Good condition Available: direct from stock	Stainless steel roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste.  Max. roller length: 85 cms	€ 450
Powder spray equipment	Machine/type	Year/condition/available	Description/options	Price in Euros

	Rietschle Powderspray	Year : unknown SN: 008886  Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. Can be mounted on existing system in delivery.	€ 200
	Universal Powderspray	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. With expansion tank. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
	Universal Powderspray	Year: unknown SN: unknown  Good condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
<b>Miscelaneous printing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Gretag D182  Densito-meter	Year: na SN: 3250-21345  Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550

	Gretag D185  Densito-meter	Year: na SN: 3250- 51054  Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D185  Densito-meter	Year: na SN: 3250-51058  Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D186  Densito-meter	Year: na SN: 3250-62143  Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D186  Densito-meter	Year: na SN: na  Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Kasuga Denki AD-2  Tape marker	Year: unknown SN: 8209026  Good condition Available: direct from stock	Tape inserter unit for small offset machines like Sakurai, Fuji, Shinohara, Gestetner, Rotaprint, AB Dick, Ryobi.  Stand-alone version.	€ 500

	Gestetner 201 or 211  Ink units	Year: unknown SN: unknown  Fair condition Available: direct from stock	2 ink units for Gestetner 201 and 211 series	€ 150
	Heidelberg Printmaster 46 – Quickmaster 46  Distributor roller	Year: unknown SN: unknown  New condition (never used and in original packing). Available: direct from stock	1 complete distributor roller (including gear and bearing) for Printmaster 46 and Quickmaster 46	€ 350
	Heidelberg TOK  Rubber blankets	Year: unknown SN: unknown  New condition (never used and in original packing). Available: direct from stock	3 pieces blankets for Heidelberg TOK and TOM.  Blanket size: 265x408x1.95 mm	€ 25
	Shinohara Fuji 52 & Shinohara 52  Rubber blankets and washing squeegees	Year: unknown SN: unknown  New condition (never used and in original packing). Available: direct from stock	7 pieces blankets for Fuji 52 & Shinohara 52. Including aluminium list. 4 pieces complete washing squeegees for Fuji 52 & Shinohara 52.  Blanket size: 518x510x1.95 mm	€ 150
	Heidelberg KORD 64  Miscellaneous	Year: unknown SN: unknown  New condition (never used and in original packing). Available: direct from stock	1 steel jacket (new) 1 ink knife (new) 1 squeeze for washing up (new) 1 cart for delivery (used) Several spindles, guides, shields (used)	€ 250

	Heidelberg GTO 52, TOK, QM  Miscellaneous	Year: unknown SN: unknown  Good condition Available: direct from stock	6x GTO 52 metal lists for rubber blankets 2x washing squeeze's for GTO 52 3x washing device for TOK and QM or PM46 (including the plastic drip trays) 2x feedertables for TOK and QM or PM46 3x cleaning mats for inkwashers (10 pc each) for TOK and QM or PM 46	€ 250
	Heidelberg  Set of inking, alcolor or water rollers	Year: new SN: new  New Available: direct from stock	1 complete set of newly covered inking-, alcolor- or water roller for all Heidelberg machines. Including spindles. Bearings and gears when asked for. Including packing.  Available for: <ul style="list-style-type: none"><li>- GTO 46, GTO 52</li><li>- KOR, KORD, KORS</li><li>- MO</li><li>- SORM, SORS</li><li>- SM 52, SM 72, SM 74, SM 102 &amp; SM 104</li></ul>	On request
<b>Envelope printing equipment</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Stenz 400  envelope feeder with delivery	Year: 1999 SN: 40996623  Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 2.250
	Stenz 400  envelope feeder with delivery	Year: 1999 SN: 40700776  Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 2.250
	Stenz 400  envelope feeder	Year: 1999 SN: 40391214  Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including heavy duty pump. All on wheels for easy storage.  Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 1.850

	<p>Schneider SF-80 (190-101) envelope feeder</p> <p>Year: na SN: 517</p> <p>Good condition Available: direct from stock</p>	<p>Automatic envelope feeder with a vertical non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable speed, height and a sensor at the feeder end for automatic speed adjustment up to 15.000 sh hr. Including pump. All on wheels for easy storage.</p> <p>Min./max. envelope size: 7.6 x 12.7 / 33.0 x 33.0 cm Loading capacity: 450 mms Adjustable in height: 80 – 110 cms</p>	€ 1.450
	<p>AB Dick 1200 envelope feeder</p> <p>Year: na SN: 4677</p> <p>Good condition Available: direct from stock</p>	<p>Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 4 sucker feet and a sensor at feeder end for automatic speed adjustment. (= Astro AMC-2000 feeder under AB Dick label). All on wheels for easy storage.</p> <p>Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 41.3 cm</p>	€ 500
	<p>Unilith T-100 envelope feeder</p> <p>Year: 1990 SN: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Automatic envelope feeder, designed to feed envelopes to Heidelberg GTO machines. Adjustable vacuum. The unit is placed onto the feeder board of GTO 46 or GTO 52 and can be used from there.</p> <p>Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 22.7 x 30.3 cm</p>	€ 300
	<p>Just Feed envelope feeder</p> <p>Excellent condition Available: direct from stock</p>	<p>Luxury envelope feeder system consisting of 4 adjustable platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.</p>	€ 175
	<p>Just Feed envelope feeder</p> <p>Excellent condition Available: direct from stock</p>	<p>Envelope feeder system consisting of 3 platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.</p>	€ 150

	<b>Wahli</b> <b>UV 537</b> <b>envelope delivery</b>	Excellent condition Available: direct from stock  Year: 1996 SN: 96-3489	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 350 x 900 mms	€ 450
	<b>Alpha Engineering</b> <b>RCV</b> <b>envelope delivery</b>	Excellent condition Available: direct from stock  Year: 2001 (delivered 2002) SN: 1010	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 350 x 900 mms	€ 450
	<b>Stielow</b> <b>1.104</b> <b>envelope delivery</b>	Excellent condition Available: direct from stock  Year: 1986 SN: 993.03.86	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable.  Height: 450 mms Size: 300 x 1.300 mms	€ 450
	<b>Astro</b> <b>CD-100</b> <b>envelope delivery</b>	Excellent condition (never used) Available: direct from stock  Year: na SN: na	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 290 x 950 mms	€ 350
	<b>Sofrapli</b> <b>REL</b> <b>envelope delivery</b>	Excellent condition Available: direct from stock  Year: na SN: 9500/ZRE	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable.  Size: 270 x 850 mms	€ 350

Platemaking machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Xante Speedsetter VM2 CTP	Year: 2006 SN: na  Number of plates: na  Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline PlateRunner P24 plate processor, standard delivery all dongles, PC, original Symphony RIP and workflow. This machine combines with all 2 up printing press equipment. But also with portrait-scape small size printing machinery  Min. size: 241x381 mms Max. size: 530x505 mms Speed: 19 plates/hour	€ 1.950
	Xante Speedsetter VM4 CTP	Year: 2011 SN: 501122  Number of plates: na  Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery  Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 1.850
	Xante Speedsetter VM4 CTP	Year: 2008 SN: 501121 & 3510  Number of plates: na  Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Proteck EQPE-70 plate processor (with chiller), standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery  Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 3.850
	AB Dick DPM 2340 CTP	Year: 2000 SN: 46-431  Excellent condition Available: direct from stock	CTP (900 – 3600 DPI), 675 nm red laser diode (10 mW) for film and/or press-ready polyester plate materials, including PC, monitor, keyboard, RIP software, and self-replenishing plate processor (inline). This machine combines with all portrait scape offset machines like Hamada, Ryobi, Adast, Heidelberg QM, etc.  Min. size: 229x305 mms Max. size: 340x508 mms Speed: 28 – 38 plates/hour (in 17 steps)	€ 1.050



Plate processors	Machine/type	Year/condition/available	Description/options	Price in Euros
	Mitsubishi DPM 2000CPS CTP	Year: 2000 SN: 22826  Excellent condition Available: direct from stock	CTP (900 – 1200 DPI) with network connection and its own scanner (up to 1200 DPI), 670 nm red laser for film and/or press-ready polyester plate materials, including RIP software, updates, and self-replenishing plate processor (inline). This machine combines with Heidelberg GTO or SM 52, Hamada 52, Ryobi 520 etc.  Min. size: 229x305 mms Max. size: 419x551 mms	€ 950
	Kimoto Kimosetter 410 CTP  CTP printer	Year: 2010 SN: A16C35C0018H  Excellent condition Available: direct from stock	Simple and easy to use desktop CTP (1200x600 DPI) for printing the image, text, half tones directly on to the non-sensitive polyester offset plates. Direct ready to print and can be used in any dampening system (even non-chemical or non-alcohol). Automatic plate feed for 10 plates. Suitable for all Mac and Microsoft operating systems with an USB connection. This machine combines with Heidelberg GTO 46, Printmaster 46, Quickmaster 46, Hamada, Ryobi etc.  Min. plate size: 98x98 mms Max. plate size: 410x510 mms	€ 1.450
	Agfa Palladio  Locking Kit	Year: na SN: na  Excellent condition Available: direct from stock	Locking kit for Agfa Palladio CTP machinery in order to lock the laser and prepare the machine for transport. Including manual with photos and description.	€ 250
	Kodak Lotem 400  Locking Kit	Year: na SN: na  Excellent condition Available: direct from stock	Locking kit for Kodak Lotem CTP machinery in order to lock the laser and prepare the machine for transport. Including manual with photos and description.	€ 250

	<p><b>Kodak Mercury T-HD 1250</b> Thermal plate processor</p> <p>Year: 2007 SN: ME10068</p> <p>Excellent condition Available: direct from stock</p>	<p>Plate processor for processing all brands and press ready thermal CTP offset plates. Touch screen operation. The machine is meant to be integrated into an inline CTP installation. Digital touch screen operation for speed, processing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Including chiller unit.</p> <p>Min. / max. size plate size: 320 mms length / 1250 mms width. Plate thickness: 0.15 – 0.30 mms Speed: 60 – 200 cm/min.</p>	€ 3.450
	<p><b>Proteck EQpe-70</b> Plate processor for violet photopolymer plates</p> <p>Year: 2007 (delivered 2008) SN: 3510</p> <p>Excellent condition Available: direct from stock</p>	<p>Offline plate processor for chemistry poor violet photopolymer offset plates also stabilizes and rinse- and gum processor for the production of all brands and press ready violet photopolymer CTP offset plates. Touch screen operation. The machine has a pre-heater with a pre-wash section and is used stand alone for processing, washing out, gumming and drying of the plates before further delivery to the rack delivery. Including chiller unit.</p> <p>Min. / max. size plate size: 290x275 mms / 680x1.100 mms. Plate thickness: 0.15 – 0.30 mms Speed: 40 – 150 cm/min. (brush speed variable 40 – 100 rpm)</p>	€ 1.750
	<p><b>PlateRunner P24</b> Plate processor for violet photopolymer plates</p> <p>Year: 2006 SN: 0077</p> <p>Good condition Available: direct from stock</p>	<p>Offline plate processor for all violet offset plates also stabilizes and rinse- and gum processor for the production of all brands and press ready violet CTP offset plates. Tip touch with LCD screen operation. The machine has a pre-heater with a pre-wash section and is used stand alone for processing, washing out, gumming and drying of the plates before further delivery to the rack delivery. Including cooler unit..</p> <p>Min. / max. size plate size: 254x380 mms / 620x765 mms. Plate thickness: 0.15 – 0.30 mms Speed: 40 – 51 cm/min.</p>	€ 1.450
	<p><b>Glunz &amp; Jensen C85</b> Plate rinse- and gum processor</p> <p>Year: 2011 SN: 95455-0173</p> <p>Excellent condition Available: direct from stock</p>	<p>Online plate rinse- and gum processor for processing all brands and press ready CTP offset plates. The machine is meant to be integrated into an inline CTP installation for washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Including recirculation for replenishment. 220 V,50/60 Hz, 10 A.</p> <p>Max. size: 850 mms plate width</p>	€ 1.950
	<p><b>Lefra 10 550-200</b> Plate processor (2 pc in stock)</p> <p>Year: 1988 SN: 2832</p> <p>Good condition Available: direct from stock</p>	<p>Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump).</p> <p>Max. plate size: 550 x 750 mms Capacity: 15 liters</p>	€ 150


	<p>Lefra 430-500 Plate processor</p> <p>Year: 1998 SN: 5654</p> <p>Good condition Available: direct from stock</p>	<p>Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump).</p> <p>Max.plate size: 430 x 500 mms Capacity: 13 liters</p>	€ 150
	<p>Lefra 10 430-500 Plate processor</p> <p>Year: 2002 SN: 5195</p> <p>Good condition Available: direct from stock</p>	<p>Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump).</p> <p>Max.plate size: 430 x 500 mms Capacity: 13 liters</p>	€ 150
	<p>Hyfra VWK 7/1 Cooling- and circulation unit</p> <p>Year: 1994 SN: 9403166</p> <p>Excellent condition Available: direct from stock</p>	<p>Independent working cooling- and circulation unit for film- or plate processors of standard offset- or ctp plate production. This unit can even be used for cooling the ink- or dampening systems of offset printing machines. Simple and universal coupling connection.</p> <p>Cooling: 814 W Cooling: 700 kcal/h Pressure: 24 bar</p>	€ 350
	<p>Bartal-Tech Ltd. Lotem 400 conveyor Online bridge</p> <p>Year: 2008 SN: 903</p> <p>Excellent condition Available: direct from stock</p>	<p>Online plate bridge for online use between a Lotem 400 CTP and an online plate processor or plate washer with data connector for start/control.</p> <p>Max. plate width: 78 cms</p>	€ 850
	<p>Glunz &amp; Jenzen C5 platestacker Automatic plate stacker</p> <p>Year: 2010 SN: 100858 VX</p> <p>Excellent condition Available: direct from stock</p>	<p>Online fast working plate stacker with sensors for start/control. Can be placed behind any brand, type or size CTP line for stacking the plates onto a retractable trolley. Works independently from any (high performance) processor and will start automatically when the processed plate passes the sensor. The conveyor is driven to ensure complete removal of the plate prior to stacking. The speed is adjustable. Up to 75 - 100 plates will be stacked vertically on a retractable trolley that is on wheels for easy transport of the plates to the printing press.</p> <p>Max. plate width: 85 cms Max. plate length: 125 cms</p>	€ 925

Imagesetting machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Panther Pro/62 RM-6  Imagesetter	Year: 1998 SN:072088 / 980615592  Good condition Available: direct from stock	Imagesetter (900 – 3600 DPI) with online ART RDM 2-25/25 filmprocessor. Visible red laser diode (670 nm). For red sensitive film. Including: PowerMac with Panther RIP software (Adobe Postscript 3) installed, CD's, manuals and dongle. 380 V, 50/60 Hz, 3 A, 6.4 kW.  Max. film width: 620 mm	€ 1.750
	Screen Katana FT-R5040  Imagesetter	Year: 2000 SN: 27.95049  Used condition (some rollers and parts inside the processor need attention) Available: direct from stock	Imagesetter (1000 – 3000 DPI) with an online filmprocessor (LD-M1060). Visible red laser diode (635 nm). For He-Ne sensitive film. Including: cassette, RIP software (HQ installed on Power Mac, dongle, flat screen monitor, keyboard, cables etc.). 220 V, 50/60 Hz, 22 A, 5,4 Kw.  Max. width: 406 mm imaging area	€ 3.250
	Scantext Othello  Imagesetter	Year: 1999 SN: 525.588  Excellent condition Available: direct from stock	Imagesetter (1270 – 3850 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (RipExpress, including Adobe Postscript 3) installed on Windows PC, dongle. 220 V, 50 Hz, 2,5 A.  Max. size: 510 x 645 mm imaging area	€ 2.750
	Heidelberg Duosetter  Imagesetter	Year: 2000 (installed 2001) SN: 003311803  Excellent condition Available: direct from stock	Imagesetter (1270 – 3387 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (Adobe Postscript 3) installed on Windows PC, dongle. 100-240 V, 1 Phase, 50/60 Hz, 4 A.  Max. size: 535 x 505 mm imaging area	€ 3.450

Image	Machine/type	Year/condition/available	Description/options	Price in Euros
	ECRM RIP software, dongle and SCSI card  Imagesetter	Year: 2000 SN: 3892B366  Excellent condition Available: direct from stock	ECRM RIP software for PowerMac Vs 5.3, with dongle and SCSI card	€ 250
	Agfa Avantra 30  Imagesetter input cassette	Year: 2008 SN: na  Good condition Available: direct from stock	Input cassette for an Agfa Avantra 30 imagesetter. For film sizes up to 762 mms	€ 150
	Screen Katana FT-R3050  Imagesetter input- and output cassettes (2 sets of 2 pieces)	Year: 1998 SN: na  Good condition Available: direct from stock	2 input cassettes and 2 output cassettes for a Screen Katana FT-R3050 imagesetter. For film sizes up to 558 mms	€ 250
	Techkon RT 120 Densitometer & LP 40 Light table  Densitometer for black/white	Year: 1999 SN: RT120.805039  Excellent condition Available: direct from stock	Densitometer for measurements of densities and dot values in reflection and transmission. Including calibration card, step wedge, films, loaders, manuals and protective cases (2 pieces).	€ 250
Plate- and film punches	Machine/type	Year/condition/available	Description/options	Price in Euros

	Universal Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: 52 cms	€ 85
	Rotaprint Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 35 holes Max. plate size: 45 cms	€ 125
	Carl Glisser Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: DIN A4	€ 50
	PER-7 Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates  Type: 23 holes Max. plate size: DIN A4	€ 30
	Bacher RP 22  Table-model plate punch  (we have 4 pieces available)	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 52 cm  Punch distance: 22,5 cms Max. plate size: 52 cms	€ 350

	Kieper Table-model plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 80 cm  Punch distance: 22,5 cms Max. plate size: 80 cms	€ 650
	SIS Pass Systems Table-model plate punch	Year: unknown SN: 5216  Excellent condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 80 cm  Punch distance: 42,5 cms Max. plate size: 78 cms	€ 650
	Heidelberg Table-model plate punch (we have 2 pieces available)	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 52 cm  Punch distance: 22,5 cms Max. plate size: 52 cms	€ 450
	Beil Bacher 425 Table-model plate punch	Year: unknown SN: 9151  good condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 67 cm with manual crank. Electric register control for exact punching  Punch distance: 42,5 cms Max. plate size: 67 cms	€ 650
	Bernard Prin & Cie Table-model plate punch	Year: unknown SN: unknown  good condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 65 cm with manual crank.  Punch distance: 22,5 cms Max. plate size: 65 cms	€ 450

	Bernard Prin & Cie  Table-model plate punch	Year: unknown SN: unknown  good condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 78 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 78 cms	€ 850
	Bacher 2045  Floor-model plate punch	Year: unknown SN: 7704  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050
	Bacher 2048  Floor-model plate punch	Year: unknown SN: 538  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 950
	Bacher 2005.01  Floor-model plate punch	Year: unknown SN: 1719  good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with foot pedal operation.  Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050
	Billows  Floor-model film- & plate punch	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Floor model film- and plate punch for plate size up to 160 cm. Electric punching with foot pedal. Special for large size offset machines like: MAN Ultra, Roland Ultra, Planeta Super Variant, Nebiolo, Marconi, Cab Tree etc.  Max. plate size: 160 cms	€ 1.750

Daylight control-mounting tables	Machine/type	Year/condition/available	Description/options	Price in Euros
	White Screen Normlight  Daylight control table	Year: 2009 SN: 7032  Excellent condition Available: direct from stock	Table model day light control table with inner light and 2 extern TL lights for quality control of prints up to 33 x 30 cms size.  Max. size: 33 x 30 cm	€ 150
	Croon Normlight  Daylight control table	Year: 2005 SN: na  Excellent condition Available: direct from stock	Floor model day light control table with 3 extern TL lights for quality control of prints up to 100 x 80 cms size. Including drawers for storage of prints, proofs, films and plates.  Max. size: 100 x 80 cm	€ 850
	Bieffe DuoLite  Film mounting table	Year: na SN: na  Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 74 x 60 cms size. Adjustable in height and inclination with footpedal. Including rulers and 3 drawers for storage.  Max. size: 74 x 60 cm	€ 250
	Croon  Film mounting table	Year: na SN: na  Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 85 x 65 cms size. Adjustable in inclination. Including rulers with magnifying glasses.  Max. size: 85 x 65 cm	€ 250
Copyframes & platemakers	Machine/type	Year/condition/available	Description/options	Price in Euros

	<p>Croon KOP67TT3000</p> <p>Plate exposure unit / Copy frame</p>	<p>Year: 1996 SN: 9608TT67</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</p> <p>Max. size: 80 x 67 cm Capacity: 3000 W bulb.</p>	€ 1.275
	<p>Polygraph 7100.2 CT 500</p> <p>Plate exposure unit / Copy frame</p>	<p>Year: 1997 SN: 03897</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model copy frame with professional digital programming and LCD display, 100 memories with each 5 steps, timers for exposures and vacuums, sensor control for lamp condition. Including: drawers, automatic stray foil screen, sensor etc. 220 V, 1 Ph, 50 Hz, 12A, 2,64 kW.</p> <p>Max. size: 55 x 45 cm Capacity: 2000 W bulb.</p>	€ 975
	<p>Theimer 3369 Nova</p> <p>Plate exposure unit / Copy frame</p>	<p>Year: 2002 SN: 2002030234</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc.</p> <p>Max. size: 74 x 60 cm Capacity: 2500 W bulb.</p>	€ 1.275
	<p>Theimer Copymat 3163 Multi Nova</p> <p>Plate exposure unit / Copy frame</p>	<p>Year: 2002 SN: 2002040005</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: frame for under the machine, stray foil screen, sensor etc. 230 V, 1 Ph, 50 Hz, 1 kW, 10 A.</p> <p>Max. size: 74 x 60 cm Capacity: 1000 W bulb.</p>	€ 775
	<p>Agfa Dupliphot 740</p> <p>Plate exposure unit / Copy frame</p>	<p>Year: na SN: 75-59155</p> <p>Used condition Available: direct from stock</p>	<p>Floor model copy frame with double sided vacuum window, professional and digital programming with 9 memories, for screen, timers for exposure (main light, opal light and pointlight) and vacuum. 220 V, 1Ph, 50 Hz, 2300 W.</p> <p>Max. size: 74 x 63 cm Capacity: 2000 W bulb.</p>	€ 925

Paper cutters and guillotines	Machine/type	Year/condition/available	Description/options	Price in Euros
	Eskofot 263E Plate exposure unit / Copy frame	Year: na SN: 260937  Excellent condition Available: direct from stock	Floor model copy frame with double sided vacuum window, professional and digital programming with 8 memories, for screen, timers for exposure (main light, opal light and pointlight) and vacuum. 220 V, 1 phase, 16 A, 50 Hz, 2500 W.  Max. size: 80 x 63 cm Capacity: 2000 W bulb.	€ 625
	Eskofot 242 Plate exposure unit / Copy frame	Year: na SN: na  Excellent condition Available: direct from stock	Table model copy frame with simple operating, timers for exposure and vacuum. Can be used for offset plates, polymer plates for letterpress etc. 220 V, 1 phase.  Max. size: 40 x 60 cm Capacity: 1500 W bulb.	€ 325
	Mitsubishi CP-Eco414S Direct platemaker	Year: 1997 SN: 57080-421119  Good condition Available: direct from stock	Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 220-240 V, 50/60 Hz, 1 Ph, 2.0 kW, 8.5 A.  Min./max. size: 225 x229 / 550 x 414 mms Capacity: 2.000 W bulb.	€ 425
	Eskofot 1440 Direct platemaker	Year: 1997 SN: 440416  Excellent condition Available: direct from stock	Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. It is possible to enlarge your original up to 105% and to shrink down to 64%. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 380 V, 3-phase.  Max. size: 510 x 404 mms Capacity: 2.000 W bulb.	€ 425

	<b>Adast Maxima MH80-2</b> Guillotine	Year: na SN: 13322  Excellent condition Available: direct from stock	Hydraulic paper cutter with electric pressing, electric size change and electric cutting. Analog read out on periscope. 2 hand operation. Tools and spare knife. 220 V, 3 Ph, 50 Hz, 12,7 A, 3,95 Kw.  Max. size: 800 mms Max pile height: 100 mms. Min. – max. pressure: 3-15 kN	€ 2.150
	<b>Adast Maxima MJ-46</b> Guillotine	Year: na SN: 5470034  Good condition Available: direct from stock	Paper cutter with manual pressing and size change and electric cutting. Analog read out on periscope. 2 hand operation. Tools and spare knife. 220 V, 1 Ph, 50 Hz, 12,7 A, 3,95 Kw.  Max. size: 460 mms Min. size: 18 mms Max pile height: 80 mms. Min. – max. pressure: 0-2.5 kN	€ 950
	<b>Ideal 5221-90</b> Guillotine	Year: 1992 SN: 1192563  Good condition Available: direct from stock	Electric paper cutter with digital read-out, electric size, pressing and cutting. All relevant safeties (2 hand operation, sensors). Manuals, tools and 1 spare knife. 220/230 V, 1 phase, 50 Hz, 1,4 Kw, 10,4 A.  Max. size: 520 mms Min. size: 25 mms Max pile height: 80 mms.	€ 1.250
	<b>Ideal 4850-95</b> Guillotine	Year: 1998 SN: 1945352  Good condition Available: direct from stock	Electric paper cutter with simple analog read-out, manual size, electric pressing and cutting. All relevant safeties (2 hand operation, shields, sensors).. Manuals, tools and 1 spare knife. 220 V, 1 phase, 50 Hz, 1,42 Kw, 10 A.  Max. size: 480 mms Min. size: 25 mms Max pile height: 80 mms.	€ 1.050
	<b>VS 46</b> Guillotine	Year: 1998 SN: unknown  Excellent condition Available: direct from stock	Cardboard- or offset plate cutter (very heavy cast iron table model) with manual operation of the pressure and the knife.  Max. size: 460 mms	€ 250

	Dahle 565  Guillotine	Year: na SN: na  Good condition Available: direct from stock	Compact table model paper cutter with manual operation of the pressure and the knife.  Max. size: A3+	€ 50
	Warrior punch  1 hole- and calendar punch	Year: 2018 SN: 68928509  Excellent condition (new in box) Available: direct from stock	One hole- and calendar thumbcut punch cutter for making holes and space for the wire 'O space hangers for calendars. Including paper guide.  Capacity: 100 sheets (of 80 gsm)	€ 75
	TM-2500B  Roll knife cutter	Year: na SN: na  Good condition	Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.).  Max. cutting length: 2500 mms Max. cutting thickness: 1.6 mms	€ 250
	Rowe 59  Roll knife cutter	Year: na SN: na  Good condition	Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.).  Max. cutting length: 1500 mms Max. cutting thickness: 1.6 mms	€ 150

	Pitney Bowes 1241  Automatic letter opener	Year: 2010 SN: 5484  Excellent condition Available: direct from stock	Automatic roll knife slitter for opening letters and envelopes. Very fast automatic friction feeder system, delivery tray. Can be used with all kinds of mixed envelopes. No confetti due to slitter opening action with separate waste removal.  Max. size: up to C4 size Max. thickness: 8 mms Speed: 400 letters/min.	€ 125
	Several knives for cutters/guillotines	Year: unknown SN: unknown  Available: direct from stock	1x Ideal 36 series / 1x Ideal 43 series 1x Ideal 48 series / 3x Ideal 52 series 2x Ideal 65 series 2x Ideal 72 series 1x EBA 55 series 4x Horizon 58/61 series 1x FL-92, Thungsten Carbide 3x Polar 72 1x Polar 92	€ 50 each € 50 each € 80 each € 80 each € 50 each € 80 each € 80 each € 80 each
	Several knives for cutters/guillotines	Year: unknown SN: unknown  Available: direct from stock	2x three knife cutter Perfecta SDY	€ 150 each
	Tarnator 350  paper shredder	Year: 1985 SN: 6206  Excellent condition Available: direct from stock	Manual high speed shredder with roller feeder. Retractable for easy use or storage.  Max. size: 30 cm width Max. paper height: 3 mms	€ 350
	LDG 450  paper shredder	Year: na SN: na  Excellent condition Available: direct from stock	Manual heavy duty high speed shredder with roller feeder. Retractable for easy use or storage.  Max. size: 45 cm width Max. paper height: 15 mms	€ 350

Lift- and turning machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Shelby 5331  palletlift	Year: unknown SN: unknown  Available: direct from stock Good condition	Manual hand winch operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage.  Max. size 100x80 cms Max. lift height: 105 cms Capacity: up to 250 kgs	€ 150
	Tawi  Minilift 8531  Electric lift	Year: 2014 SN: 3114954  Available: direct from stock Good condition	Electric winch (battery operated (2 new batteries – December 2018), chargeable) for easy lifting boxes or reels of film/paper. Adaptable sensor to lift automatically up to the max. height. On wheels, so retractable for use on more machines or for easy storage. 240 A  Max. size 60x40 cms Max. lift height: 145 cms Capacity: up to 70 kgs	€ 550
	Intraboss  Handy 800E  palletlift	Year: 1996 SN: 997001  Available: direct from stock Used condition (battery needs replacement)	Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.  Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs	€ 250
	Intraboss  Handy 800E  palletlift	Year: 1996 SN: 997002  Available: direct from stock Good condition (battery needs replacement)	Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.  Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs	€ 250

	Lafis LEI 16 C  Mobile pallet lift	Year: 1997 SN: 32925  Excellent condition Available: direct from stock	Movable pallet lift, motor driven, operation console on steering stick. Including SPE 24 Volt automatic battery loader with analog display.  Up to size: 120 x 100 cms Max. pallet size: 120 x 100 cms Max lifting height: 12 cms. Capacity: 1.600 kgs.	€ 1.500
	Schneider Senator PL2  palletlift	Year: 1970 SN: 8395  Available: direct from stock Good condition	Electrical and hydraulic operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage.  Max. size 140x102 cms Max. lift height: 95 cms Capacity: up to 1000 kgs	€ 950
	Meyer 1000 Stapelwender  Pile turner  <a href="https://youtu.be/rlijfXqkteM">https://youtu.be/rlijfXqkteM</a>	Year: 1991 SN: 006/025  Excellent condition Available: direct from stock	Stationary paper pile turner with automatic pick up, automatic clamps, operating console, motor driven,  Up to size: 800 x 120 cms. Max. pile height: 120 cms. Capacity: 1.000 kgs.	€ 3.850
	Krifft Roeger Stapelwender  Pile turner	Year: 2004 SN: 371  Excellent condition Available: direct from stock	Stationary roll in – roll out automatic paper pile turner, motor driven, including all safety parameters around the machine. No pit required  Up to size: 95 x 140 cms. Max. pile height: 140 cms. Capacity: 1.200 kgs.	€ 3.850
	Diesse Maxi Toppy  Mobile pile turner  <a href="https://youtu.be/VooAbnzJlmM">https://youtu.be/VooAbnzJlmM</a>	Year: 1998 SN: 10581  Excellent condition Available: direct from stock	Movable heavy duty paper pile turner, motor driven, operation console. Including Belatron 24 Volt automatic battery loader with lcd display.  Max. pallet size: 160 x 120 cms. Max loading height: 150 cms. Capacity: 1.500 kgs.	€ 8.500

Stitching- and stapling machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bostitch 14  Wire-stitcher  <a href="https://youtu.be/0Fnbf6lUsQ">https://youtu.be/0Fnbf6lUsQ</a>	Year: unknown SN: 6080W  Good condition Available: direct from stock	Floor model electric 1-head long arm wirestitcher with foot pedal operation. Suitable for box- and cardboard stitching in order to produce cardboard boxes and cardboard crates etc.  Back gauge distance: 300 mms Thickness: up to 10 mms	€ 1.050
	Bizzozero 108B  Wire-stitcher	Year: na SN: 4457  Excellent condition Available: direct from stock	Floor model electric 1-head wirestitcher with foot pedal operation. Suitable for block- and saddle stitching in order to produce blocks, books, booklets, brochures, magazines etc. 380 V, 3 Ph.  Size register table: 610 x 210 mms Back gauge distance: 320 mms Thickness: up to 15 mms	€ 1.150
	Bostitch 17 EW  Wire-stitcher	Year: na SN: G1787009  Excellent condition Available: direct from stock	Floor model electric 3-head wirestitcher with foot pedal operation. Suitable for block- and saddle stitching in order to produce blocks, books, booklets, brochures, magazines etc.. 220 V, 1 Ph.  Size register table: 840 x 170 mms Back gauge distance: 250 mms Thickness: up to 10 mms	€ 1.650
	Brehmer  Wire-stitcher	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model 1-head wirestitcher with manual crank and foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc.  Size register table: 220 x 275 mms Back gauge distance: 20 mms Thickness: up to 8 mms	€ 450
	Nagel Multinak  2-head stapler	Year: unknown SN: 6276  used condition Available: direct from stock	Floor model 2-head stapler with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc.  Size register table: 320 x 550 mms Back gauge distance: 150 mms Thickness: up to 8 mms	€ 100

Drilling machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Stago PB-1008  1-spindle electric drill	Year: 1999 SN: 991734  Available: direct from stock Excellent condition	1 drilling head, table model with 1 drilling head, mechanic pressure, waste removal and an adjustable register board. 220 V, 1 Ph, 180 W, 50 Hz.  Drill diameter capacity: 2 – 10 mm Max. drilling depth capacity: 50 mm Back gauge adjustment: 0 - 48 mm Table size: 450 x 360 mm	€ 450
	Hang 157  1-spindle electric drill	Year: na SN: 50786  Available: direct from stock Good condition	1 drilling head, 380 Volt machine, table model with 1 drilling head, mechanic pressure, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 8 mm Max. drilling depth capacity: 50 mm Back gauge adjustment: 0 - 40 mm Table size: 310 x 630 mm	€ 250
	Pescha 405/14  1-spindle electric drill	Year: na SN: na  Available: direct from stock Good condition	1 drilling head, 380 Volt machine, table model with swivelling drilling head, mechanic pressure, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 8 mm Max. drilling depth capacity: 50 mm Back gauge adjustment: 0 - 102 mm Table size: 295 x 430 mm	€ 250
	Kobold KOE 5268129  1-spindle electric drill	Year: na SN: 2653118  Available: direct from stock Good condition	1 drilling head, 220 Volt machine, floor model with swivelling drilling head, mechanic pressure with footpedal operation, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 8 mm Max. drilling depth capacity: 50 mm Back gauge adjustment: 0 - 102 mm Table size: 720 x 420 mm	€ 350

	Foellmer SP-2  2-spindle electric drill	Year: 1992 SN: 229  Available: direct from stock Good condition	2 drilling heads, 220 Volt machine, table model with fixed distance between drills, mechanic pressure, waste removal and an adjustable register board.  Drill diameter capacity: 2 – 15 mms Fixed distance between drills: 80 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 100 mms Table size: 400 x 600 mms	€ 550
	OMM Venus  2-spindle electric drill	Year: na SN: na  Available: direct from stock Good condition	2 drilling heads, 380 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board.  Drill diameter capacity: 3 – 14 mms Adjustable distance between drills: 45 - 115 mms Max. drilling depth capacity: 80 mms Back gauge adjustment: 0 - 100 mms Table size: 350 x 650 mms	€ 950
	Rationella Maskiner AB Iram-12  3-spindle electric drill	Year: 2000 SN: 1584  Available: direct from stock Excellent condition	3 drilling heads, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board. 400 V, 3 Ph, 50 Hz, 3.5 A.  Drill diameter capacity: 3 – 12.7 mms Adjustable distance between drills: 60 - 210 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 0 - 140 mms Table size: 440 x 760 mms	€ 950
	Hang 117-01  2-spindle electric drill	Year: 2010 SN: 101892  Available: direct from stock Excellent condition	2 drilling heads, table model with adjustable distance between drills, waste removal and an adjustable register board with tabs. Crank operation. 380 V, 3 Ph, 50/60 Hz  Drill diameter capacity: 3 – 10 mms Adjustable distance between drills: 45 - 160 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 6 - 130 mms Table size: 780 x 430 mms	€ 1.350
	Hang 107-30  2-spindle electric drill	Year: 1992 SN: 92 589  Available: direct from stock Used condition	2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, hydraulic pressure, waste removal and an adjustable register board. Foot pedal operation.  Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 6 - 130 mms Table size: 480 x 600 mms	€ 950

	<p>Hang 1060120</p> <p>2-spindle electric drill</p>	<p>Year: na</p> <p>SN: 17116</p> <p>Available: direct from stock</p> <p>Good condition</p>	<p>2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, mechanic pressure, waste removal and an adjustable register board. Foot pedal operation.</p> <p>Drill diameter capacity: 2 – 15 mms</p> <p>Adjustable distance between drills: 60 - 300 mms</p> <p>Max. drilling depth capacity: 60 mms</p> <p>Back gauge adjustment: 0 - 350 mms</p> <p>Table size: 830 x 690 mms</p>	€ 650
<b>Letterpress machinery</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	<p>Heng Xin</p> <p>Mini laser PE-40B</p> <p>Laser engraving</p>	<p>Year: na</p> <p>SN: na</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Laser engraving machine for eg. rubber stamps etc., servo driven with water cooling and smoke exhaust</p> <p>Max. size: 120 x 100 mms</p> <p>Engraving speed: 200 - 300 mm/min.</p>	€ 350
	<p>Heidelberg</p> <p>OHT</p> <p>Tiegel/platen/letter press</p>	<p>Year: 1953</p> <p>SN: T 46452</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>For numbering, perforating, slitting, scoring, embossing and die-cutting.</p> <p>Min. size: 40 x 70 mms</p> <p>Max. size: 260 x 380 mms</p> <p>Paperweight: 28 / 400 gsm</p> <p>Speed: 1.600 – 5.500 sh/hr.</p>	€ 1.250
	<p>Heidelberg</p> <p>OHT</p> <p>Tiegel/platen/letter press</p>	<p>Year: 1961</p> <p>SN: T 130184 N</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>For numbering, perforating, slitting, scoring, embossing and die-cutting.</p> <p>Min. size: 40 x 70 mms</p> <p>Max. size: 260 x 380 mms</p> <p>Paperweight: 28 / 400 gsm</p> <p>Speed: 1.600 – 5.500 sh/hr.</p>	€ 1.350

	<p>Adast Grafopress GPC Tiegel/platen/letter press <a href="https://youtu.be/kEzSmn592aw">https://youtu.be/kEzSmn592aw</a></p>	<p>Year: 1974 SN: Excellent condition Available: direct from stock</p>	<p>For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr.</p>	€ 1.050
	<p>Adast Grafopress GPC Tiegel/platen/letter press</p>	<p>Year: 1971 SN: Excellent condition Available: direct from stock</p>	<p>For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr.</p>	€ 950
<b>Cutting, slitting, creasing</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	<p>Duplo DocuCutter DC-545HC Automatic creaser/slitter/cutter</p>	<p>Year: 2003 SN: 030959761 Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with 80 memories and LCD display operation. Automatic friction feed (AF-100) operation with cutting, creasing and slitting in one pass (6 slits, 10 cuts and 4 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.56 A. Min. / max. paper size: 120 x 210 mms / 457 x 320 mms Paperweight: 110 – 230 gsm Speed: up to 12 sheets/min.</p>	€ 2.650
	<p>Duplo DocuCutter DC-545HC Automatic creaser/slitter/cutter</p>	<p>Year: 2004 SN: 040251764 Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with 80 memories and LCD display operation. Automatic friction feed (AF-100) operation with cutting, creasing and slitting in one pass (6 slits, 10 cuts and 4 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.56 A. Min. / max. paper size: 120 x 210 mms / 457 x 320 mms Paperweight: 110 – 230 gsm Speed: up to 12 sheets/min.</p>	€ 2.650

	<p><b>Cyklos GPM 450 SA</b> Semi-automatic creaser/perforator</p>	<p>Year: 2011 SN: 09090848</p> <p>Excellent condition Available: direct from stock</p>	<p>A2 size table model electric and programmable creasing equipment with set-up in a digital colour LCD touch screen display, simple job change operation, register table. Can also be used for laminated products. Manual feed and motorized transport of the sheet into the machine and electric creasing/perforating (up to 15 lines on 1 sheet can be programmed). Including: 3 creasing bars (1,0 for up to 150 gsm; 1,4 for up to 250 gsm; and 1,6 for up to 400 gsm. 230 V, 1 Ph, 50 Hz.</p> <p>Max. paper width: 450 mms Paperweight: 80 – 250 gsm (perforating) Paperweight: 80 – 400 gsm (creasing) Speed: 1.500 sheets/hr.</p>	€ 2.250
	<p><b>Rollem Champion</b> creaser/perforator</p>	<p>Year: na SN: E1287/645</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model heavy duty creasing, cutting, slitting and perforating equipment with manual friction feeder. Can also be used for laminated products. Friction feed and motorized transport of the sheet into the machine and electric creasing. Including: 2 creasing wheels. 230 V, 1 Ph, 50 Hz.</p> <p>Max. paper width: 460 mms Paperweight: 120 – 300 gsm Table size: 460 x 650 mms Speed: 18.000 sh/hr.</p>	€ 950
	<p><b>Pernuma 1480F</b> Creaser</p>	<p>Year: 1961 SN: 1643</p> <p>Excellent condition Available: direct from stock</p>	<p>floor model heavy duty creasing equipment with foot pedal operation, register table and delivery table on top.</p> <p>Max. paper width: 610 mms Paperweight: 30 – 350 gsm Table size: 610 x 800 mms</p>	€ 950
	<p><b>Pernuma 1480F</b> Perforator (post stamp)</p>	<p>Year: 1971 SN: 5239</p> <p>Excellent condition Available: direct from stock</p>	<p>floor model heavy duty post stamp perforating equipment with foot pedal operation and register table with adjustable rulers .</p> <p>Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 510 x 800 mms</p>	€ 850
	<p><b>Bickel HK65-electric</b> Perforator (post stamp)</p>	<p>Year: na SN: 8075</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model heavy duty post stamp perforating equipment with electric operation, register table and delivery table on top. Including foot pedal. 380 V, 3 phase.</p> <p>Max. paper width: 650 mms Paperweight: 30 – 250 gsm Table size: 650 x 1.100 mms</p>	€ 1.250

	Bickel HK3/50-electric Creaser	Year: 1986 SN: 30901  Excellent condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table and delivery table on top.. Including foot pedal. 220 V, 1 phase.  Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 500 x 700 mms	€ 1.050
	Zechini Gra-for Creaser	Year: 1989 SN: RMI 501  Good condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table. Including foot pedal. 220 V. 1 phase.  Max. paper width: 450 mms Paperweight: 30 – 350 gsm Table size: 450 x 600 mms	€ 1.050
	Universal Creaser	Year: na SN: na  Excellent condition Available: direct from stock	Table model creasing equipment with manual crank operation, register table.  Max. paper width: 520 mms Paperweight: 30 – 350 gsm Table size: 520 x 600 mms	€ 180
	Universal Punch	Year: na SN: na  Good condition Available: direct from stock	Table model single head punching equipment with manual crank operation. Can be used for paper, cardboard, offset plates, labels, leather etc.	€ 80
	Deritend 43 ST Creaser / scorer for boxmaking	Year: na SN: 720  Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise creasing- and scoring equipment with manual feeder and electric operation. Including adjustable 2 rill-scoring wheels and adjustable delivery table. Machine is designed to crease cardboard for cartons and cardboard boxes.  Max paper size: 1040 mms width Paperweight: 200 – 650 gsm Speed: 148 rpm	€ 1.850

	Deritend 34-DS  Cutter / slitter for boxmaking	Year: na SN: 54  Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Machine is designed to cut / slit cardboard for cartons and cardboard boxes up to 18 cms lengthwise.  Max papersize: 1300 mms width Cutting length: up to 18 cms. Paperweight: 200 – 650 gsm Speed: 370 rpm	€ 1.450
	Universal  Cutter / slitter	Year: na SN: na  Excellent condition Available: direct from stock	Table model easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Stainless steel working blade and delivery.  Max papersize: 720 x 1000 mms Paperweight: 80 – 350 gsm	€ 850
<b>Laminating and varnish machines</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	ATC 24UV  UV coater and liquid laminator	Year: 2009 SN: 9041011  Excellent condition Available: direct from stock	Manual fed UV coater and liquid laminator for cost effective enhancing print work, photos, albums, business cards, direct mail pieces, fleet graphics, wall coverings etc. It can run all kinds of gloss, matte, universal or white UV curable liquid coatings. Suitable for paper, cardboard, corrugated materials, styrene, chloroplast, foam board, metal and other printable media. Adjustable thickness control, speed, pumps for filling the coating tank, cleaning tanks, exhaust and standard delivery tray. 380 V, 3 phase.  Max width: 630 mms Max nip width: 30 mms Max coating thickness: up to 30 microns Speed: 0-30 m/min.	€ 6.250
	Neschen Seal Image 62 Plus  Hot- and cold laminator	Year: 1999 SN: 1575-08-631/8.0  Excellent condition Available: direct from stock	Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc.  Max width: 1600 mms Max nip width: 29 mms Speed: 0-1.8 m/min.	€ 4.250

	Morane Junior Hot laminator	Year: na SN: na  Excellent condition Available: direct from stock	High speed table top laminating machine for hot laminating materials. Simple electric operation with footpedal, unwind and rewind shaft etc. Including 3 new rolls. 220 V, 1 phase.  Max width: A4+ size Max nip width: 50 mms Speed: 0.3 – 3 m/min.	€ 350
	Sallmetall S880  Cold laminator	Year: 1988 SN: 34470  Excellent condition Available: direct from stock	High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase.  Max width: 880 mms Max nip width: 50 mms Speed: 0.3 – 3 m/min.	€ 950
<b>Winders and rewinders</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Leomat F400H  Label control and slitter/rewinder	Year: 2000 SN: 242.0500  Excellent condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with BST EKR 1000 web guide and tension control. Digital operation with monitor. For rewinding rolls in perfect register to smaller size rolls. During the process the labels can be counted and checked for quality and missing. Labels. 400 V, 3 Ph, 20 A.  Web width: up to 410 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 650 mms Shaft diameter unwind: 70 & 76 mms / shaft diameter rewind: 30 – 150 mms Speed: 0 – 250 m/min	€ 14.500
	Rotoflex VSI 330  Label control and slitter/rewinder	Year: 1992 SN: VSI15411920716  Good condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 18 A, 50 Hz.  Web width: up to 330 mms Roll diameter max. unwind: 711 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 250 m/min	€ 8.500

Machine/type	Year/condition/available	Description/options	Price in Euros	
	Rotoflex S1000 Label control and slitter/rewinder	Year: 1986 SN: S215-860712  Good condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 15 A, 50 Hz.  Web width: up to 250 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 230 m/min	€ 6.500
	Rotoflex S1000 Label control and slitter/rewinder	Year: 1988 SN: S270-880323  Good condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 15 A, 50 Hz.  Web width: up to 250 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 230 m/min	€ 6.500
	Allan Datagraph DFS 16" / i-Tech  Digital finishing system	Year: 2008 SN: D0710806C  Working hours: less than 500  Excellent condition (like new) Available: direct from stock	Servo driven digital finishing systems for laminating, die cutting, slitting, weeding and re-rolling label materials. It will work in combination of all web format printers and flexo presses up to 410 mms web width. Cold laminating, die cutting, slitting etc are all done digitally without changes of die rollers etc.  Web width: 254 - 410 mms Speed: 0 – 50.8 mms/sec	€ 6.500
	Menzel Winder/rewinder	Year: 1998 SN: 85886  Excellent condition Available: direct from stock	114 cms width electro-pneumatic-hydraulic floormodel winder/rewinder equipment with operating panel. Machine can be integrated into all kind of web- or roll-to-roll machinery (inspection, paper, textile, non-woven, foils, self-adhesives etc.)  Web width: 1020 mms Roll diameter: 600 mms (1.000 mms) Core diameter: 75 mms Max. winding speed: 120 m/min.	€ 4.500
	Roll Systems (by Böwe) 80015801-57  Unwinder	Year: 2005 SN: 10305  Excellent condition Available: direct from stock	595 mms width electro-hydraulic floormodel driven unwinder equipment with operating panel and decurler. The roll is lifted into the machine with a hydraulic lift and only with one push on the button. The unwinder can be integrated into all kind of web- or roll-to-roll machinery (small rotation offset, flexo, digital rotation printers, mailing lines etc.). Machine is on wheels for easy placement or storage. 220 V, 1 phase.  Web width: 595 mms Max. roll weight: 450 kgs Core diameter: 75 mms	€ 2.500

	Kohmann CD 1  Production line for CD wallets	Year: 1989 SN: 12002/3  Excellent condition Available: direct from stock	Air suction rotary feed cd wallet production machine (vacuum), non-stop top feeder, 3 cutting units, creaser unit, 2 side folders (flip mounts), programmable hotmelt gluing device with 2 application nozzles for gluing, 1 pocket folder, end-trimmer, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pumps and long delivery conveyor belt.  Speed: 105 m/min. (200 pc/min.)	€ 9.950
	GUUK FA 72/4 F4  Folder gluer	Year: 1986 SN: 23547  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, programmable digital gluing device (HHS, type C-210) with 2 application nozzles for continuous or pattern gluing (e.g. spot-closing), knife shafts for gluing, creasing- and perforating knives, noisehoods, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pump and retractable delivery conveyor belt (type S720).  Min. / max papersize: 150x190 mm / 720x1040 mm  Speed: 1.000 – 40.000 sh/min.	€ 4.950
<b>Folders</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	MBO K65 / 4 KL-FS  Folder	Year: 1993 SN: 62930102 / 930214207  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with vaculift, vacuum belt feeder, 4 strokes on 1 <sup>st</sup> section, 2 electric knife cross folders, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating. All safeties. 200 V, 3 Ph, 50 Hz, 21 A.  Min. / max papersize: 150x200 mm / 650x960 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 22.000 or 45.000 sh/min.	€ 7.950
	MBO T54-1-54/4 / T54-2-54/4  Folder	Year: 1993 SN: K.07-26  Good condition (4 small belts need attention) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes on 1 <sup>st</sup> section, retractable cross unit with 4 strokes on the 2 <sup>nd</sup> section, digital operation console on the machine with counter and delivery conveyor belt with deep pile stacker. Creasing and perforating possible. All safeties and noisehoods.  Min. / max papersize: 105x150 mm / 540x890 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 22.000 or 45.000 sh/min.	€ 4.950

	MBO T49-1-49/4 & T49-2-X  Folder	Year: 1990 SN: G10/11  Good condition Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, 1 electric knife folder, noisehoods, digital operation console on the machine with counter and hook on delivery conveyor belt. Creasing cutting and perforating possible.  Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 45.000 sh/min.	€ 3.250
	MBO T49-1-49/4  Folder	Year: na SN: E11/50  Good condition (all rollers renewed in 2018) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating possible.  Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms.  Speed: 1.000 – 45.000 sh/min.	€ 2.950
	Stahl T 47/4-FA  Folder	Year: 1981 SN: 19447  Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, noisehoods, digital operation console on the machine with counter and delivery belt.  Min. / max papersize: 105x145 mm / 470x640 mm Paperweight: 40 – 250 gsm Minimum fold: 40 mms  Speed: 50 – 150 m/min	€ 2.150
	Shoei Star SPT52  Folder	Year: 1999 SN: 2842  Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with paper separator, 4 strokes, 1 electric knife folder, noisehoods, digital operation console on the machine with sheet checker, counter and retractable delivery belt. Including creasing, perforating and scoring wheels.  Min. / max papersize: 120x135 mm / 520x740 mm Paperweight: 40 – 250 gsm Minimum fold: 65 mms  Speed: 40.000 sh/hr.	€ 3.450
	Faltex 712-236.001  Folder	Year: na SN: 1303  Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and an extra-long conveyor belt delivery. Heavy duty compressor/pump. 220 V, 1 phase.  Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm  Speed: 30.000 sh/hr	€ 850

	Sofrapli 385AB  Folder	Year: 1994 SN: 944428  Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation with LCD counter and delivery belt. Safeties and noisehood. Heavy duty compressor/pump in noise reducing box.  Min. / max papersize: 105x150 mm / 380x650 mm Minimum fold: 40 mms Min. / max. paperweight: 45- 250 gsm  Speed: 25.000 sh/hr	€ 1.750
	Stahl T32/1  Folder	Year: 1995 SN: 65810/95  Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase.  Min. / max papersize: 76x127 mm / 355x508 mm Minimum fold: 57 mms Paperweight: 40-250 gsm  Speed: 35.400 sh/hr.	€ 2.950
	Morgana UFO 1  Folder	Year: 2002 SN: 01348UUKAB  Good condition Available: direct from stock	Floor model vacuum suction feed folder with flatpile feeder, vacuum feeder wheel, 2 strokes, noise hoods, digital operation on the machine, counter and long delivery belt. Including perforating wheels. 220 V, 50 Hz, 1 phase, 9,5 A.  Min. / max papersize: 150x120 mm / 640x457 mm Minimum fold: 35 mms Paperweight: 45-240 gsm  Speed: 30.000 sh/min.	€ 1.650
	Morgana UFO 5  Cross folder	Year: 2002 SN: 035192ZKAC  Good condition Available: direct from stock	Floor model cross folder with extra-long roller feeder table, 2 strokes, noise hoods, digital operation on the machine, counter, connection to an optional conveyor belt delivery. 220 V, 50 Hz, 1 phase, 2.0 A.  Min. / max papersize: 100x100 mm / 457x320 mm Minimum fold: 35 mms Paperweight: 45-240 gsm  Speed: 20.000 sh/min.	€ 1.150
	OCE 931  Plan folder	Year: 2002 SN: 42592  Good condition Available: direct from stock	Floor model manual feed plan folder for folding large size technical drawings to DIN A4 size end result.  Min. / max paperwidth 1150mm Min. / max paperlength: 420 mm / 4000 mm Fixed fold: 210 mms Paperweight: 40-200 gsm	€ 250

Delivery equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bourg BBR JS80140-W  Stacker delivery	Year: 2005 SN: 11342150  Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery.  Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850
	GUK  Small size delivery	Year: na SN: na  Used condition Available: direct from stock	Retractable and mobile, height adjustable small size delivery for pharmaceutical GUK (or other brand) folders. Undependable driven with its own motor.  Max paperwidth: 430 mm	€ 350
	Pitney Bowes Speed Sort SS CON09-TUV-XX  Conveyor belt delivery	Year: 2008 SN: 0804129  Excellent condition (new and never used) Available: direct from stock	Retractable conveyor belt for online use with all kind of mailing equipment. Machine has air supply for easy layout of paper, envelopes or other mail results.  Belt length: 260 cms Belt width: 26 cms.	€ 950
	MBO P-92  Pressing unit	Year: 1980 SN: 80065384  Good condition Available: direct from stock	Heavy duty pressing unit for compressing single signatures from one-up to multiple-up production. Easy retractable. Fast and easy format adjustment without use of tools. Including interface to MBO folders. Retractable on wheels for easy storage.  Max. size: 920 mms Max. pressure: 20.000 N. Speed: 50-180 m/min.	€ 2.000

	OMG Multiplo P850  Stacker delivery	Year: 1985 SN: 647  Good condition Available: direct from stock	Signature presser/stacker. For flat batched delivery of folded signatures with pressing attachment. Automatically forms 1, 2 or more batches of preselected, counted and stacked signs. Works independently and with any brand or make of folding- or gathering machines. Adjustable infeed height, 4 pressing rollers and delivery air table. Retractable on wheels for easy storage.  Max. width: 850 mms	€ 3.500
	Rima Systems RS-10S 9-1/4"  Stacker delivery	Year: 1992 SN: 102726-10  Good condition Available: direct from stock	Automatic high speed compensating stacker for behind saddle stitchers, perfect binders, mailing lines and inserters. Adaptable feeder height from 629 – 1054 mms. Quick non-tool setup, various delivery directions (left or right, alternating or straight out with conveyor belt. All on wheels for convenient storage when not in use. 380 V, 3 phase, 50 Hz, 3,9 A, 1.5 kW, 5.5 bar and 45 l/min air consumption.  Max./ min. size: 320 x 470 / 127 x 152 mms Product thickness: 1 – 32 mms Stacking height: 127 – 330 mms Speed: up to 18.000 product/hour	€ 2.500
<b>Collators and bookletmakers</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	CP Bourg - Ordibel Ordinella 615  Collator	Year: 1986 SN: 4054/7457  Excellent condition Available: direct from stock	Collator (15 bins) with friction collating, programming; double sheet detection; counter and zig-zag delivery.  216 x 275 mm. size (min) 216 x 330 mm. size (max)	€ 400
	Duplo DC-1200H  Collator	Year: na SN: 10101438  Excellent condition Available: direct from stock	Collator (12 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr.	€ 850
	Duplo DC-8 Mini  Collator	Year: na SN: 90103703  Good condition Available: direct from stock	Collator (8 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase, 50 Hz, 0,7 A..  139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr.	€ 450

	Plockmatic 410 Collator	Year: na SN: 410092318  Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  120 x 210 mm. size (min) 216 x 356 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 750
	Plockmatic 310 Collator	Year: na SN: 310034881  Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase.  120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 1.100
	Uchida AR-8 Collator	Year: 2002 SN: 02250045  Excellent condition Available: direct from stock	Collator (8 bins) with vacuum suction collating, programming; jamming; double sheet detection; pre-set counter and jogger delivery. Manual and partsbook (English). 220 V, 1 Ph, 1.8 A.  95 x 150 mm. size (min) 328 x 470 mm size (max). Paperweight: 45 – 250 gsm. Speed: 2.400 sets/hr.	€ 2.850
	Watkiss Vario Pro 8, Bookmaster Pro30, Trimmaster Pro30 Collator and finishing system	Year: 2015 SN: WA/VAR/6148, WA/BMP/1519, WA/TMP/1476  Excellent condition Available: direct from stock	Collator (8 bins) fully automatic (change and size), with vacuum suction collating, programming on colour touch screen; jamming; double sheet detection and pre-set counter. Including easy retractable Watkiss BookmasterPro30 booklet maker, data cable for communication, 2 staplers, folder, trimmer and a conveyor belt delivery. Manual and partsbook (English)  140 x 210 mm. size (min) 364 x 520 mm size (max). Paperweight: 40 – 300 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 3.000 - 7.200 sets/hr.	€ 4.850
	Horizon AC-8000S, SPF-10, FC-10 Collator and booklet maker	Year: 1998 SN: 57231, 25028, 12027  Good condition Available: direct from stock	Collator (8 bins) with vacuum suction collating, digital operating panel with programming; jamming; double sheet detection and pre-set counter. Including Horizon finishingline, 2 Hohner wire stitchers (saddle-, block- and corner stitching), folder, trimmer, a conveyor belt delivery and a jogger unit. Manual and partsbook (English)  148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 23 – 209 gsm. Max. thickness: 40 sheets of 80 gsm Speed: 1.600 - 2.600 sets/hr.	€ 4.850

	<p>Horizon MC-80a, SPF-11, FC-11 Collator and booklet maker</p> <p>Year: 2000 SN: 034012</p> <p>Good condition Available: direct from stock</p>	<p>Collator (8 bins) with vacuum suction collating, digital operating panel with programming; jamming; double sheet detection and pre-set counter. Including Horizon finishing line, 2 Magnatek Interlake wire stitchers (saddle-, block- and corner stitching), folder, trimmer, a conveyor belt delivery and a jogger unit. Manual and partsbook (English). 400V, 50 Hz, 1.7 kW.</p> <p>148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 52 – 260 gsm. Max. thickness: 40 sheets of 80 gsm Speed: 2.050 - 3.500 sets/hr.</p>	€ 4.850
	<p>Plockmatic 310+ &amp; 61 Collator and booklet maker</p> <p>Year: 2003 SN: 310A0065 &amp; 61071270</p> <p>Good condition Available: direct from stock</p>	<p>Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase.</p> <p>200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr.</p>	€ 1.650
	<p>Plockmatic 310+ &amp; 61 Collator and booklet maker</p> <p>Year: 2003 SN: 310071159 &amp; 61061278</p> <p>Used condition Available: direct from stock</p>	<p>Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase, 2 A.</p> <p>200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr.</p>	€ 950
	<p>Duplo DC-8 Mini &amp; KAS Fold Collator and booklet maker</p> <p>Year: na SN: 20201713 &amp; 8360</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (8 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including KAS booklet maker, counter, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 230 V, 1 phase.</p> <p>148 x 210 mm. size (min) 297 x 420 mm size (max). Paperweight: 50 – 130 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 2.000 - 3.300 sets/hr.</p>	€ 1.050
	<p>Duplo DBM-100 Bookletmaker</p> <p>Year: 1995 SN: 70301561</p> <p>Booklets: na</p> <p>Good condition Available: direct from stock</p>	<p>Manual and online bookletmaker, folder with 2 staplers (DBM-100), and short delivery belt. Including programs and automatic digital settings for format and size with tip-touch operation.</p> <p>Max. size: 320x450 mm. Min. size: 200x200 mm. Capacity: 25 sheets of 80 gsm Speed: 2.400 sets/hr.</p>	€ 675

	<p><b>Watkiss TrimMaster Pro30</b> Trimmer</p>	<p>Year: 2015 SN: 1169</p> <p>Booklets: na</p> <p>Good condition Available: direct from stock</p>	<p>Trimmer (online) for Watkiss collating lines and bookletmakers. Programs and operation through the Watkiss collator operating panel.</p> <p>Max. size: 482x320 mm Min. size: 210x140 mm. Max. trim: 25 mm Capacity: 30 sheets of 80 gsm Speed: 2.500 sets/hr.</p>	€ 875
	<p><b>Plockmatic SR90+</b> Bookletmaker</p>	<p>Year: na SN: RZP 1548900024</p> <p>Booklets: only 64.000 !</p> <p>Good condition Available: direct from stock</p>	<p>Full automatic bookletmaker, folder with 2 staplers, and delivery belt. Including programs and automatic digital settings for format and size with tip-touch operation. Coupling online to copier or printer is possible.</p> <p>Max. size: 297x420 mm. Min. size: 216x280 mm. Paperweight: 64 – 240 gsm Capacity: 20 sheets of 80 gsm Speed: 3.000 sets/hr.</p>	€ 975
	<p><b>Plockmatic 61</b> Bookletmaker</p>	<p>Year: na SN: 61051029</p> <p>Booklets: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A.</p> <p>Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.</p>	€ 1.075
	<p><b>Plockmatic 61</b> Bookletmaker</p>	<p>Year: na SN: 61071221</p> <p>Booklets: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A.</p> <p>Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.</p>	€ 1.075
	<p><b>Plockmatic 60</b> Bookletmaker</p>	<p>Year: na SN: 60003471</p> <p>Booklets: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Manual feeder bookletmaker manual feed, folder, 2 staplers and standard delivery tray. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A.</p> <p>Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.</p>	€ 975

	<p>Nagel Foldnak 4</p> <p>Bookletmaker</p>	<p>Year: 1998 SN: 982880</p> <p>Booklets: unknown</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. 220 V, 1 phase.</p> <p>Type of staples: 26/6, 26/8S, Ri26/6</p> <p>Max. size: 345x450 mms</p> <p>Min. size: 140x210 mms</p> <p>Paperweight: 45-240 gsm</p> <p>Max thickness: 2.5 mms (25 sheets of 80 gsm)</p> <p>Speed: 1.200 booklets/hr.</p>	€ 1.075
	<p>Nagel Foldnak 4</p> <p>Bookletmaker</p>	<p>Year: 2006 SN: 2554004</p> <p>Booklets: unknown</p> <p>Good condition</p> <p>Available: direct from stock</p>	<p>Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. 220 V, 1 phase.</p> <p>Type of staples: 26/6, 26/8S, Ri26/6</p> <p>Max. size: 345x450 mms</p> <p>Min. size: 140x210 mms</p> <p>Paperweight: 45-240 gsm</p> <p>Max thickness: 2.5 mms (25 sheets of 80 gsm)</p> <p>Speed: 1.200 booklets/hr.</p>	€ 1.175
	<p>Takofold 100E</p> <p>Bookletmaker</p> <p><a href="https://youtu.be/yf8LYysFAAM">https://youtu.be/yf8LYysFAAM</a></p>	<p>Year: unknown SN: 3122</p> <p>Booklets: unknown</p> <p>Excellent condition</p> <p>Available: direct from stock</p>	<p>Manual feeder bookletmaker with folder, 2 staplers, a pressing station for nice pressed folds and a short delivery belt. 220 V, 1 phase, 50 Hz.</p> <p>Max. size: 450x320 mms</p> <p>Paperweight: 45-240 gsm</p> <p>Max thickness: (17 sheets of 80 gsm)</p> <p>Speed: 1.000 booklets/hr.</p>	€ 425
	<p>Nagel Foldnak 4, 6, 60, 8 &amp; 80</p> <p>Conveyor belt delivery</p>	<p>Year: 2006 SN: 061001084</p> <p>Booklets: unknown</p> <p>Good condition</p> <p>Available: direct from stock</p>	<p>Electric conveyor belt delivery for Nagel Foldnak 1 and Foldnak 2 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase.</p> <p>Max. size: 450x345 mms</p>	€ 225
	<p>Nagel Foldnak 1 &amp; 2</p> <p>Conveyor belt delivery</p>	<p>Year: na SN: na</p> <p>Booklets: unknown</p> <p>Good condition</p> <p>Available: direct from stock</p>	<p>Electric conveyor belt delivery for Nagel Foldnak 1 and Foldnak 2 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase.</p> <p>Max. size: 450x345 mms</p>	€ 125

	Höhner Höhner 48/5S Universal  Flat staple stitcher head	Year: na SN: na  Excellent condition Available: direct from stock	2x Höhner flat staple stitcher heads.	€ 750 each
	Höhner Höhner 48/5S Universal  Wire loop stitcher head	Year: na SN: na  Excellent condition Available: direct from stock	2x Höhner loop wire stitcher heads. Completely re-furbished by Höhner and in shape of new.	€ 850 each
	Höhner Höhner 52/8 Universal  Wire loop stitcher head	Year: na SN: na  Excellent condition Available: direct from stock	2x Höhner loop wire stitcher heads.	€ 750 each
	Nagel 24/6, 24/8, 24/10S  Staples	Year: new in box SN: na  Excellent condition Available: direct from stock	20 full boxes of staples. 3x 24/6, 15x 24/8 and 2x 24/10S	€ 50
	Nagel 24/13S, 24/15S, 24/18S, 50/15S  Staples	Year: new in box SN: na  Excellent condition Available: direct from stock	13 full boxes of heavy staples. 1x 24/13S, 4x 24/15S, 5x 24/18S, 3x 50/15S	€ 30


Binding equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bourg BB-3000 & BBR  Perfect binder	Year: 2000 SN: 611055750  Good condition Available: direct from stock	Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust) automatic cover feeder (vacuum suction) and pressing. Including BBR stacker delivery. On wheels for easy use and storage. Including manual, schemes and partsbook. 380 V, 3 phase, 15 A, 50/60 Hz.  Min. / max size: 90x60 / 320 x385 mms Thickness: 0.1 – 45 mms (2 up to 450 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 500 sets/hr.	€ 3.750
	Boway BO-564  Perfect binder	Year: 2012 SN: 7805416  Excellent condition (showroom model) Available: direct from stock  Counter: only 1.870 books	Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust), hot glue, manual cover feeder and pressing. On wheels for easy use and storage.  Min. / max size: 90x60 / 420 x320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 380 sets/hr.	€ 1.750
	Duplo DPB-500PUR  Perfect binder	Year: 2012 SN: 081200407  Fair condition (PUR parts need replacement of the piping and connectors) Available: direct from stock	Professional high-speed floor model and fully automated 1-clamp perfect binder with feeding system and transport and electric pressing, dust free milling (up to 1.8 mm depth) with exhaust. Touch screen operations with memories for 20 jobs. Automatic size- and format change, side gluing (with scoring wheels), vacuum suction cover feeder. No glue machine coming with this binder.  Min./max size: 120 x 120 mms / 360 x 320 mms Thickness: 0.1 – 51 mms (2 up to 500 pages) Paper thickness: 52 – 157 gsm / Cover thickness: 80 – 300 gsm Binding speed: up to 170 - 525 sets/hr.	€ 2.680
	Nordson DuraPail 8072834  PUR applicator	Year: 2009 SN: LU09C0217  Excellent condition (reconditioned and checked by Nordson engineer) Available: direct from stock	Professional heated PUR applicator for PUR required equipment (perfect binders etc.), manual pressure control, blow-off valves, pail centering etc. with digital tip-touch operating panel.  Pail contents: 20 liter Pail diameter: 280 – 286 mms Hydraulic pressure: 100 bar Volume max.: 92 kg/hr.	€ 15.750

	Planax Type 1191  Perfect binder	Year: unknown SN: 688  Good condition Available: direct from stock	Simple manual table model 1-clamp perfect binder for hot glue with electric transport and manual pressing.  Max binding length: 440 mms Thickness: 0.1 – 60 mms (2 up to 450 pages) Binding speed: up to 220 sets/hr.	€ 1.150
	Planax Perfect-Binder FII  Perfect binder	Year: 2004 SN: 1188/762  Good condition Available: direct from stock	Simple semi-automated floor model 1-clamp perfect binder for cold glue, including side glue and with dust free milling (up to 1.8 mms depth and including exhaust), electric transport and electric pressing of the cover. Removable glue pot for easy cleaning. Including 1188 delivery table (heated). 380 V, 3 ph, 2,44 Kw, 50/60 Hz.  Min. / max size: 150 x 110 / 380 x 350 mms Thickness: 0.1 – 40 mms (2 up to 350 pages) Max. cover thickness: 250 gsm (300 gsm grooved) Binding speed: up to 170 - 220 sets/hr.	€ 1.750
	Powis Parker Fastback 15xsE  Perfect binder	Year: 2016 SN: 16306  Excellent condition Available: direct from stock	Simple table model semi-automated floor 1-clamp thermo binder for lines strips. 6 programs with microcontroller for different thicknesses. The linen strips are clamped and glued automatically after inserting the paperpile. Including a cooling rack and a lot of binding strips. 220/240 V, 1 Ph, 50/60 Hz, 3.5 A.  Min. / max size: DIN A5, DIN A4+ up to 37,1 mm Thickness: 5 up to 350 pages of 80 gsm Binding speed: up to 170 - 240 sets/hr.	€ 750
	Planatol Copy Binder 3  Perfect binder	Year: 2010 SN: 109188-1072  Good condition Available: direct from stock	Simple table model semi-automated floor 1-clamp thermo binder for lines strips. 6 programs with microcontroller for different thicknesses. The linen strips are clamped and glued automatically after inserting the paperpile. 220/240 V, 1 Ph, 50 Hz, 2 A.  Min. / max size: DIN A5, DIN A4 and 11" Thickness: 5 up to 330 pages of 80 gsm Binding speed: up to 170 - 220 sets/hr.	€ 750
	Universal 43  Gluing table	Year: na SN: na  Good condition Available: direct from stock	Simple manual gluing table for blocks with pressure spindle. Including heater/dryer and adjustable in angle. All on wheels for easy storage. 220 V, 1 ph.  Max. width: 430 mms Max. pile height: 520 mms	€ 250

	Planatol Planax  Gluing clamps (2 pieces)	Year: na SN: na  Good condition Available: direct from stock	Simple manual gluing clamps for blocks with pressure spindle.  Max. width: 460 mms Max. pile height: 170 mms	€ 50
	Demco 500H  Hot melt pistol	Year: na SN: 1435  Good condition Available: direct from stock	Simple manual hotmelt pistol for hot glue. Including consumable (glue cartridges). 220/240 V, 1 ph, 50/60 Hz.	€ 50
	Planax 1188  Perfect binder	Year: na SN: na  Good condition Available: direct from stock	Simple stacker delivery table (heated) for forced drying cold glue bound books, blocks, magazines etc. 220 V, 1 ph, 50/60 Hz.  Min. / max size: 150 x 110 / 380 x 350 mms	€ 75
	Bourg BBR JS80140-W  Stacker delivery	Year: 2005 SN: 11342150  Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery.  Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850
	Mekanotch Junior  Milling and notching machine	Year: 8803314 SN: 1988  Excellent condition Available: direct from stock	Industrial electric spine milling and notching machine with an adjustable clamp system for preparing and improving books, blocks and piles of paper before gluing or binding with glue or a perfect binder. Depth of milling can be adjusted. Suitable for all types of paper (standard, glossy, coated or calendered paper) All safeties (2 knob operation, shields etc.)  Milling depth: 0 – 4 mms - notching intervals: 15 mms Min. max paper length: 152 - 380 mms Thickness: 3 – 79 mms (25 up to 600 pages) Binding speed: up to 300 sets/hr.	€ 1.450

	Ibico Kombo A4-PB  Punch and closer	Year: unknown SN: 209923  Excellent condition Available: direct from stock	Simple manual table model punch and binding system for 21 rectangle holes and binder A4 size  Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 7.200 sh/hr.	€ 75
	Ibico A4 EP  Punch	Year: unknown SN: 5/658  Excellent condition Available: direct from stock	Simple electric table model punch for 24 rectangle holes and binder A4+ size  Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 5.000 sh/hr.	€ 185
	Ibico A3 AB  Closer	Year: unknown SN: 20439  Excellent condition Available: direct from stock	Simple manual table model closer for 29 rectangle holes and binders up to A3 size  Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr.	€ 115
	GBC 16DB  Closer	Year: unknown SN: UE92061E  Excellent condition Available: direct from stock	Simple manual table model closer for 29 rectangle holes and binders up to A3 size  Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr.	€ 115
	Lamirel Combi  Combi punch/binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple manual table model punch and binder for 24 rectangle holes and binder A4+ size  Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 115 sheets Punching speed: up to 5.000 sh/hr. Binding speed: up to 250 sets/hr.	€ 85

	GBC Pronto P2000  Closer	Year: na SN: TC65661H  Excellent condition Available: direct from stock	Heavy semi-automatic electric table model automatic closer for binding pre-punched paper with plastic Wire'O combs (ProClick) up to A4 size. On button operation and full automated and digital settings with LCD screen. Bindings can be easily opened and closed again for adding or removing pages. Coming with 8 boxes of ProClick bindings.  Binding capacity (adjustable): 4 up to 500 sheets  Binding speed: up to 500 sets/hr.	€ 285
	Xerox ChannelBind  Binder/closer	Year: na SN: na  Excellent condition Available: direct from stock	Heavy table model binder/closer with crank operation for binding magazines, reports, books etc. up to A4 size.  Binding capacity (adjustable): 4 up to 500 sheets of 80 gsm  Binding speed: up to 300 sets/hr.	€ 85
	Prima Opera 41  Paperlock binder	Year: na SN: na  Excellent condition Available: direct from stock	Heavy manual table model binder for binding pre-punched paper with self-adhesive papercombs without glue, metal- or plastic bindings up to A4 size.  Binding capacity (adjustable): 4 up to 500 sheets  Binding speed: up to 250 sets/hr.	€ 85
	GBC EuroWire 2000 (EWM)  Wire'O binder and closer	Year: 1999 SN: 99EWM1499  Used condition Available: direct from stock	Electric table model punch and closer for 3:1 Wire'O binders A4+ size (round holes). Thickness indicator at the possible for the correct choice of the binding. Footpedal operation. 230 V, 50 Hz, 1 Ph, 2.6 A.  Punch capacity max. paper: up to 25 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 240 sheets Punching speed: up to 3.000 sh/hr. Closing speed: up to 500 sets/hr.	€ 985
	JBI Compact PB  Wire'O binder and closer	Year: na SN: na  Excellent condition Available: direct from stock	Manual table model punch and closer for Wire'O binders A4 size. Calendar punch possible. Thickness indicator at the possible for the correct choice of the binding. In a protection box.  Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 240 sheets Punching speed: up to 3.000 sh/hr. Closing speed: up to 150 sets/hr.	€ 285

	Kugler Specials 3 Punch blocks	Year: na SN: na  Good condition Available: direct from stock	Exchangeable punch block (49 cms, 96 holes, round 3.0 mm over total distance 47.7 cm) for Kugler punching systems. Also 2 punch blocks with 4 holes (12.5 cms, 4 holes, round 4.5 mm –over total distance 4.5 cm). Punch blocks can be switched and installed within a few moments.	€ 595
	Unibind XU 638 Binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 6 clamps and 6 heated stations. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document.	€ 70
	Thermo Prima 21 Binder	Year: unknown SN: unknown  Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 1 clamp and 3 programs. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document.  Lot of consumables coming with it.	€ 50
	Universal Book casing-in machine	Year: unknown SN: unknown  Good condition Available: direct from stock	Semi-automatic floor model casing-in machine for hard-cover bookbinding, that presses the linen covers around the pre-glued books. Pneumatic pressing with 2-knob operation.  Max. 400 mms binding length and 5 - 35 mms thickness.	€ 400
<b>Joggers</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Foellmer C 1 Vibrating table	Year: unknown SN: 1045  Excellent condition Available: direct from stock	Table model vibrating table, for manual straight vibrating of piles of paper. Vibrating is adjustable.  Max. papersize: 52 x 36 cm	€ 125

	Planatol Planatol Jogging unit	Year: unknown SN: 01488  Fair condition Available: direct from stock	Table model jogger, for corner and manual straight jogging  Max. papersize: A3	€ 50
	Ideal Vibro 3 Jogging unit	Year: 1981 SN: 255517  Excellent condition Available: direct from stock	Table model jogger, adjustable in vibration and angle.  Max. papersize: A3	€ 75
	Bourg TR-JOG-T Jogging unit	Year: unknown SN: 293040310  Good condition Available: direct from stock	Floor model criss cross jogger for online use with Bourg equipment, adjustable in vibration and angle.  Max. papersize: 35 x 50 cms	€ 350
	Van Dijk 40x50 Jogging unit	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 40 x 50 cms	€ 200
	Universal A3+ Jogging unit	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 35 x 50 cms	€ 200

	Universal A3+  Jogging unit	Year: unknown SN: unknown  Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle.  Max. papersize: 47 x 47 cms	€ 250
	Schneider  Senator Vibra  Jogging unit	Year: 1987 SN: 91061  Good condition Available: direct from stock	Floor model jogger, including airtable, footpedal operation, adjustable in vibration and angle. Including manual side flap at right side.  Max. papersize: 115 x 80 cms	€ 1.150
	Schneider  Senator 1073  Jogging unit	Year: 1990 SN: 183-1223  Excellent condition Available: direct from stock	Floor model jogger with stainless steel table, air supply (also on the sides) and airstrike roller, automatic inclination adjustable in angle. Both side flaps also work automatically. With operating panel and heavy duty compressor unit for pressure and air supply.  Max. papersize: 120 x 85 cms	€ 2.750
<b>Packing, mailing and binding</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Ranpak  FillPak TTKS-0209  Kraft paper packing machine	Year: new SN: F1627516  Excellent condition (new and never used – in original packing) Available: direct from stock	Mobile floor model electric voidfill- and cushion packaging machine that produces up cushion air filled kraft paper for packing all products into boxes from fanfold kraft paper. Free hands for packing and cutting with foot pedal operation.  Thickness kraftpaper: 50 – 70 gsm Speed: 1.4 m/sec.	€750

	AVC MCS-30/35  sealing- and shrink wrapping machine	Year: 2006 SN: 142670606  Excellent condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrink tunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc.  Max size: 350 x 300 x120 mms	€ 2.250
	Minipack FM-75  sealing- and shrink wrapping machine	Year: 1987 SN: 87-3735  Used condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrink tunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc.  Max size: 400 x 250 x200 mms	€ 450
	Polybag Mailbag  Mailing- and wrapping machine	Year: 2009 SN: na  Excellent condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc.  Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour	€ 3.150
	Routexpress 2 Lara Mailbag  Mailing- and wrapping machine	Year: 42009 SN: 1992  Used condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc.  Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour	€ 1.450
	BVM Mailmaster 4004  Mailing- and wrapping machine	Year: 2001 SN: 010402498/B01 & 43509  Excellent condition Available: direct from stock	Automatic mailing wrapping line with 3 feeders (handfeed or automatic with Sitma 0019-156 & GUK SVA/35-SP feeders) for collating and wrapping magazines, catalogues, brochures or other mailing products. Size change is done automatically with the operating panel. All is packed tight, so no shrinking is required. Constant temperature control. This line is suitable for the graphic industry, logistics, mailings, post etc.  Size: from 80 mms up to DIN A3 long and max. 60 mms height Size bag length: 80 – 550 mms (adjustable) Speed: up to 130 cycles/minute	€ 30.000

	Kern 620  Collator and mailing system	SN: 620.0092  Good condition Available: direct from stock	Floor model collator (1 station max. A3 size and 1 station 30x20 cm) with friction collating; double sheet detection; counter and delivery. Coming with envelope feeder (min 76x140 mms up to 162x229 mms; 50 – 100 gsm), folding- and filling station for cards to this envelopes  70x70 mm size (min). 430 x 320 mm size (max). Paperweight: 70 – 240 gsm	€ 1.250
	PFE E1143AA  Collator and mailing system	Year: na SN: CBK 51 34  Used condition Available: direct from stock	Table model mailing system with folding- and filling station for letters and cards to insert into envelopes	€ 250
	Kirk Rudy 203  Feeder head	Year: na SN: 1291 365  Excellent condition Available: direct from stock	Labelling and Pick-and-Place head for integration into direct mail equipment or packing lines. This tip-on head can feed cards or similar flexible paper items to an online mailing- or packing line. The items are shuttle fed onto a vacuum pushing system. Connection with mis-feed signal in order to stop the complete line.  Min. size: 5.1 x 5.1 cm Max. size: 18 x 20,3 cm  Speed: 12.000 sh/hr.	€ 350
	Kingpin 828S  Strapping machine  <a href="https://youtu.be/R2FTCe-4qY8">https://youtu.be/R2FTCe-4qY8</a>	Year: 1987 (delivered 1988) SN: 61105  Good condition Available: direct from stock	Floor model manual strapping for packing/thermo closing boxes with print work or bind piles of (printed) paper, brochures, magazines, books etc. with a wire strapping material. Sensor controlled operation. Including large unwind for bigger rolls with binding materials. 6 new rolls of binding material coming with the machine.  Length of strap: 0,2 - 2 m.	€ 650
	Signode KRS 50x40  Strapping machine	Year: 1990 SN: 503195  Fair condition (machine needs some small repairs) Available: direct from stock	Floor model strapper for inline strapping print work, packages of magazines/newspapers etc., with binding straps up to 50 mms width. Including unwind for rolls. Easy pick up, transport, and delivery of the packs due to rolling conveyor belt.  Size: 500 x 400 mms (wxh)	€ 750

	Super Power Stretch Film wrapping material	Year: 2015 SN: unknown  Excellent condition (new) Available: direct from stock	30 rolls of black wrapping foil for automatic wrapping boxes, pallets or other equipment with an automatic polywrapper.  Roll width: 500 mms	€ 1.150
	Alpha-Dot Inline printer	Year: unknown SN: unknown  Good condition Available: direct from stock	Conveyor and driven roller belt (up to 400 mms width) with flexible inkjet printer (including remote keyboard for text input).  Machine is used for batch printing on cardboard boxes. Can be integrated in another line and is adjustable in height.	€ 1.650
	Prior Scales	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Floor model on wheels (retractable). One stationary weighing scale with rollers for in line situation.	€ 350
	GM GM-3000	Year: unknown SN: 33752  Excellent condition Available: direct from stock	Table model digital weighing scale with many programmable possibilities. Used for mixing colours and pantone inks. 240 V, 1 ph.  Max. weight: 3000 grs Accuracy: 1 gr	€ 35
	Endra KO-76  Manual strapping machine	Year: na SN: 27104  Excellent condition Available: direct from stock	Manual hand strapper for packing/closing boxes into band strapping materials with clips. Including large unwind on wheels for flexible use and suited for bigger rolls with binding/strapping materials. Cardboard with 6 new rolls binding materials is coming with the equipment.	€ 350

	ATS Banding film	Year: na SN: na  New condition Available: direct from stock	2,5 roll (new) banding film in order to bind packages, boxes etc.  Colour: white Length per roll: 850 m Width: 48 mms	€ 50
<b>Pumps and miscellaneous</b>	<b>Machine/type</b>	<b>Year/condition/available</b>	<b>Description/options</b>	<b>Price in Euros</b>
	Mixers for glue or coatings.	Year: unknown SN: unknown  Excellent condition Available: direct from stock	Mixers for glue or coatings. 2 available.	€ 500
	Kaeser Aquamat 2  Oil water separator	Year: 2005 SN: 3600  Good condition Available: direct from stock	Compressed air condensate is a by-product of all compressors. It is a mixture of oil and water with ambient particulates and hydrocarbons that have been concentrated during the compression process. Much of the oil is the result of oil vapours and aerosols present in the compressor intake air. This type of oil-water mixture may be classified as hazardous waste, federal and local environmental laws often prohibit the discharge of untreated condensate into surface drains. Kaeser's Aquamat 2 condensate management system offers a reliable and economical method of oil/water separation and can be used in combination up to 3 compressors.  Productivity: 1 – 90 m3/min.	€ 550
	Ingersoll-Rand Compact ES200  Compressor	Year: na SN: 1993294  Hours: 1080.78  Good condition Available: direct from stock	Compressor with 24 liter internal buffer tank and auto-start and auto-stop regulation suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.  Delivery: 225 l/min Pressure: 9 bar 1.260 rpm Consumption: 380 V, 3 Ph, 50/60 Hz, 1.5 kW.	€ 1.650

	<p>Rietschle SKG-200-2.18</p> <p>Pressure pump</p>	<p>Year: 1982 SN: 434182</p> <p>Good condition Available: direct from stock</p>	<p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 2.820 l/min Pressure: 97 mbar Consumption: 0.37 Kw</p>	€ 450
	<p>Nishimura FB-400</p> <p>Pressure pump</p>	<p>Year: na SN: 53-5</p> <p>Excellent condition Available: direct from stock</p>	<p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 1.5 m3/min Rotational shaft speed: 2.850 turns/min. Consumption: 380 V, 3 Ph, 0.4 Kw</p>	€ 450
	<p>Orion CBX 15NK</p> <p>Vacuum / pressure pump</p>	<p>Year: 2000 SN: 410010</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 0,6 m3/min – 0,6 bar/-0,6 bar Rotational shaft speed: 1.750 turns/min. Consumption: 200 V – 0,75 kW</p>	€ 1.450
	<p>Becker SV 5.190/5</p> <p>Vacuum / pressure pump</p>	<p>Year: 1986 SN: 927864</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 1,6 m3/min – 2.55 psi/86.6 wg Rotational shaft speed: 2.800 turns/min. Consumption: 220 V – 1 phase</p>	€ 950
	<p>Rietschle DCL 40/DV</p> <p>Vacuum / pressure pump</p>	<p>Year: na SN: 1900</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in binding area.</p> <p>Delivery: 40 m3/hr – 0,6 bar/-0,6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 380 V – 1.5 kW</p>	€ 1.050

	<b>Rietschle</b> TR 25DV (02)  Vacuum / pressure pump	Year: 1982 SN: 726918  Excellent condition Available: direct from stock	1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.  Delivery: 25 m <sup>3</sup> /hr – 0.7 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 220 V – 1.1 kW	€ 800
	<b>Gast</b> 1022  Mag drive pump	Year: 1989 SN: 89-18210  Good condition Available: direct from stock	1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.  Delivery: 15 m <sup>3</sup> /hr – 0.6 bar Vacuum: 116 mbar Rotational shaft speed: 1.425 turns/min. Consumption: 220 V – 0.6 kW	€ 500
	<b>March</b> MDXT-3  Fluid pump	Year: na SN: QQ 113344  Good condition Available: direct from stock	1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area.  Delivery: 30 l/min. (max. head: 4 m.) Pressure: 0.55 bar Rotational shaft speed: 3.500 turns/min. Consumption: 220 V – 0.8A, 0,03 kW	€ 100
	<b>Iwaki</b> 2MD-15RU  Fluid pump	Year: na SN: 0381195  Good condition Available: direct from stock	1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area.  Delivery: 20 l/min. (max. head: 2-2.5 m.) Pressure: 0.55 bar Rotational shaft speed: 3.000 turns/min. Consumption: 220 V – 0.8A, 0,02 kW	€ 100
	<b>Bonfiglioli</b> Bonfitronic 3.180.3000  Motor drive	Year: na SN: 1232  Good condition Available: direct from stock	1 drive motor suitable for belt drive of different kind of equipment in press- or binding area.  Rotational shaft speed: 3000 turns/min. Torque: 4.5 Nm Consumption: 220 V – 4.9 A, 750 W	€ 250



All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2010)**. All machines are owned by us and can be seen in our warehouse in Venray - the Netherlands. Our delivery terms can be read on: <http://www.mctrade.nl/delivery-terms.html>. We are glad to send you a print of our terms. You can receive our newsletters and stock list by adding your email address to our mailing list: <http://www.mctrade.nl/subscribe.html>.

**Machines in stock at: 05 December 2019**

Also see: [www.mctrade.nl](http://www.mctrade.nl)

**McTrade** warehouse and office: Venootstraat 4-a; NL-5804 CN; Venray; the Netherlands  
tel. +31 (0)6 53443948; fax +31 (0)478 571091; E-mail: [info@mctrade.nl](mailto:info@mctrade.nl)