

BIG IN SMALL MACHINERY

INDEX: PRINTING P. 1-16 * PRE-PRESS P. 16-28 *** AFTER-PRESS P. 29-63 *** PACKING: P. 63-66 *** MISCELLANEOUS P. 66-70**

4, 5&6-colour printing machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Nilpeter F-3000 Five-colour flexo press	Year: 1994 SN: 4755 Impressions: na Excellent condition Available: direct from stock	Modern 6-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 6 flexo print units (coating possibility on the 6 th unit), 6x hot-air dryers on all units and 1 UV dryer on the 6 th unit, web turn cross bar after 3 rd printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals. Max. web width: 300 mms Speed: 120 m/min.	€ 68.500
	Nilpeter F-280 Five-colour flexo press	Year: 1992 SN: R0-80/4700 Impressions: na Excellent condition Available: direct from stock	Modern 5-colour flexo machine with a digital tip touch operating panel (also accessible from each printing unit), a standard unwind, web splice, web- and tension guide, 5 flexo print units (coating possibility on the 5 th unit), 5x hot-air dryers on all units and 1 UV dryer on the 5 th unit, web turn cross bar after 2 nd printing unit, 3x rotary die cutter units, matrix rewind, perforating unit, standard rewind, Tecsan Webwatcher video inspection control and a perforating- and sheeter unit. Many printing cylinders, Anilox rollers, magnetic die cutting rollers, tools and manuals. Max. web width: 280 mms Speed: 120 m/min.	€ 63.500
	Screen Truepress TP-344N Four-colour digital offset press	Year: 2007 SN: 2007/7 Impressions: 13.5 mio Excellent condition Available: direct from stock	Modern 4-colour portrait-scape digital offset machine with a fully automated integrated processless thermal CTP system (2400 DPI – 300 LPI and stochastic raster) on both towers and full automated plate change system, full automated paper size change format, automatic ink key control, alcolour dampening and Technotrans mixer/cooler, blanket-, ink roller- and dampening roller wash, universal tack feeder. With RIP, network connection, software. Min. size: 90x148 mms (suitable for envelope printing) Max. size: 340x470 mms Paperweight: 0.04 – 0.4 mms Speed: 2.500 – 7.000 sh/hr.	€ 55.000
	MAN Roland Favorit RVF OB Four-colour offset press	Year: 1990 SN: 649-20451B Impressions: na Good condition Available: direct from stock	Modern 4-colour portrait-scape offset machine with a Mabeg high pile feeder, vacuum belt feeder, quick clamp plate change, Dahlgren alcolour with 2 mixers/coolers, ink roller wash, RCI-2 remote control table with operation and ink key control, IR dryer (Jac. De Vries), powderspray and high pile delivery. Min. size: 210x280 mms Max. size: 720x520 mms Paperweight: 0.04 – 0.4 mms Speed: 2.000 – 10.000 sh/hr.	€ 28.000

2-colour offset machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Komori Lihrone 220 Two-colour offset machine	Year: 2007 (installed 2008) SN: L-220-2015 Impressions: only 27 mio Excellent condition (new rollers April 2017) Available: direct from stock	Modern full options 2-colour landscape offset machine, with complete remote operation for all functions, PQC management with CIP3 console (2 colour LCD touch screen operating panels), stream feeder, quick format change, anti-static device, semi-automatic plate change, alcolour dampening with Tecnotrans Alpha.D recirculation cooler/mixer, all chromed cylinders, low pile delivery, powder spray, automatic inkroller- and rubber wash Min. size: 100x 148 mms Max. size: 520 x 375 mms Paperweight: 0.04 – 0.4 mms Speed: 3.800 – 13.000 sh/hr.	€ 32.750
	Shinohara Fuji 52-IIP NP Two-colour offset machine	Year: 1989 SN: 20234037 Impressions: na Good condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. Including NP unit Min. size: 100x 148 mms Max. size: 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 8.750
	Adast Dominant 525P Two-colour offset machine	Year: 1999 SN: 10268 Impressions: na Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine, chain delivery, tack feeder, anti-static device, quick clamp plate change, molleton dampening, semi-automatic perfector for 2/0 or 1/1 printing mode, low pile delivery, powder spray, ink roller wash. 380 V, 3 Ph, 50 Hz, 16 A. Min. size: 100x 148 mms Max. size: 520 x 381 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.750
	Hamada C248E Two-colour offset machine	Year: 2003 SN: CTQ-8JO66 Impressions: only 9.9 mio Excellent condition Available: direct from stock	Modern 2-colour landscape offset machine with chain delivery, tack feeder, conventional dampening, low pile delivery, ink roller wash, small size printing device Min. size: 90 x 140 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 5.750
	Hamada DU34M Duetto Two-colour offset machine	Year: na SN: DFQ-7A147 Impressions: Excellent condition Available: direct from stock	Modern portrait-scape 1/1 blanket to blanket offset machine with chain delivery, automatic running plate change, tack feeder, conventional dampening, digital tip-touch operation, high pile delivery, ink roller wash, small size printing device Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 10.000 sh/hr.	€ 2.250

	Hamada DU34M Duetto 3400PF Two-colour offset machine	Year: na SN: na Impressions: Excellent condition Available: direct from stock	Modern portrait-scape 1/1 blanket to blanket offset machine with chain delivery, automatic running plate change, tack feeder, conventional dampening, digital tip-touch operation, high pile delivery, ink roller wash, small size printing device Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr.	€ 2.250
	Hamada 234M Two-colour offset machine	Year: 1998 SN: unknown Impressions: na Excellent condition Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, conventional molleton dampening and powder spray. Manual and spare part books (English). Machine has new rollers. Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr.	€ 4.350
	Hamada 234K Two-colour offset machine	Year: 2002 SN: unknown Impressions: 3 mio Excellent condition (like new) Available: direct from stock	Modern 2-colour portrait-scape offset machine with chain delivery, universal tack feeder, digital tip touch operating console, quick plate change system, Kompac Varn III dampening and powder spray. Manual and spare part books (English). Min. size: 90 x 140 mms Max. size: 340 x 450 mms Paperweight: 0.04 – 0.3 mmms Speed: 3.000 – 10.000 sh/hr.	€ 5.100
2-colour envelope machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Winkler & Dünnebier 212 Two-colour offset machine	Year: 1991 SN: 12.044 Impressions: na Excellent condition Available: direct from stock	High speed 2-colour printing press for envelopes, non- stop bottom- and top loader system, rotating vacuum suction feeder, quick plate change system, Baldwin alcohol dampening with cooler/mixer, recto-verso printing mode possible, and extra-long conveyor belt delivery. Min. size: 76 x 100 mms Max. size: 460 x 406 mms Paperweight: 45 – 200 gsm Speed: 3.000 – 72.000 sh/hr.	€ 12.850

	Whitacre Superspeed P7-13 Two-colour offset machine	Year: 1991 SN: 139-91 Impressions: na Excellent condition Available: direct from stock	High speed 2-colour printing press for envelopes, paper bags, brochures, covers, index tabs, cardboard, multi page booklet covers, die-cut stock, pre-fold boxes, photo mailers, expanders etc., vacuum feeder drum, side register guides, pusher lugs, quick plate change system, perfector for 2/0 and 1/1 printing mode, Baldwin alcohol dampening with cooler/mixer, powder spray and long delivery belt. Coming with plate-punch and plate-bender. Min. size: 180 x 180 mms Max. size: 430 x 510 mms Speed: 3.000 – 17.500/35.000/70.000 sh hr.	€ 11.850
1-colour offset machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Heidelberg KOR One-colour offset machine	Year: SN: Impressions: na Good condition Available: direct from stock	Conventional 1-colour landscape offset machine with chain delivery, standard version, conventional dampening, universal tack feeder and powder spray. Min. size: 125 x 150 mms Max. size: 400 x 570 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 6.000 sh/hr.	€ 3.500
	Hamada Alpha 52+ NP One-colour offset machine	Year: 1993 SN: GA-00201 Impressions: na Excellent condition Available: direct from stock	Modern 1-colour landscape offset machine with chain delivery, quick plate change system, stream feeder, conventional dampening (including integrated mixer/cooler) and powder spray. Including NP unit. Manuals and parts book. Min. size: 257 x 182 mms Max. size: 360 x 520 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 7.500
	Hamada C48 One-colour offset machine	Year: 1995 SN: CSQ50005 Impressions: 12 mio imps. Excellent condition Available: direct from stock	Modern 1-colour landscape offset machine with chain delivery, quick plate change system, universal tack feeder, conventional dampening, digital control panel and powder spray. Including plate punch. Min. size: 140 x 100 mms Max. size: 365 x 480 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 10.000 sh/hr.	€ 3.850

	Hamada Superb 47 One-colour offset machine	Year: na SN: SU-07I069 Impressions: na Excellent condition Available: direct from stock	Modern 1-colour land-scape offset machine with chain delivery, quick plate change system, universal tack feeder, Kompac Varn dampening, digital control panel and powder spray. Including plate punch. 200 V, 1 Ph, 50/60 Hz, 0.75 kW. Min. size: 140 x 100 mms Max. size: 365 x 470 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 9.000 sh/hr.	€ 1.850
	Heidelberg GTO 46 One-colour offset machine	Year: 1979 SN: 668528 Impressions: 53 mio Used condition Available: direct from stock	Modern 1-colour land-scape offset machine, minus version with chain delivery, quick plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray. Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 3.450
	Heidelberg GTO 46+ One-colour offset machine	Year: 1980 SN: 670829 Impressions: 61 mio Good condition Available: direct from stock	Modern 1-colour land-scape offset machine, plus version with chain delivery, quick clamp plate change system, universal tack feeder, molleton dampening, operating panel on the machine and powder spray. Min. size: 140 x 180 mms Max. size: 320 x 460 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.	€ 5.950
	Adast Dominant 414 One-colour offset machine	Year: 1992 SN: 41411382 Impressions: na Good condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine. Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.250
	Adast Dominant 414 One-colour offset machine	Year: 1995 SN: 4148110631 Impressions: na Excellent condition Available: direct from stock	Modern and compact 1-colour portrait-scape offset machine with high pile feeder table (940 mms), small size stream feeder, quick clamp plate change system, molleton dampening, chain delivery, powder spray and an operating console on the machine. Min. size: 110 x 148 mms Max. size: 280 x 381 mms Paperweight: 30 – 350 gsm Speed: 3.000 – 10.000 sh/hr.	€ 2.350


	<p>Gestetner 313CD One-colour offset machine https://youtu.be/hsfBlrzwdoo</p>	<p>Year: 1986 SN: 160446</p> <p>Impressions: na Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 313CD One-colour offset machine</p>	<p>Year: 1986 SN: 160235</p> <p>Impressions: na Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, quick plate change system, universal tack feeder with digital tip touch operating console, Kompac Varn II dampening, rubber wash.</p> <p>Min. size: 100 x 148 mms Max. size: 320 x 440 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 411CD One-colour offset machine</p>	<p>Year: 1994 SN: 41B220</p> <p>Impressions: 9.4 mio. Excellent condition Available: direct from stock</p>	<p>Traditional 1-colour portrait-scape offset machine digital controls, counters, with universal tack feeder, digital operating on the machine and a Kompac Varn dampening, ink- and rubberwash, chain delivery. 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 140 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.950
	<p>Gestetner 311CD One-colour offset machine</p>	<p>Year: 1990 SN: 33B727</p> <p>Impressions: na Excellent condition Available: direct from stock</p>	<p>Traditional 1-colour portrait-scape offset machine digital controls, counters, with universal tack feeder, digital operating on the machine and a Kompac Varn dampening, inkwash, chain delivery. 220-240 V, 1 phase, 50 Hz.</p> <p>Min. size: 90 x 140 mms Max. size: 264 x 365 mms Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 9.000 sh/hr.</p>	€ 1.850
	<p>Rotaprint R30S One-colour offset machine</p>	<p>Year: na SN: 24691</p> <p>Impressions: na Good condition Available: direct from stock</p>	<p>Modern 1-colour portrait-scape offset machine with chain delivery, universal tack feeder with digital tip touch operating console, direct dampening and powder spray.</p> <p>Min. size: 89 x 140 mms Max. size: A3+ size Paperweight: 0.04 – 0.3 mms Speed: 3.000 – 7.000 sh/hr.</p>	€ 700

Digital printing machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	OCE TDS 800 Large size printer, scanner and folder	Year: 2007 (installed 2008) SN: 1097470 Impressions: 1.2 mio Excellent condition Available: direct from stock	Modern fully automatic B/W printer for fast and high quality production (400 DPI LED imaging technology) with automatic toner density control, auto-reduction and enlargement, auto roll (6 rolls and 1 sheet feeder) switching. Zoom: 25 – 400%. PC and server for job controls and storage. Connections for a Window or IOS network. Including scanner and extended finisher. All with one button control. Min. size: 279x210 mm Max. size: 914x2.500 mm Paperweight: 75-110 gsm (suitable for paper, coloured and fluorescent paper, transparent, vellum etc.) Speed: 13 m/min.	€ 6.750
	Xerox Workcentre 5655 B/W copier & printer https://youtu.be/ennAJqf8Nxw	Year: 2010 SN: 3633610001 Impressions: 1.2 mio Excellent condition Available: direct from stock	Modern fully automatic B/W printer for fast and high quality production (600x5600, 4800x600 DPI and 256 graduations in halftone) with automatic toner density control, auto-reduction and enlargement, auto tray switching. Zoom: 25 – 400%. Can be connected into a network. Including finisher. Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 50-120 gsm Speed: 30-55 sh/min.	€ 650
	Xerox Phaser 7760DN Colour printer	Year: 2008 SN: AUB341212 Impressions: only 6.817! (machine is used only as proofer) Excellent condition Available: direct from stock	Modern fully automatic colour and B/W printer for fast and high quality (photo-) production (1200 DPI) with automatic toner density control, Adobe pdf . Can be connected into a network with Ethernet, Fast Ethernet or Gigabit Ethernet to Windows, MacOS, Linux or other systems. Printing envelopes (C6 – C4 size) is possible. Min. size: DIN A5 Max. size: DIN A3+ Paperweight: 75-255 gsm Speed: 30-45 sh/min.	€ 850
	LaserMaster DM1000 Four colour printer / plotter	Year: na SN: 8501660 Impressions: na Good condition Available: direct from stock	Modern fully automatic large size thermic A0 size inkjet printer / plotter, 4 colour cartridges, runs on rolls of paper (matte and glossy). Including ColorMark Docking Station for calibrated ink profiles. Suitable for film and all paper materials to print posters or displays. Resolution: 800 DPI. Ink cartridges are HP compatible. Roll min. size: 203x254 mm Roll max. width: 920 mm	€ 450
Sign and screen machinery	Machine/type	Year/condition/available	Description/options	Price in Euros

Numbering machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Tampoflex T75-100 One-colour pad printing press	Year: 1990 SN: unknown Impressions: na Good condition Available: direct from stock	Semi-automatic tampon pad printing machine with pneumatic electronic operation that guarantees excellent printing uniformity and independent pressure regulation on parts and cliché. Foot pedal. The machine can be used for printing all kinds and irregular shapes of promotional items, textiles, cosmetic items, sports, medicals, automotive, electronics, packaging etc. 75 x 100 mm size Speed: 2.000 cycles/hr.	€ 2.250
	Universal Buttons and book corners	Year: na SN: na Impressions: na Excellent condition Available: direct from stock	Professional floor model table press with pneumatic operation and 2 foot pedals pressing and closing buttons or metal book corner protectors around the corners of books, scrapbook albums, agendas, menus, document sleeves, boxes, or cardboard paper binders for an exclusive design and finishing.	€ 750
	Kokkelink Vacuum pick up table	Year: na SN: na Impressions: na Excellent condition Available: direct from stock	Professional floor model pick up table with vacuum and pneumatic operation and manual hand operation. For transportation of just glued covers of book or any other flat sheet max. DIN A4 size item. Table size: 70 x 35 cms	€ 150
	Kaixuan KX757 516M2-35 Overlock sewing machine	Year: 2007 SN: 0708055 Good condition Available: direct from stock	Professional industrial table model 2 needle and 5 thread overlock sewing machine. Speed up to 7.500 spm.	€ 650

Washing equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Graphic Whizard GW-Junior Numbering stamp machine	Year: 2010 SN: 2412928 Impressions: na Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number.	€ 385
	Graphic Whizard J-1 Numbering stamp machine	Year: 2002 SN: 1610602 Impressions: na Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits forward numbering) with inkpad, adjustable height and register board with a grid (including strong magnets) and footpedal operation. Electronic impression control, 3-position pivot adjustment, and levelling/height adjustments. The numbering block can be rotated 360° to permit to print in any position. Possibility for a 0, 1, 2, 3 or 4 repeat capability of the same number.	€ 350
	Reiner 360-388 Numbering stamp machine	Year: unknown SN: unknown Impressions: na Good condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert.	€ 250
	Reiner 360-388 Numbering stamp machine	Year: unknown SN: unknown Impressions: na Excellent condition Available: direct from stock	Manual table model numbering machine (6 digits) with inkpad, adjustable height and register board and automatic electronic start with insert. Footpedal operation.	€ 450

	Heidelberg Roller-Matic Rewinder for washing cloth	Year: 2000 SN: Excellent condition Available: direct from stock	Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc. Working width: up to 1100 mms	€ 950
	Heidelberg Roller-Matic Rewinder for washing cloth	Year: 1999 SN: Excellent condition Available: direct from stock	Automatic and motorized rewinder with spindles for producing rolls of wash material for rubber- and impression cylinder washing devices on offsetpresses (e.g. Heidelberg SM 52, SM 74, SM 102/104 or other brand machines like Sakurai, Ryobi, Shinohara, Roland, KBA etc. Working width: up to 1100 mms	€ 950
	Baldwin Jimek SC Washing device	Year: 2004 SN: 150-2628 Excellent condition Available: direct from stock	Stainless steel automatic washing station with pump and circulation system for multi-colour offset machines. This machine was shortly used for washing the Baldwin Jimek ink- and dampening roller systems of a newspaper rotation press. All safeties, filter system, temperature control, timers etc.	€ 1.950
	Degra Fra-560 Roller wash system	Year: 1989 SN: 5601010189 Good condition Available: direct from stock	Roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste, integrated high pressure water pump and sprayer. Max. roller length: 85 cms	€ 850
	Universal Roller wash system	Year: 1998 SN: unknown Excellent condition Available: direct from stock	Stainless steel roller wash system for washing conventional molleton dampening rollers (1 at a time) of offset machines. Including filters for filtering waste. Max. roller length: 85 cms	€ 450

	Tin can waste press	Year: unknown SN: unknown Good condition Available: direct from stock	Pneumatic press to waste and flatten empty ink cans. An ink can is flattened to less than 0.5 cms. All safeties and operation with foot pedal.	€ 450
Powder spray equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Rietschle Powderspray	Year : unknown SN: 008886 Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. Can be mounted on existing system in delivery.	€ 200
	Universal Powderspray	Year: unknown SN: unknown Excellent condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi, Quickmaster, GTO. With expansion tank. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
	Universal Powderspray	Year: unknown SN: unknown Good condition Available: direct from stock	Powder spray unit for small offset machines like Gestetner, Rotaprint, AB Dick, Ryobi. Can be mounted on existing system in delivery or with its own spray nozzle inside the delivery. Stand-alone version.	€ 200
Miscelaneous printing equipment	Machine/type	Year/condition/available	Description/options	Price in Euros

	Gretag D182 Densito-meter	Year: na SN: 3250-21345 Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D185 Densito-meter	Year: na SN: 3250- 51054 Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D185 Densito-meter	Year: na SN: 3250-51058 Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D186 Densito-meter	Year: na SN: 3250-62143 Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550
	Gretag D186 Densito-meter	Year: na SN: na Excellent condition (cleaned, calibrated and checked by Gretag engineer) Available: direct from stock	Handheld densito-meter for colour- and density measurement. New reloadable batteries and loader.	€ 550

	Kasuga Denki AD-2 Tape marker	Year: unknown SN: 8209026 Good condition Available: direct from stock	Tape inserter unit for small offset machines like Sakurai, Fuji, Shinohara, Gestetner, Rotaprint, AB Dick, Ryobi. Stand-alone version.	€ 500
	Gestetner 201 or 211 Ink units	Year: unknown SN: unknown Fair condition Available: direct from stock	2 ink units for Gestetner 201 and 211 series	€ 150
	Heidelberg Printmaster 46 – Quickmaster 46 Distributor roller	Year: unknown SN: unknown New condition (never used and in original packing). Available: direct from stock	1 complete distributor roller (including gear and bearing) for Printmaster 46 and Quickmaster 46	€ 350
	Heidelberg TOK Rubber blankets	Year: unknown SN: unknown New condition (never used and in original packing). Available: direct from stock	3 pieces blankets for Heidelberg TOK and TOM. Blanket size: 265x408x1.95 mm	€ 25
	Shinohara Fuji 52 & Shinohara 52 Rubber blankets and washing squeegees	Year: unknown SN: unknown New condition (never used and in original packing). Available: direct from stock	7 pieces blankets for Fuji 52 & Shinohara 52. Including aluminium list. 4 pieces complete washing squeegees for Fuji 52 & Shinohara 52. Blanket size: 518x510x1.95 mm	€ 150

	Heidelberg KORD 64 Miscellaneous	Year: unknown SN: unknown New condition (never used and in original packing). Available: direct from stock	1 steel jacket (new) 1 ink knife (new) 1 squeeze for washing up (new) 1 cart for delivery (used) Several spindles, guides, shields (used)	€ 250
	Heidelberg GTO 52, TOK, QM Miscellaneous	Year: unknown SN: unknown Good condition Available: direct from stock	6x GTO 52 metal lists for rubber blankets 2x washing squeeze's for GTO 52 3x washing device for TOK and QM or PM46 (including the plastic drip trays) 2x feedertables for TOK and QM or PM46 3x cleaning mats for inkwashers (10 pc each) for TOK and QM or PM 46	€ 250
	Heidelberg Set of inking, alcolor or water rollers	Year: new SN: new New Available: direct from stock	1 complete set of newly covered inking-, alcolor- or water roller for all Heidelberg machines. Including spindles. Bearings and gears when asked for. Including packing. Available for: - GTO 46, GTO 52 - KOR, KORD, KORS - MO - SORM, SORS - SM 52, SM 72, SM 74, SM 102 & SM 104	On request
Envelope printing equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Stenz 400 envelope feeder with delivery	Year: 1999 SN: 40996623 Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 2.250
	Stenz 400 envelope feeder with delivery	Year: 1999 SN: 40700776 Excellent condition Available: direct from stock	Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh/hr. Including conveyor belt delivery and heavy duty pump. All on wheels for easy storage. Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms	€ 2.250

	<p>Stenz 400 envelope feeder</p>	<p>Year: 1999 SN: 40391214</p> <p>Excellent condition Available: direct from stock</p>	<p>Automatic envelope feeder with a horizontal non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable vacuum, height, inclination, guides and a sensor at feeder end for automatic speed adjustment up to 15.000 sh hr. Including heavy duty pump. All on wheels for easy storage.</p> <p>Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 33.0 x 38.0 cm Adjustable in height: 64 – 104 cms</p>	€ 1.850
	<p>Schneider SF-80 (190-101) envelope feeder</p>	<p>Year: na SN: 517</p> <p>Good condition Available: direct from stock</p>	<p>Automatic envelope feeder with a vertical non-stop loader system and vacuum suction feeder, designed to feed envelopes to all machines with a stream- or tack feeding system (Heidelberg SM, PM, GTO, QM or PM, Fuji, Ryobi, Sakurai, Adast, Shinohara, Hamada etc.). Adjustable speed, height and a sensor at the feeder end for automatic speed adjustment up to 15.000 sh/hr. Including pump. All on wheels for easy storage.</p> <p>Min./max. envelope size: 7.6 x 12.7 / 33.0 x 33.0 cm Loading capacity: 450 mms Adjustable in height: 80 – 110 cms</p>	€ 1.450
	<p>AB Dick 1200 envelope feeder</p>	<p>Year: na SN: 4677</p> <p>Good condition Available: direct from stock</p>	<p>Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 4 sucker feet and a sensor at feeder end for automatic speed adjustment. (= Astro AMC-2000 feeder under AB Dick label). All on wheels for easy storage. 230 V, 1 Ph, 50/60 Hz, 5 A.</p> <p>Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 41.3 cm</p>	€ 500
	<p>AB Dick 1200 envelope feeder</p>	<p>Year: na SN: 4675</p> <p>Good condition Available: direct from stock</p>	<p>Universal and automatic envelope feeder, designed to feed envelopes to all machines with tack feeding system (AB Dick, Ryobi, Gestetner, Heidelberg GTO, QM or PM, Multilith and Hamada). Adjustable vacuum, height, inclination, push guides, 4 sucker feet and a sensor at feeder end for automatic speed adjustment. (= Astro AMC-2000 feeder under AB Dick label). All on wheels for easy storage. 230 V, 1 Ph, 50/60 Hz, 5 A.</p> <p>Min. envelope size: 7.6 x 12.7 cm Max. envelope size: 27.9 x 41.3 cm</p>	€ 500
	<p>Just Feed envelope feeder</p>	<p>Excellent condition Available: direct from stock</p>	<p>Luxury envelope feeder system consisting of 4 adjustable platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.</p>	€ 175

	Just Feed envelope feeder	Excellent condition Available: direct from stock	Envelope feeder system consisting of 3 platforms, specially designed to feed envelopes to all kind of offset machines. Including original packaging.	€ 150
	Wahli UV 537 envelope delivery	Excellent condition Available: direct from stock Year: 1996 SN: 96-3489	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 350 x 900 mms	€ 450
	Alpha Engineering RCV envelope delivery	Excellent condition Available: direct from stock Year: 2001 (delivered 2002) SN: 1010	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 350 x 900 mms	€ 450
	Stielow 1.104 envelope delivery	Excellent condition Available: direct from stock Year: 1986 SN: 993.03.86	Stainless steel envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height: 450 mms Size: 300 x 1.300 mms	€ 450
	Astro CD-100 envelope delivery	Excellent condition (never used) Available: direct from stock Year: na SN: na	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 290 x 950 mms	€ 350

	Sofrapli REL envelope delivery	Excellent condition Available: direct from stock Year: na SN: 9500/ZRE	Envelope delivery system, specially designed to receive envelopes from all brands and types of offset machines. Speed adjustable. Height adjustable. Size: 270 x 850 mms	€ 350
Platemaking machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Xante Speedsetter VM2 CTP	Year: 2006 SN: 401061 Number of plates: na Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline PlateRunner P24 plate processor, standard delivery all dongles, PC, original Symphony RIP and workflow. This machine combines with all 2 up printing press equipment. But also with portrait-scape small size printing machinery. 110/220 V, 50/60 Hz/10/5 A. Min. size: 241x381 mms Max. size: 530x505 mms Speed: 19 plates/hour	€ 1.950
	Xante Speedsetter VM4 CTP	Year: 2006 SN: 401061 & 501122 Number of plates: na Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 1.850
	Xante Speedsetter VM4 CTP	Year: 2008 SN: 501121 & 3510 Number of plates: na Good condition Available: direct from stock	Violet CTP (2540 DPI), 405 nm 60 mW violet laser diode for press-ready plate materials with manual loading and internal drum system. Including: offline Proteck EQPE-70 plate processor (with chiller), standard delivery, all dongles, PC, original Symphony RIP and workflow. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery Min. size: 241x381 mms Max. size: 927x635 mms Speed: 27 plates/hour	€ 3.850

	Presstek Dimension 400 CTP	Year: 2003 SN: AAG01881-0309-0716 REV N Number of plates: na Good condition Available: direct from stock	Thermal CTP (2540 DPI), 405 nm for thermal process-free and press-ready aluminium plate materials with manual loading and drum system. Including: dongle, PC, original HQ RIP, server and workflow. Also coming with an Affinity cooler unit and exhaust unit. This machine combines with all 4 up printing press equipment. But also with portrait-scape small size printing machinery Min. size: 240x240 mms Max. size: 680x780 mms Speed: 15-20 plates/hour	€ 3.850
	AB Dick DPM 2340 CTP	Year: 2000 SN: 46-431 Excellent condition Available: direct from stock	CTP (900 – 3600 DPI), 675 nm red laser diode (10 mW) for film and/or press-ready polyester plate materials, including PC, monitor, keyboard, RIP software, and self-replenishing plate processor (inline). This machine combines with all portrait scape offset machines like Hamada, Ryobi, Adast, Heidelberg QM, etc. Min. size: 241x381 mms Max. size: 340x508 mms Speed: 28 – 38 plates/hour (in 17 steps)	€ 1.050
	Mitsubishi DPM 2000CPS CTP	Year: 2000 SN: 22826 Excellent condition Available: direct from stock	CTP (900 – 1200 DPI) with network connection and its own scanner (up to 1200 DPI), 670 nm red laser for film and/or press-ready polyester plate materials, including RIP software, updates, and self-replenishing plate processor (inline). This machine combines with Heidelberg GTO or SM 52, Hamada 52, Ryobi 520 etc. Min. size: 229x305 mms Max. size: 419x551 mms	€ 950
	Kimoto Kimosetter 410 CTP CTP printer	Year: 2010 SN: A16C35C0018H Excellent condition Available: direct from stock	Simple and easy to use desktop CTP (1200x600 DPI) for printing the image, text, half tones directly on to the non-sensitive polyester offset plates. Direct ready to print and can be used in any dampening system (even non-chemical or non-alcohol). Automatic plate feed for 10 plates. Suitable for all Mac and Microsoft operating systems with an USB connection. This machine combines with Heidelberg GTO 46, Printmaster 46, Quickmaster 46, Hamada, Ryobi etc. Min. plate size: 98x98 mms Max. plate size: 410x510 mms	€ 1.450
	Agfa Palladio Locking Kit	Year: na SN: na Excellent condition Available: direct from stock	Locking kit for Agfa Palladio CTP machinery in order to lock the laser and prepare the machine for transport. Including manual with photos and description.	€ 250

	Kodak Lotem 400 Locking Kit	Year: na SN: na Excellent condition Available: direct from stock	Locking kit for Kodak Lotem CTP machinery in order to lock the laser and prepare the machine for transport. Including manual with photos and description.	€ 250
Plate processors	Machine/type	Year/condition/available	Description/options	Price in Euros
	Kodak Mercury T-HD 1250 Thermal plate processor	Year: 2007 SN: ME10068 Excellent condition Available: direct from stock	Plate processor for processing all brands and press ready thermal CTP offset plates. Touch screen operation. The machine is meant to be integrated into an inline CTP installation. Digital touch screen operation for speed, processing, washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Including chiller unit. Min. / max. size plate size: 320 mms length / 1250 mms width. Plate thickness: 0.15 – 0.30 mms Speed: 60 – 200 cm/min.	€ 3.450
	Proteck EQpe-70 Plate processor for violet photopolymer plates	Year: 2007 (delivered 2008) SN: 3510 Excellent condition Available: direct from stock	Offline plate processor for chemistry poor violet photopolymer offset plates also stabilizes and rinse- and gum processor for the production of all brands and press ready violet photopolymer CTP offset plates. Touch screen operation. The machine has a pre-heater with a pre-wash section and is used stand alone for processing, washing out, gumming and drying of the plates before further delivery to the rack delivery. Including chiller unit. Min. / max. size plate size: 290x275 mms / 680x1.100 mms. Plate thickness: 0.15 – 0.30 mms Speed: 40 – 150 cm/min. (brush speed variable 40 – 100 rpm)	€ 1.750
	PlateRunner P24 Plate processor for violet photopolymer plates	Year: 2006 SN: 0077 Good condition Available: direct from stock	Offline plate processor for all low chemical violet offset plates also stabilizes and rinse- and gum processor for the production of all brands and press ready low chemical violet CTP offset plates. Tip touch with LCD screen operation. The machine has a pre-heater with a pre-wash section and is used stand alone for processing, washing out, gumming and drying of the plates before further delivery to the rack delivery. Including chiller unit.. Min. / max. size plate size: 254x380 mms / 620x765 mms. Plate thickness: 0.15 – 0.30 mms Speed: 40 – 51 cm/min.	€ 1.450

	Glunz & Jensen C85 Plate rinse- and gum processor	Year: 2011 SN: 95455-0173 Excellent condition Available: direct from stock	Online plate rinse- and gum processor for processing all brands and press ready CTP offset plates. The machine is meant to be integrated into a inline CTP installation for washing out, gumming and drying of the plates before further delivery to rack, stacker or other inline equipment. Including recirculation for replenishment. 220 V,50/60 Hz, 10 A. Max. size: 850 mms plate width	€ 1.950
	Lefra 10 550-200 Plate processor (2 pc in stock)	Year: 1988 SN: 2832 Good condition Available: direct from stock	Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump). Max.plate size: 550 x 750 mms Capacity: 15 liters	€ 150
	Lefra 430-500 Plate processor	Year: 1998 SN: 5654 Good condition Available: direct from stock	Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump). Max.plate size: 430 x 500 mms Capacity: 13 liters	€ 150
	Lefra 10 430-500 Plate processor	Year: 2002 SN: 5195 Good condition Available: direct from stock	Manual plate processor for developing small size conventional offset plates with a simple operation panel for all functions (speed, temperature, pump). Max.plate size: 430 x 500 mms Capacity: 13 liters	€ 150
	Bartal-Tech Ltd. Lotem 400 conveyor Online bridge	Year: 2008 SN: 903 Excellent condition Available: direct from stock	Online plate bridge for online use between a Lotem 400 CTP and an online plate processor or plate washer with data connector for start/control. Max. plate width: 78 cms	€ 850

	Glunz & Jenzen C5 platestacker Automatic plate stacker	Year: 2010 SN: 100858 VX Excellent condition Available: direct from stock	Online fast working plate stacker with sensors for start/control. Can be placed behind any brand, type or size CTP line for stacking the plates onto a retractable trolley. Works independently from any (high performance) processor and will start automatically when the processed plate passes the sensor. The conveyor is driven to ensure complete removal of the plate prior to stacking. The speed is adjustable. Up to 75 - 100 plates will be stacked vertically on a retractable trolley that is on wheels for easy transport of the plates to the printing press. Max. plate width: 85 cms Max. plate length: 125 cms	€ 925
Imagesetting machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Panther Pro/62 RM-6 Imagesetter	Year: 1998 SN: 072088 / 980615592 Good condition Available: direct from stock	Imagesetter (900 – 3600 DPI) with online ART RDM 2-25/25 filmprocessor. Visible red laser diode (670 nm). For red sensitive film. Including: PowerMac with Panther RIP software (Adobe Postscript 3) installed, CD's, manuals and dongle. 380 V, 50/60 Hz, 3 A, 6.4 kW. Max. film width: 620 mm	€ 1.750
	Screen Katana FT-R5040 Imagesetter	Year: 2000 SN: 27.95049 Used condition (some rollers and parts inside the processor need attention) Available: direct from stock	Imagesetter (1000 – 3000 DPI) with an online filmprocessor (LD-M1060). Visible red laser diode (635 nm). For He-Ne sensitive film. Including: cassette, RIP software (HQ installed on Power Mac, dongle, flat screen monitor, keyboard, cables etc.). 220 V, 50/60 Hz, 22 A, 5,4 Kw. Max. width: 406 mm imaging area	€ 3.250
	Scantext Othello Imagesetter	Year: 1999 SN: 525.588 Excellent condition Available: direct from stock	Imagesetter (1270 – 3850 DPI) . Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (RipExpress, including Adobe Postscript 3) installed on Windows PC, dongle. 220 V, 50 Hz, 2,5 A. Max. size: 510 x 645 mm imaging area	€ 2.750

	Heidelberg Duosetter Imagesetter	Year: 2000 (installed 2001) SN: 003311803 Excellent condition Available: direct from stock	Imagesetter (1270 – 3387 DPI). Visible red laser diode (670 nm). For red sensitive film. Including: cassette, RIP software (Adobe Postscript 3) installed on Windows PC, dongle. 100-240 V, 1 Phase, 50/60 Hz, 4 A. Max. size: 535 x 505 mm imaging area	€ 3.450
	ECRM RIP software, dongle and SCSI card Imagesetter	Year: 2000 SN: 3892B366 Excellent condition Available: direct from stock	ECRM RIP software for PowerMac Vs 5.3, with dongle and SCSI card	€ 250
	Agfa Avantra 30 Imagesetter input cassette	Year: 2008 SN: na Good condition Available: direct from stock	Input cassette for an Agfa Avantra 30 imagesetter. For film sizes up to 762 mms	€ 150
	Screen Katana FT-R3050 Imagesetter input- and output cassettes (2 sets of 2 pieces)	Year: 1998 SN: na Good condition Available: direct from stock	2 input cassettes and 2 output cassettes for a Screen Katana FT-R3050 imagesetter. For film sizes up to 558 mms	€ 250
	Techkon RT 120 Densitometer & LP 40 Light table Densitometer for black/white	Year: 1999 SN: RT120.805039 Excellent condition Available: direct from stock	Densitometer for measurements of densities and dot values in reflection and transmission. Including calibration card, step wedge, films, loaders, manuals and protective cases (2 pieces).	€ 250

Plate- and film punches	Machine/type	Year/condition/available	Description/options	Price in Euros
	Universal Table-model plate punch	Year: unknown SN: unknown Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: 52 cms	€ 85
	Rotaprint Table-model plate punch	Year: unknown SN: unknown Excellent condition Available: direct from stock	Table model plate punch for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 35 holes Max. plate size: 45 cms	€ 125
	Carl Glisser Table-model plate punch	Year: unknown SN: unknown Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: DIN A4	€ 50
	PER-7 Table-model plate punch	Year: unknown SN: unknown Excellent condition Available: direct from stock	Table model plate punch (pressureless roll system) for Gestetner, AB Dick, Hamada and Rotaprint offset plates Type: 23 holes Max. plate size: DIN A4	€ 30

	<p>Bacher RP 22</p> <p>Table-model plate punch (we have 4 pieces available)</p>	<p>Year: unknown SN: unknown</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model plate punch for Bacher 225 for plate size up to 52 cm</p> <p>Punch distance: 22,5 cms Max. plate size: 52 cms</p>	€ 350
	<p>Kieper</p> <p>Table-model plate punch</p>	<p>Year: unknown SN: unknown</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model plate punch for Bacher 225 for plate size up to 80 cm</p> <p>Punch distance: 22,5 cms Max. plate size: 80 cms</p>	€ 650
	<p>SIS Pass Systems</p> <p>Table-model plate punch</p>	<p>Year: unknown SN: 5216</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model plate punch for Bacher 425 for plate size up to 80 cm</p> <p>Punch distance: 42,5 cms Max. plate size: 78 cms</p>	€ 650
	<p>Heidelberg</p> <p>Table-model plate punch (we have 2 pieces available)</p>	<p>Year: unknown SN: unknown</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model plate punch for Bacher 225 for plate size up to 52 cm</p> <p>Punch distance: 22,5 cms Max. plate size: 52 cms</p>	€ 450
	<p>Beil Bacher 425</p> <p>Table-model plate punch</p>	<p>Year: unknown SN: 9151</p> <p>good condition Available: direct from stock</p>	<p>Table model plate punch for Bacher 425 for plate size up to 67 cm with manual crank. Electric register control for exact punching</p> <p>Punch distance: 42,5 cms Max. plate size: 67 cms</p>	€ 650

	Bernard Prin & Cie Table-model plate punch	Year: unknown SN: unknown good condition Available: direct from stock	Table model plate punch for Bacher 225 for plate size up to 65 cm with manual crank. Punch distance: 22,5 cms Max. plate size: 65 cms	€ 450
	Bernard Prin & Cie Table-model plate punch	Year: unknown SN: unknown good condition Available: direct from stock	Table model plate punch for Bacher 425 for plate size up to 78 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 78 cms	€ 850
	Bacher 2045 Floor-model plate punch	Year: unknown SN: 7704 good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050
	Bacher 2048 Floor-model plate punch	Year: unknown SN: 538 good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with manual crank. Punch distance: 42,5 cms Max. plate size: 100 cms	€ 950
	Bacher 2005.01 Floor-model plate punch	Year: unknown SN: 1719 good condition Available: direct from stock	Floor model plate punch for Bacher 425 for plate size up to 100 cm with foot pedal operation. Punch distance: 42,5 cms Max. plate size: 100 cms	€ 1.050

	Heidelberg Autoplate HDM C2.144.1301/05 Floor-model plate punch	Year: 2000 SN: 4112/01 Excellent condition Available: direct from stock	Floor model plate punch for Heidelberg autoplate systems for offset plates up to 112 cm with crank operation. Punch distance: 42,5 and 78 cms Max. plate size: 112 cms	€ 1.850
	Heidelberg Autoplate HDM C2.144.1301/01 Floor-model plate punch	Year: 1994 SN: 104/24 good condition Available: direct from stock	Floor model plate punch for Heidelberg autoplate systems for offset plates up to 112 cm with crank operation. 100-240 V, 50/60 HZ, 1 Ph. Punch distance: 42,5 and 78 cms Max. plate size: 112 cms	€ 1.950
	Heidelberg Multiplate HDM 91.144.1301/A Floor-model plate bender	Year: 1994 SN: 128/24 good condition Available: direct from stock	Floor model electric plate bender for Heidelberg autoplate systems for offset plates up to 112 cm with crank operation. Max. plate size: 112 cms	€ 2.350
	Billows Floor-model film- & plate punch	Year: unknown SN: unknown Excellent condition Available: direct from stock	Floor model film- and plate punch for plate size up to 160 cm. Electric punching with foot pedal. Special for large size offset machines like: MAN Ultra, Roland Ultra, Planeta Super Variant, Nebiolo, Marinoni, Cab Tree etc. Max. plate size: 160 cms	€ 1.750
Daylight control-mounting tables	Machine/type	Year/condition/available	Description/options	Price in Euros
	Croon Normlight Daylight control table	Year: 2005 SN: na Excellent condition Available: direct from stock	Floor model day light control table with 3 extern TL lights for quality control of prints up to 100 x 80 cms size. Including drawers for storage of prints, proofs, films and plates. Max. size: 100 x 80 cm	€ 850

	Bieffe DuoLite Film mounting table	Year: na SN: na Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 74 x 60 cms size. Adjustable in height and inclination with footpedal. Including rulers and 3 drawers for storage. Max. size: 74 x 60 cm	€ 250
	Croon Film mounting table	Year: na SN: na Excellent condition Available: direct from stock	Table with inner lights and for film mounting up to 85 x 65 cms size. Adjustable in inclination. Including rulers with magnifying glasses. Max. size: 85 x 65 cm	€ 250
Copyframes & platemakers	Machine/type	Year/condition/available	Description/options	Price in Euros
	Croon KOP67TT3000 Plate exposure unit / Copy frame	Year: 1996 SN: 9608TT67 Excellent condition Available: direct from stock	Floor model copy frame with professional digital tip touch programming and digital screen, 99 memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc. Max. size: 80 x 67 cm Capacity: 3000 W bulb.	€ 1.275
	Polygraph 7100.2 CT 500 Plate exposure unit / Copy frame	Year: 1997 SN: 03897 Excellent condition Available: direct from stock	Floor model copy frame with professional digital programming and LCD display, 100 memories with each 5 steps, timers for exposures and vacuums, sensor control for lamp condition. Including: drawers, automatic stray foil screen, sensor etc. 220 V, 1 Ph, 50 Hz, 12A, 2,64 kW. Max. size: 55 x 45 cm Capacity: 2000 W bulb.	€ 975

	Theimer 3369 Nova Plate exposure unit / Copy frame	Year: 2002 SN: 2002030234 Excellent condition Available: direct from stock	Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: drawers, stray foil screen, sensor etc. Max. size: 74 x 60 cm Capacity: 2500 W bulb.	€ 1.275
	Theimer Copymat 3163 Multi Nova Plate exposure unit / Copy frame	Year: 2002 SN: 2002040005 Excellent condition Available: direct from stock	Floor model copy frame with professional digital programming and digital display, memories with each 12 steps, timers for exposure and vacuum, sensor control for lamp condition. Including: frame for under the machine, stray foil screen, sensor etc. 230 V, 1 Ph, 50 Hz, 1 kW, 10 A. Max. size: 74 x 60 cm Capacity: 1000 W bulb.	€ 775
	Agfa Dupliphot 740 Plate exposure unit / Copy frame	Year: na SN: 75-59155 Used condition Available: direct from stock	Floor model copy frame with double sided vacuum window, professional and digital programming with 9 memories, for screen, timers for exposure (main light, opal light and pointlight) and vacuum. 220 V, 1Ph, 50 Hz, 2300 W. Max. size: 74 x 63 cm Capacity: 2000 W bulb.	€ 925
	Eskofot 263E Plate exposure unit / Copy frame	Year: na SN: 260937 Excellent condition Available: direct from stock	Floor model copy frame with double sided vacuum window, professional and digital programming with 8 memories, for screen, timers for exposure (main light, opal light and pointlight) and vacuum. 220 V, 1 phase, 16 A, 50 Hz, 2500 W. Max. size: 80 x 63 cm Capacity: 2000 W bulb.	€ 625
	Eskofot 242 Plate exposure unit / Copy frame	Year: na SN: na Excellent condition Available: direct from stock	Table model copy frame with simple operating, timers for exposure and vacuum. Can be used for offset plates, polymer plates for letterpress etc. 220 V, 1 phase. Max. size: 40 x 60 cm Capacity: 1500 W bulb.	€ 325

	Mitsubishi CP-Eco414S Direct platemaker	Year: 1997 SN: 57080-421119 Good condition Available: direct from stock	Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 220-240 V, 50/60 Hz, 1 Ph, 2.0 kW, 8.5 A. Min./max. size: 225 x229 / 550 x 414 mms Capacity: 2.000 W bulb.	€ 425
	Eskofot 1440 Direct platemaker	Year: 1997 SN: 440416 Excellent condition Available: direct from stock	Compact floor model direct platemaker with professional digital programming (40 programs), memories, timers for exposure and vacuum. It is possible to enlarge your original up to 105% and to shrink down to 64%. This equipment exposes, develops, stabilizes, and dries the (Polyester Agfa and Mitsubishi direct plate materials) in one handling job. 380 V, 3-phase. Max. size: 510 x 404 mms Capacity: 2.000 W bulb.	€ 425
Paper cutters and guillotines	Machine/type	Year/condition/available	Description/options	Price in Euros
	Adast Maxima MH80-2 Guillotine	Year: na SN: 13322 Excellent condition Available: direct from stock	Hydraulic paper cutter with electric pressing, electric size change and electric cutting. Analog read out on periscope. 2 hand operation. Tools and spare knife. 220 V, 3 Ph, 50 Hz, 12,7 A, 3,95 Kw. Max. size: 800 mms Max pile height: 100 mms. Min. – max. pressure: 3-15 kN	€ 2.150
	Adast Maxima MJ-46 Guillotine	Year: na SN: 5470034 Good condition Available: direct from stock	Paper cutter with manual pressing and size change and electric cutting. Analog read out on periscope. 2 hand operation. Tools and spare knife. 220 V, 1 Ph, 50 Hz, 12,7 A, 3,95 Kw. Max. size: 460 mms Min. size: 18 mms Max pile height: 80 mms. Min. – max. pressure: 0-2.5 kN	€ 950

	Ideal 7228-90 Guillotine	Year: 1993 SN: 1158445 Excellent condition Available: direct from stock	Electric paper cutter with digital EC3 operating console with 20 programs (each with 16 steps and eject function) and digital read-out, electric size, pressing and cutting. Stainless steel working blade with extra-large size side tables on both sides. All relevant safeties (2 hand operation, sensors). Manuals, tools and 1 spare knife. 380/400 V, 3 phase, 50 Hz, 2 Kw, 7.3 A. Max. size: 720 mms Min. size: 25 mms Max pile height: 100 mms.	€ 3.850
	Ideal 5221-90 Guillotine	Year: 1992 SN: 1192563 Good condition Available: direct from stock	Electric paper cutter with digital read-out, electric size, pressing and cutting. All relevant safeties (2 hand operation, sensors). Manuals, tools and 1 spare knife. 220/230 V, 1 phase, 50 Hz, 1,4 Kw, 10.4 A.	€ 1.250
	Ideal 4850-95 Guillotine	Year: 1998 SN: 1945352 Good condition Available: direct from stock	Electric paper cutter with simple analoge read-out, manual size, electric pressing and cutting. All relevant safeties (2 hand operation, shields, sensors).. Manuals, tools and 1 spare knife. 220 V, 1 phase, 50 Hz, 1,42 Kw, 10 A. Max. size: 480 mms Min. size: 25 mms Max pile height: 80 mms.	€ 1.050
	VS 46 Guillotine	Year: 1998 SN: unknown Excellent condition Available: direct from stock	Cardboard- or offset plate cutter (very heavy cast iron table model) with manual operation of the pressure and the knife. Max. size: 460 mms	€ 250
	Ideal 1058 Guillotine	Year: na SN: na Good condition Available: direct from stock	Compact table model paper cutter with manual operation of the pressure and the knife. Max. size: 580 mm Capacity: 35 sheets of 80 gsm	€ 70

	Dahle 565 Guillotine	Year: na SN: na Good condition Available: direct from stock	Compact table model paper cutter with manual operation of the pressure and the knife. Max. size: 390 mms Capacity: 40 sheets of 80 gsm	€ 50
	TM-2500B Roll knife cutter	Year: na SN: na Good condition	Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.). Max. cutting length: 2500 mms Max. cutting thickness: 1.6 mms	€ 250
	Rowe 59 Roll knife cutter	Year: na SN: na Good condition	Manual roll knife cutter suitable for digital- and conventional printwork (technical drawings, posters, photos etc.). Max. cutting length: 1500 mms Max. cutting thickness: 1.6 mms	€ 150
	Pitney Bowes 1241 Automatic letter opener	Year: 2010 SN: 5484 Excellent condition Available: direct from stock	Automatic roll knife slitter for opening letters and envelopes. Very fast automatic friction feeder system, delivery tray. Can be used with all kinds of mixed envelopes. No confetti due to slitter opening action with separate waste removal. Max. size: up to C4 size Max. thickness: 8 mms Speed: 400 letters/min.	€ 125
	Several knives for cutters/guillotines	Year: unknown SN: unknown Available: direct from stock	1x Ideal 36 series / 1x Ideal 43 series 1x Ideal 48 series / 3x Ideal 52 series 2x Ideal 65 series 2x Ideal 72 series 1x EBA 55 series 4x Horizon 58/61 series 1x FL-92, Thungsten Carbide 3x Polar 72 1x Polar 92	€ 50 each € 50 each € 80 each € 80 each € 50 each € 80 each € 80 each € 80 each

	Several knives for cutters/guillotines	Year: unknown SN: unknown Available: direct from stock	2x three knife cutter Perfecta SDY	€ 150 each
	Tarnator 350 paper shredder	Year: 1985 SN: 6206 Excellent condition Available: direct from stock	Manual high speed shredder with roller feeder. Retractable for easy use or storage. Max. size: 30 cm width Max. paper height: 3 mms	€ 350
	LDG 450 paper shredder	Year: na SN: na Excellent condition Available: direct from stock	Manual heavy duty high speed shredder with roller feeder. Retractable for easy use or storage. Max. size: 45 cm width Max. paper height: 15 mms	€ 350
Lift- and turning machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Shelby 5331 palletlift	Year: unknown SN: unknown Available: direct from stock Good condition	Manual hand winch operation for lifting pallets. On wheels, so retractable for use on more machines or for easy storage. Max. size 100x80 cms Max. lift height: 105 cms Capacity: up to 250 kgs	€ 150

	<p>Tawi Minilift 8531 Electric lift</p>	<p>Year: 2014 SN: 3114954</p> <p>Available: direct from stock Good condition</p>	<p>Electric winch (battery operated (2 new batteries – December 2018), chargeable) for easy lifting boxes or reels of film/paper. Adaptable sensor to lift automatically up to the max. height. On wheels, so retractable for use on more machines or for easy storage. 240 A</p> <p>Max. size 60x40 cms Max. lift height: 145 cms Capacity: up to 70 kgs</p>	€ 550
	<p>Intraboss Handy 800E palletlift</p>	<p>Year: 1996 SN: 997001</p> <p>Available: direct from stock Used condition (battery needs replacement)</p>	<p>Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.</p> <p>Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs</p>	€ 250
	<p>Intraboss Handy 800E palletlift</p>	<p>Year: 1996 SN: 997002</p> <p>Available: direct from stock Good condition (battery needs replacement)</p>	<p>Electric winch (battery operated) for automatic lifting the paper carts for GTO 46&52, SM 52, Sakurai 52, Ryobi, Fuji 52, Shinohara 52 etc. Adaptable sensor to lift automatically up to the requested height. On wheels, so retractable for use on more machines or for easy storage.</p> <p>Max. size 57x40 cms Max. lift height: 110 cms Capacity: up to 250 kgs</p>	€ 250
	<p>Lafis LEI 16 C Mobile pallet lift</p>	<p>Year: 1997 SN: 32925</p> <p>Excellent condition Available: direct from stock</p>	<p>Movable pallet lift, motor driven, operation console on steering stick. Including SPE 24 Volt automatic battery loader with analog display.</p> <p>Up to size: 120 x 100 cms Max. pallet size: 120 x 100 cms Max lifting height: 12 cms. Capacity: 1.600 kgs.</p>	€ 1.500
	<p>Meyer 1000 Stapelwender Pile turner https://youtu.be/rlijfXqkteM</p>	<p>Year: 1991 SN: 006/025</p> <p>Excellent condition Available: direct from stock</p>	<p>Stationary paper pile turner with automatic pick up, automatic clamps, operating console, motor driven,</p> <p>Up to size: 800 x 120 cms. Max. pile height: 120 cms. Capacity: 1.000 kgs.</p>	€ 3.850

	Kriff Roeger Stapelwender Pile turner	Year: 2004 SN: 371 Excellent condition Available: direct from stock	Stationary roll in – roll out automatic paper pile turner, motor driven, including all safety parameters around the machine. No pit required Up to size: 95 x 140 cms. Max. pile height: 140 cms. Capacity: 1.200 kgs.	€ 3.850
	Diesse Maxi Toppy Mobile pile turner https://youtu.be/VooAbnzJlmM	Year: 1998 SN: 10581 Excellent condition Available: direct from stock	Movable heavy duty paper pile turner, motor driven, operation console. Including Belatron 24 Volt automatic battery loader with lcd display. Max. pallet size: 160 x 120 cms. Max loading height: 150 cms. Capacity: 1.500 kgs.	€ 8.500
Stitching- and stapling machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bostitch 14 Wire-stitcher https://youtu.be/0Fnbfq6lUsQ	Year: unknown SN: 6080W Good condition Available: direct from stock	Floor model electric 1-head long arm wirestitcher with foot pedal operation. Suitable for box- and cardboard stitching in order to produce cardboard boxes and cardboard crates etc. Back gauge distance: 300 mms Thickness: up to 10 mms	€ 1.050
	Bizzozero 108B Wire-stitcher	Year: na SN: 4457 Excellent condition Available: direct from stock	Floor model electric 1-head wirestitcher with foot pedal operation. Suitable for block- and saddle stitching in order to produce blocks, books, booklets, brochures, magazines etc. 380 V, 3 Ph. Size register table: 610 x 210 mms Back gauge distance: 320 mms Thickness: up to 15 mms	€ 1.150
	Bostitch 17 EW Wire-stitcher	Year: na SN: G1787009 Excellent condition Available: direct from stock	Floor model electric 3-head wirestitcher with foot pedal operation. Suitable for block- and saddle stitching in order to produce blocks, books, booklets, brochures, magazines etc.. 220 V, 1 Ph. Size register table: 840 x 170 mms Back gauge distance: 250 mms Thickness: up to 10 mms	€ 1.650

	Brehmer Wire-stitcher	Year: unknown SN: unknown Good condition Available: direct from stock	Floor model 1-head wirestitcher with manual crank and foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. Size register table: 220 x 275 mms Back gauge distance: 20 mms Thickness: up to 8 mms	€ 450
	Nagel Multinak 2-head stapler	Year: unknown SN: 6276 used condition Available: direct from stock	Floor model 2-head stapler with foot pedal operation. Suitable for book- and saddle stitching in order to produce books, booklets, brochures, blocks, catalogues etc. Size register table: 320 x 550 mms Back gauge distance: 150 mms Thickness: up to 8 mms	€ 100
Drilling machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	Stago PB-1008 1-spindle electric drill	Year: 1991 SN: 911122 Available: direct from stock Excellent condition	1 drilling head, table model with 1 drilling head, mechanic pressure, waste removal and an adjustable register board. 220 V, 1 Ph, 180 W, 50 Hz. Drill diameter capacity: 2 – 8,5 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 48 mms Table size: 450 x 360 mms	€ 350
	Hang 157 1-spindle electric drill	Year: na SN: 50786 Available: direct from stock Good condition	1 drilling head, 380 Volt machine, table model with 1 drilling head, mechanic pressure, waste removal and an adjustable register board. Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 40 mms Table size: 310 x 630 mms	€ 250

	Pescha 405/14 1-spindle electric drill	Year: na SN: na Available: direct from stock Good condition	1 drilling head, 380 Volt machine, table model with swivelling drilling head, mechanic pressure, waste removal and an adjustable register board. Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 295 x 430 mms	€ 250
	Kobold KOE 5268129 1-spindle electric drill	Year: na SN: 2653118 Available: direct from stock Good condition	1 drilling head, 220 Volt machine, floor model with swivelling drilling head, mechanic pressure with footpedal operation, waste removal and an adjustable register board. Drill diameter capacity: 2 – 8 mms Max. drilling depth capacity: 50 mms Back gauge adjustment: 0 - 102 mms Table size: 720 x 420 mms	€ 350
	Foellmer SP-2 2-spindle electric drill	Year: 1992 SN: 229 Available: direct from stock Good condition	2 drilling heads, 220 Volt machine, table model with fixed distance between drills, mechanic pressure, waste removal and an adjustable register board. Drill diameter capacity: 2 – 15 mms Fixed distance between drills: 80 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 100 mms Table size: 400 x 600 mms	€ 550
	OMM Venus 2-spindle electric drill	Year: na SN: na Available: direct from stock Good condition	2 drilling heads, 380 Volt machine, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board. Drill diameter capacity: 3 – 14 mms Adjustable distance between drills: 45 - 115 mms Max. drilling depth capacity: 80 mms Back gauge adjustment: 0 - 100 mms Table size: 350 x 650 mms	€ 950
	Rationella Maskiner AB Iram-12 3-spindle electric drill	Year: 2000 SN: 1584 Available: direct from stock Excellent condition	3 drilling heads, floor model with adjustable distance between drills, footpedal operation, automatic pressure and movement of the table, waste removal and an adjustable register board. 400 V, 3 Ph, 50 Hz, 3.5 A. Drill diameter capacity: 3 – 12.7 mms Adjustable distance between drills: 60 - 210 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 0 - 140 mms Table size: 440 x 760 mms	€ 950

	<p>Hang 117-01</p> <p>2-spindle electric drill</p>	<p>Year: 2010 SN: 101892</p> <p>Available: direct from stock Excellent condition</p>	<p>2 drilling heads, table model with adjustable distance between drills, waste removal and an adjustable register board with tabs. Crank operation. 380 V, 3 Ph, 50/60 Hz</p> <p>Drill diameter capacity: 3 – 10 mms Adjustable distance between drills: 45 - 160 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 6 - 130 mms Table size: 780 x 430 mms</p>	€ 1.350
	<p>Hang 107-30</p> <p>2-spindle electric drill</p>	<p>Year: 1992 SN: 92 589</p> <p>Available: direct from stock Used condition</p>	<p>2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, hydraulic pressure, waste removal and an adjustable register board. Foot pedal operation.</p> <p>Drill diameter capacity: 2 – 14 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 65 mms Back gauge adjustment: 6 - 130 mms Table size: 480 x 600 mms</p>	€ 950
	<p>Hang 1060120</p> <p>2-spindle electric drill</p>	<p>Year: na SN: 17116</p> <p>Available: direct from stock Good condition</p>	<p>2 drilling heads, 220 Volt machine, floor model with adjustable distance between drills, mechanic pressure, waste removal and an adjustable register board. Foot pedal operation.</p> <p>Drill diameter capacity: 2 – 15 mms Adjustable distance between drills: 60 - 300 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 350 mms Table size: 830 x 690 mms</p>	€ 650
Letterpress machinery	Machine/type	Year/condition/available	Description/options	Price in Euros
	<p>Heng Xin Mini laser PE-40B</p> <p>Laser engraving</p>	<p>Year: na SN: na</p> <p>Excellent condition Available: direct from stock</p>	<p>Laser engraving machine for eg. rubber stamps etc., servo driven with water cooling and smoke exhaust</p> <p>Max. size: 120 x 100 mms Engraving speed: 200 - 300 mm/min.</p>	€ 350


	Heidelberg OHT Tiegel/platen/letter press	Year: 1953 SN: T 46452 Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting. Min. size: 40 x 70 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.500 sh/hr.	€ 1.250
	Adast Grafopress GPC Tiegel/platen/letter press https://youtu.be/kEzSmn592aw	Year: 1974 SN: Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr.	€ 1.050
	Adast Grafopress GPC Tiegel/platen/letter press	Year: 1971 SN: Excellent condition Available: direct from stock	For numbering, perforating, slitting, scoring, embossing and die-cutting. With rollerstop. Min. size: 45 x 60 mms Max. size: 260 x 380 mms Paperweight: 28 / 400 gsm Speed: 1.600 – 5.000 sh/hr.	€ 950
	Van Loey - Nouri Antique letter press	Year: 1850 (approx.) SN: na Excellent condition (all in original condition) Available: direct from stock	Collector's item for manual letterpress printing. With crank- and spring operation. This machine was used for printing of journals and newspapers. Min. size: 45 x 45 mms Max. size: 550 x 750 mms Paperweight: 28 / 400 gsm	€ 2.250
Cutting, slitting, creasing	Machine/type	Year/condition/available	Description/options	Price in Euros

	<p>Duplo DocuCutter DC-615 Automatic creaser/slitter/cutter</p> <p>Year: 2011 SN: 110653543</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with PC control system (including Job Creator) 80 memories and LCD display operation. Automatic air suction feeder and operation with cutting, creasing and slitting in one pass (6 slits, 15 cuts and 10 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.7 A.</p> <p>Min. / max. paper size: 210 x 210 mms / 460 x 320 mms Paperweight: 110 – 300 gsm Speed: up to 11 sheets/min.</p>	€ 5.650
	<p>Duplo DocuCutter DC-545HC Automatic creaser/slitter/cutter</p> <p>Year: 2003 SN: 030959761</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with 80 memories and LCD display operation. Automatic friction feed (AF-100) operation with cutting, creasing and slitting in one pass (6 slits, 10 cuts and 4 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.56 A.</p> <p>Min. / max. paper size: 120 x 210 mms / 457 x 320 mms Paperweight: 110 – 230 gsm Speed: up to 12 sheets/min.</p>	€ 2.550
	<p>Duplo DocuCutter DC-545HC Automatic creaser/slitter/cutter</p> <p>Year: 2004 SN: 040251764</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with 80 memories and LCD display operation. Automatic friction feed (AF-100) operation with cutting, creasing and slitting in one pass (6 slits, 10 cuts and 4 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.56 A.</p> <p>Min. / max. paper size: 120 x 210 mms / 457 x 320 mms Paperweight: 110 – 230 gsm Speed: up to 12 sheets/min.</p>	€ 2.650
	<p>Duplo DocuCutter DC-545HC Automatic creaser/slitter/cutter</p> <p>Year: 2005 SN: 050554903</p> <p>Excellent condition Available: direct from stock</p>	<p>Floor model automatic electric creasing-, cutting-, slitting equipment with 80 memories and LCD display operation. Automatic friction feed (AF-100) operation with cutting, creasing and slitting in one pass (6 slits, 10 cuts and 4 creases in one pass). Waste removal. 220/230 V, 1 phase, 50/60 Hz, 0.56 A.</p> <p>Min. / max. paper size: 120 x 210 mms / 457 x 320 mms Paperweight: 110 – 230 gsm Speed: up to 12 sheets/min.</p>	€ 2.750
	<p>Rollef Champion creaser/perforator</p> <p>Year: na SN: E1287/645</p> <p>Excellent condition Available: direct from stock</p>	<p>Table model heavy duty creasing-, cutting-, slitting- and perforating equipment with manual friction feeder. Can also be used for laminated products. Friction feed and motorized transport of the sheet into the machine and electric creasing. Including: 4 creasing, 2 perforating and 6 contra wheels. 230 V, 1 Ph, 50 Hz.</p> <p>Max. paper width: 420 mms Paperweight: 120 – 300 gsm Table size: 420 x 650 mms Speed: 18.000 sh/hr.</p>	€ 950

	Pernuma 1480F Creaser	Year: 1961 SN: 1643 Excellent condition Available: direct from stock	floor model heavy duty creasing equipment with foot pedal operation, register table and delivery table on top. Max. paper width: 610 mms Paperweight: 30 – 350 gsm Table size: 610 x 800 mms	€ 950
	Pernuma 1480F Perforator (post stamp)	Year: 1971 SN: 5239 Excellent condition Available: direct from stock	floor model heavy duty post stamp perforating equipment with foot pedal operation and register table with adjustable rulers . Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 510 x 800 mms	€ 850
	Bickel HK65-electric Perforator (post stamp)	Year: na SN: 8075 Excellent condition Available: direct from stock	Floor model heavy duty post stamp perforating equipment with electric operation, register table and delivery table on top. Including foot pedal. 380 V, 3 phase. Max. paper width: 650 mms Paperweight: 30 – 250 gsm Table size: 650 x 1.100 mms	€ 1.250
	Bickel HK3/50-electric Creaser	Year: 1986 SN: 30901 Excellent condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table and delivery table on top.. Including foot pedal. 220 V, 1 phase. Max. paper width: 500 mms Paperweight: 30 – 350 gsm Table size: 500 x 700 mms	€ 1.050
	Zechini Gra-for Creaser	Year: 1989 SN: RMI 501 Good condition Available: direct from stock	Table model heavy duty creasing equipment with electric operation, register table. Including foot pedal. 220 V. 1 phase. Max. paper width: 450 mms Paperweight: 30 – 350 gsm Table size: 450 x 600 mms	€ 1.050

	OMM Mariner Creaser and perforator	Year: na SN: na Excellent condition Available: direct from stock	Table model heavy duty creasing- and post stamp perforating equipment with manual crank operation, register table with rulers. Creasing can be done with 2 sheets of 80 gsm up to 1 sheet of 300 gsm in one handling. It is possible to perforate 6 sheets of 80 gsm up to 1 sheet of 300 gsm in one handling. Max. paper width: 500 mms Paperweight: 30 – 300 gsm Table size: 500 x 600 mms	€ 850
	Universal Creaser	Year: na SN: na Excellent condition Available: direct from stock	Table model creasing equipment with manual crank operation, register table. Max. paper width: 520 mms Paperweight: 30 – 350 gsm Table size: 520 x 600 mms	€ 180
	Universal Punch	Year: na SN: na Good condition Available: direct from stock	Table model single head punching equipment with manual crank operation. Can be used for paper, cardboard, offset plates, labels, leather etc.	€ 80
	Deritend 43 ST Creaser / scorer for boxmaking	Year: na SN: 720 Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise creasing- and scoring equipment with manual feeder and electric operation. Including adjustable 2 rill-scoring wheels and adjustable delivery table. Machine is designed to crease cardboard for cartons and cardboard boxes. Max paper size: 1040 mms width Paperweight: 200 – 650 gsm Speed: 148 rpm	€ 1.850
	Deritend 34-DS Cutter / slitter for boxmaking	Year: na SN: 54 Excellent condition Available: direct from stock	Floor model heavy duty, easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Machine is designed to cut / slit cardboard for cartons and cardboard boxes up to 18 cms lengthwise. Max papersize: 1300 mms width Cutting length: up to 18 cms. Paperweight: 200 – 650 gsm Speed: 370 rpm	€ 1.450

	Universal Cutter / slitter	Year: na SN: na Excellent condition Available: direct from stock	Table model easy to handle lengthwise cutting- and slitting equipment with manual feeder and electric operation. Including 2 knives. Stainless steel working blade and delivery. Max papersize: 720 x 1000 mms Paperweight: 80 – 350 gsm	€ 850
Laminating and varnish machines	Machine/type	Year/condition/available	Description/options	Price in Euros
	ATC 24UV UV coater and liquid laminator	Year: 2009 SN: 9041011 Excellent condition Available: direct from stock	Manual fed UV coater and liquid laminator for cost effective enhancing print work, photos, albums, business cards, direct mail pieces, fleet graphics, wall coverings etc. It can run all kinds of gloss, matte, universal or white UV curable liquid coatings. Suitable for paper, cardboard, corrugated materials, styrene, chloroplast, foam board, metal and other printable media. Adjustable thickness control, speed, pumps for filling the coating tank, cleaning tanks, exhaust and standard delivery tray. 380 V, 3 phase. Max width: 630 mms Max nip width: 30 mms Max coating thickness: up to 30 microns Speed: 0-30 m/min.	€ 6.250
	Neschen Seal Image 62 Plus Hot- and cold laminator	Year: 1999 SN: 1575-08-631/8.0 Excellent condition Available: direct from stock	Laminating-, mounting and encapsulating machine for hot- and cold laminating materials. Tip touch electric operation and programming, with footpedal, unwind and rewind shaft, flip-up feed table, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. Max width: 1600 mms Max nip width: 29 mms Speed: 0-1.8 m/min.	€ 4.250
	Morane Junior Hot laminator and encapsulating	Year: 2012 SN: MJ12 075 Excellent condition Available: direct from stock	High speed table top double sided laminating machine for hot laminating materials. Simple electric operation with easy operating, cutter, unwind and rewind shaft etc. Including 1 new roll. 220 V, 1 phase, 50 Hz, 660 W. Max width: A4+ size Max nip width: 5 mms Speed: 0.3 – 3 m/min.	€ 450

	Sallmetall S880 Cold laminator	Year: 1988 SN: 34470 Excellent condition Available: direct from stock	High speed table top laminating machine for cold laminating materials. Simple electric operation with footpedal, unwind and rewind shaft, tension-, spindle pressure control etc. 220 V, 1 phase. Max width: 880 mms Max nip width: 50 mms Speed: 0.3 – 3 m/min.	€ 950
Winders and rewinders	Machine/type	Year/condition/available	Description/options	Price in Euros
	Leomat F400H Label control and slitter/rewinder	Year: 2000 SN: 242.0500 Excellent condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with BST EKR 1000 web guide and tension control. Digital operation with monitor. For rewinding rolls in perfect register to smaller size rolls. During the process the labels can be counted and checked for quality and missing. Labels. 400 V, 3 Ph, 20 A. Web width: up to 410 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 650 mms Shaft diameter unwind: 70 & 76 mms / shaft diameter rewind: 30 – 150 mms Speed: 0 – 250 m/min	€ 14.500
	Rotoflex VSI 330 Label control and slitter/rewinder	Year: 1992 SN: VSI15411920716 Good condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 18 A, 50 Hz. Web width: up to 330 mms Roll diameter max. unwind: 711 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 250 m/min	€ 8.500
	Rotoflex S1000 Label control and slitter/rewinder	Year: 1986 SN: S215-860712 Good condition Available: direct from stock	Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 15 A, 50 Hz. Web width: up to 250 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 230 m/min	€ 6.500

	<p>Rotoflex S1000 Label control and slitter/rewinder</p> <p>Year: 1988 SN: S270-880323</p> <p>Good condition Available: direct from stock</p>	<p>Slitter / rewinder with inspection and label checking. Unwind with tension control. Electric operation with simple operation. For rewinding rolls in register to smaller size rolls. During the process the labels can be counted (numbers and meters) and checked for quality and missing. Labels. 220 V, 1 Ph, 15 A, 50 Hz.</p> <p>Web width: up to 250 mms Roll diameter max. unwind: 700 mms / roll diameter max. rewind: 400 mms Shaft diameter unwind: 76 mms / shaft diameter rewind: 76 mms Speed: 0 – 230 m/min</p>	€ 6.500	
	<p>Allan Datagraph DFS 16" / i-Tech Digital finishing system</p> <p>Year: 2008 SN: D0710806C</p> <p>Working hours: less than 500</p> <p>Excellent condition (like new) Available: direct from stock</p>	<p>Servo driven digital finishing systems for laminating, die cutting, slitting, weeding and re-rolling label materials. It will work in combination of all web format printers and flexo presses up to 410 mms web width. Cold laminating, die cutting, slitting etc are all done digitally without changes of die rollers etc.</p> <p>Web width: 254 - 410 mms Speed: 0 – 50.8 mms/sec</p>	€ 6.500	
	<p>Menzel Winder/rewinder</p> <p>Year: 1998 SN: 85886</p> <p>Excellent condition Available: direct from stock</p>	<p>114 cms width electro-pneumatic-hydraulic floormodel winder/rewinder equipment with operating panel. Machine can be integrated into all kind of web- or roll-to-roll machinery (inspection, paper, textile, non-woven, foils, self-adhesives etc.)</p> <p>Web width: 1020 mms Roll diameter: 600 mms (1.000 mms) Core diameter: 75 mms Max. winding speed: 120 m/min.</p>	€ 4.500	
	<p>Roll Systems (by Böwe) 80015801-57</p> <p>Unwinder</p> <p>Year: 2005 SN: 10305</p> <p>Excellent condition Available: direct from stock</p>	<p>595 mms width electro-hydraulic floormodel driven unwinder equipment with operating panel and decurler. The roll is lifted into the machine with a hydraulic lift and only with one push on the button. The unwinder can be integrated into all kind of web- or roll-to-roll machinery (small rotation offset, flexo, digital rotation printers, mailing lines etc.). Machine is on wheels for easy placement or storage. 220 V, 1 phase.</p> <p>Web width: 595 mms Max. roll weight: 450 kgs Core diameter: 75 mms</p>	€ 2.500	
Folder Gluers	Machine/type	Year/condition/available	Description/options	Price in Euros
	<p>Kohmann CD 1 Production line for CD wallets</p> <p>Year: 1989 SN: 12002/3</p> <p>Excellent condition Available: direct from stock</p>	<p>Air suction rotary feed cd wallet production machine (vacuum), non-stop top feeder, 3 cutting units, creaser unit, 2 side folders (flip mounts), programmable hotmelt gluing device with 2 application nozzles for gluing, 1 pocket folder, end-trimmer, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pumps and long delivery conveyor belt.</p> <p>Speed: 105 m/min. (200 pc/min.)</p>	€ 9.950	

	GUk FA 72/4 F4 Folder gluer	Year: 1986 SN: 23547 Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, programmable digital gluing device (HHS, type C-210) with 2 application nozzles for continuous or pattern gluing (e.g. spot-closing), knife shafts for gluing, creasing- and perforating knives, noisehoods, digital operation console on the machine with counter, pre-sets, batch counter, misfeed etc. Including heavy duty pump and retractable delivery conveyor belt (type S720). Min. / max papersize: 150x190 mm / 720x1040 mm Speed: 1.000 – 40.000 sh/min.	€ 4.950
Folders	Machine/type	Year/condition/available	Description/options	Price in Euros
	MBO K65 / 4 KL-FS Folder	Year: 1993 SN: 62930102 / 930214207 Excellent condition Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with vaculift, vacuum belt feeder, 4 strokes on 1 st section, 2 electric knife cross folders, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating. All safeties. 200 V, 3 Ph, 50 Hz, 21 A. Min. / max papersize: 150x200 mm / 650x960 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 22.000 or 45.000 sh/min.	€ 7.950
	MBO T54-1-54/4 / T54-2-54/4 Folder	Year: 1993 SN: K.07-26 Good condition (4 small belts need attention) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes on 1 st section, retractable cross unit with 4 strokes on the 2 nd section, digital operation console on the machine with counter and delivery conveyor belt with deep pile stacker. Creasing and perforating possible. All safeties and noisehoods. Min. / max papersize: 105x150 mm / 540x890 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 22.000 or 45.000 sh/min.	€ 4.950
	MBO T49-1-49/4 & T49-2-X Folder	Year: 1990 SN: G10/11 Good condition Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, 1 electric knife folder, noisehoods, digital operation console on the machine with counter and hook on delivery conveyor belt. Creasing cutting and perforating possible. Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 45.000 sh/min.	€ 3.250

	MBO T49-1-49/4 Folder	Year: na SN: E11/50 Good condition (all rollers renewed in 2018) Available: direct from stock	Air suction feed folder (vacuum), deep pile flatpile feeder with 4 strokes straight, digital operation console on the machine with counter and delivery conveyor belt. Creasing and perforating possible. Min. / max papersize: 105x150 mm / 490x680 mm Paperweight: 30 – 180 gsm Min. fold: 50 mms. Speed: 1.000 – 45.000 sh/min.	€ 2.950
	Stahl T 47/4-FA Folder	Year: 1981 SN: 19447 Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 strokes, noisehoods, digital operation console on the machine with counter and delivery belt. Min. / max papersize: 105x145 mm / 470x640 mm Paperweight: 40 – 250 gsm Minimum fold: 40 mms Speed: 50 – 150 m/min	€ 2.150
	Faltex 712-236.001 Folder	Year: na SN: 1303 Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation on the machine and an extra-long conveyor belt delivery. Heavy duty compressor/pump. 220 V, 1 phase. Min. / max papersize: 100x100 mm / 360x650 mm Minimum fold: 30 mms Min. / max. paperweight: 50- 230 gsm Speed: 30.000 sh/hr	€ 850
	Sofrapli 385AB Folder	Year: 1994 SN: 944428 Good condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, operation with LCD counter and delivery belt. Safeties and noisehood. Heavy duty compressor/pump in noise reducing box. Min. / max papersize: 105x150 mm / 380x650 mm Minimum fold: 40 mms Min. / max. paperweight: 45- 250 gsm Speed: 25.000 sh/hr	€ 1.750
	Multigraf Eurofold 435.122 Folder	Year: 2009 SN: 20799 09 Good condition (LCD screen is difficult to read) Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 4 automatic and digital adjustable strokes, noisehoods, digital operation with LCD screen console, 20 programs, counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels. 220 V, 1 Ph, 50 Hz, 1.3 A. Min. / max papersize: 80x100 mm / 350x650 mm Minimum fold: 20 mms Paperweight: 40-250 gsm Speed: 30.000 sh/hr.	€ 2.950

	Stahl T32/1 Folder	Year: 1995 SN: 65810/95 Excellent condition Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, digital operation with counter and delivery belt. Retractable on wheels for easy storage. Perforating and creasing with wheels is possible. 220 V, 1 phase. Min. / max papersize: 76x127 mm / 355x508 mm Minimum fold: 57 mms Paperweight: 40-250 gsm Speed: 35.400 sh/hr.	€ 2.950
	Mathias Bauerle Multipli 352S Folder	Year: na SN: na Fair condition (rollers need attention) Available: direct from stock	Air suction feed folder (vacuum), flatpile feeder with 2 strokes, noisehoods, simple operation and delivery belt. Retractable on wheels for easy storage. Perforating and creasing wheels are coming with the machine. 220 V, 1 phase. Min. / max papersize: 50x70 mm / 356x525 mm Minimum fold: 50 mms Paperweight: 40-250 gsm Speed: 20.000 sh/hr.	€ 950
	Morgana UFO 1 Folder	Year: 2002 SN: 01348UUKAB Good condition Available: direct from stock	Floor model vacuum suction feed folder with flatpile feeder, vacuum feeder wheel, 2 strokes, noise hoods, digital operation on the machine, counter and long delivery belt. Including perforating wheels. 220 V, 50 Hz, 1 phase, 9,5 A. Min. / max papersize: 150x120 mm / 640x457 mm Minimum fold: 35 mms Paperweight: 45-240 gsm Speed: 30.000 sh/min.	€ 1.650
	Morgana UFO 5 Cross folder	Year: 2002 SN: 035192ZKAC Good condition Available: direct from stock	Floor model cross folder with extra-long roller feeder table, 2 strokes, noise hoods, digital operation on the machine, counter, connection to an optional conveyor belt delivery. 220 V, 50 Hz, 1 phase, 2,0 A. Min. / max papersize: 100x100 mm / 457x320 mm Minimum fold: 35 mms Paperweight: 45-240 gsm Speed: 20.000 sh/min.	€ 1.150
	OCE 931 Plan folder	Year: 2002 SN: 42592 Good condition Available: direct from stock	Floor model manual feed plan folder for folding large size technical drawings to DIN A4 size end result. Min. / max paperwidth 1150mm Min. / max paperlength: 420 mm / 4000 mm Fixed fold: 210 mms Paperweight: 40-200 gsm	€ 250

Delivery equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bourg BBR JS80140-W Stacker delivery	Year: 2005 SN: 11342150 Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery. Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850
	GUK Small size delivery	Year: na SN: na Used condition Available: direct from stock	Retractable and mobile, height adjustable small size delivery for pharmaceutical GUK (or other brand) folders. Undependable driven with its own motor. Max paperwidth: 430 mm	€ 350
	Pitney Bowes Speed Sort SS CON09-TUV-XX Conveyor belt delivery	Year: 2008 SN: 0804129 Excellent condition (new and never used) Available: direct from stock	Retractable conveyor belt for online use with all kind of mailing equipment. Machine has air supply for easy layout of paper, envelopes or other mail results. Belt length: 260 cms Belt width: 26 cms.	€ 950
	MBO P-92 Pressing unit	Year: 1980 SN: 80065384 Good condition Available: direct from stock	Heavy duty pressing unit for compressing single signatures from one-up to multiple-up production. Easy retractable. Fast and easy format adjustment without use of tools. Including interface to MBO folders. Retractable on wheels for easy storage. Max. size: 920 mms Max. pressure: 20.000 N. Speed: 50-180 m/min.	€ 2.000

	OMG Multiplo P850 Stacker delivery	Year: 1985 SN: 647 Good condition Available: direct from stock	Signature presser/stacker. For flat batched delivery of folded signatures with pressing attachment. Automatically forms 1, 2 or more batches of preselected, counted and stacked signs. Works independently and with any brand or make of folding- or gathering machines. Adjustable infeed height, 4 pressing rollers and delivery air table. Retractable on wheels for easy storage. Max. width: 850 mms	€ 3.500
Collators and bookletmakers				
	CP Bourg - Ordibel Ordinella 615 Collator	Year: 1986 SN: 4054/7457 Excellent condition Available: direct from stock	Collator (15 bins) with friction collating, programming; double sheet detection; counter and zig-zag delivery. 216 x 275 mm. size (min) 216 x 330 mm. size (max)	€ 400
	Duplo DC-1200H Collator	Year: na SN: 10101438 Excellent condition Available: direct from stock	Collator (12 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and criss/cross jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr.	€ 850
	Duplo DC-8 Mini Collator	Year: na SN: 90103703 Good condition Available: direct from stock	Collator (8 bins) with friction collating, programming with digital panel; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase, 50 Hz, 0.7 A.. 139 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 64 – 128 gsm. Speed: 3.300 sets/hr.	€ 450
	Plockmatic 410 Collator	Year: na SN: 410092318 Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 216 x 356 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 750

	Plockmatic 410 Collator	Year: na SN: 410093295 Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 216 x 356 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 750
	Plockmatic 310 Collator	Year: na SN: 310034881 Excellent condition Available: direct from stock	Collator (10 bins) with friction collating, programming; jamming; double sheet detection; pre-set counter and zig/zag jogger delivery. Manual and partsbook (English). 220 V, 1 phase. 120 x 210 mm. size (min) 320 x 450 mm size (max). Paperweight: 40 – 200 gsm. Speed: 3.600 sets/hr.	€ 1.100
	Uchida AR-8 Collator	Year: 2002 SN: 02250045 Excellent condition Available: direct from stock	Collator (8 bins) with vacuum suction collating, programming; jamming; double sheet detection; pre-set counter and jogger delivery. Manual and partsbook (English). 220 V, 1 Ph, 1.8 A. 95 x 150 mm. size (min) 328 x 470 mm size (max). Paperweight: 45 – 250 gsm. Speed: 2.400 sets/hr.	€ 2.850
	Watkiss Vario Pro 8, Bookmaster Pro30, Trimmaster Pro30 Collator and finishing system	Year: 2015 SN: WA/VAR/6148, WA/BMP/1519, WA/TMP/1476 Excellent condition Available: direct from stock	Collator (8 bins) fully automatic (change and size), with vacuum suction collating, programming on colour touch screen; jamming; double sheet detection and pre-set counter. Including easy retractable Watkiss BookmasterPro30 booklet maker, data cable for communication, 2 staplers, folder, trimmer and a conveyor belt delivery. Manual and partsbook (English) 140 x 210 mm. size (min) 364 x 520 mm size (max). Paperweight: 40 – 300 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 3.000 - 7.200 sets/hr.	€ 4.850
	Horizon AC-8000S, SPF-10, FC-10 Collator and booklet maker	Year: 1998 SN: 57231, 25028, 12027 Good condition Available: direct from stock	Collator (8 bins) with vacuum suction collating, digital operating panel with programming; jamming; double sheet detection and pre-set counter. Including Horizon finishingline, 2 Hohner wire stitchers (saddle-, block- and corner stitching), folder, trimmer, a conveyor belt delivery and a jogger unit. Manual and partsbook (English) 148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 23 – 209 gsm. Max. thickness: 40 sheets of 80 gsm Speed: 1.600 - 2.600 sets/hr.	€ 4.850

	<p>Horizon MC-80a, SPF-11, FC-11 Collator and booklet maker</p> <p>Year: 2000 SN: 034012</p> <p>Good condition Available: direct from stock</p>	<p>Collator (8 bins) with vacuum suction collating, digital operating panel with programming; jamming; double sheet detection and pre-set counter. Including Horizon finishing line, 2 Magnatek Interlake wire stitchers (saddle-, block- and corner stitching), folder, trimmer, a conveyor belt delivery and a jogger unit. Manual and partsbook (English). 400V, 50 Hz, 1.7 kW.</p> <p>148 x 210 mm. size (min) 318 x 470 mm size (max). Paperweight: 52 – 260 gsm. Max. thickness: 40 sheets of 80 gsm Speed: 2.050 - 3.500 sets/hr.</p>	€ 4.850
	<p>Plockmatic 310+ & 61 Collator and booklet maker</p> <p>Year: 2003 SN: 310A0065 & 61071270</p> <p>Good condition Available: direct from stock</p>	<p>Collator (10 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including Plockmatic booklet maker with bridge to jogger feeder (for neat piles), data cable for communication, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 220 V, 1 phase.</p> <p>200 x 270 mm. size (min) 305 x 440 mm size (max). Paperweight: 60 – 130/250 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 1.000 – 1.800 sets/hr.</p>	€ 1.650
	<p>Duplo DC-8 Mini & KAS Fold Collator and booklet maker</p> <p>Year: na SN: 20201713 & 8360</p> <p>Excellent condition Available: direct from stock</p>	<p>Collator (8 bins) with friction collating, programming with tip touch; jamming; double sheet detection and pre-set counter. Including KAS booklet maker, counter, 2 staplers, folder and a conveyor belt delivery. Manual and partsbook (English). 230 V, 1 phase.</p> <p>148 x 210 mm. size (min) 297 x 420 mm size (max). Paperweight: 50 – 130 gsm. Max. thickness: 22 sheets of 80 gsm Speed: 2.000 - 3.300 sets/hr.</p>	€ 1.050
	<p>Duplo DBM-100 Bookletmaker</p> <p>Year: 1995 SN: 70301561</p> <p>Booklets: na</p> <p>Good condition Available: direct from stock</p>	<p>Manual and online bookletmaker, folder with 2 staplers (DBM-100), and short delivery belt. Including programs and automatic digital settings for format and size with tip-touch operation.</p> <p>Max. size: 320x450 mm. Min. size: 200x200 mm. Capacity: 25 sheets of 80 gsm Speed: 2.400 sets/hr.</p>	€ 675
	<p>Watkiss TrimMaster Pro30 Trimmer</p> <p>Year: 2015 SN: 1169</p> <p>Booklets: na</p> <p>Good condition Available: direct from stock</p>	<p>Trimmer (online) for Watkiss collating lines and bookletmakers. Programs and operation through the Watkiss collator operating panel.</p> <p>Max. size: 482x320 mm Min. size: 210x140 mm. Max. trim: 25 mm Capacity: 30 sheets of 80 gsm Speed: 2.500 sets/hr.</p>	€ 875

	Plockmatic SR90+ Bookletmaker	Year: na SN: RZP 1548900024 Booklets: only 64.000 ! Good condition Available: direct from stock	Full automatic bookletmaker, folder with 2 staplers, and delivery belt. Including programs and automatic digital settings for format and size with tip-touch operation. Coupling online to copier or printer is possible. Max. size: 297x420 mm. Min. size: 216x280 mm. Paperweight: 64 – 240 gsm Capacity: 20 sheets of 80 gsm Speed: 3.000 sets/hr.	€ 975
	Plockmatic 61 Bookletmaker	Year: na SN: 61051029 Booklets: unknown Good condition Available: direct from stock	Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A. Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.	€ 1.075
	Plockmatic 61 Bookletmaker	Year: na SN: 61071221 Booklets: unknown Good condition Available: direct from stock	Manual- and automatic feeder bookletmaker with automatic side jogger feed for perfect register, folder, 2 staplers and short delivery belt. Machine can be coupled to optional Plockmatic collating machines when the interface cable is provided. Including manual and partsbook. 220 V, 1 phase, 50/60 Hz, 0,3 A. Min. size: 138x210 mms Max. size: 338x458 mms Paperweight: 60 – 250 gsm Max. thickness: 22 sheets of 80 gsm Speed: 1.800 booklets/hr.	€ 1.075
	Nagel Foldnak 4 Bookletmaker	Year: 2006 SN: 2554004 Booklets: unknown Good condition Available: direct from stock	Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. 220 V, 1 phase. Type of staples: 26/6, 26/8S, Ri26/6 Max. size: 345x450 mms Min. size: 140x210 mms Paperweight: 45-240 gsm Max thickness: 2.5 mms (25 sheets of 80 gsm) Speed: 1.200 booklets/hr.	€ 1.175
	Nagel Foldnak 4 Bookletmaker	Year: na SN: na Booklets: unknown Good condition Available: direct from stock	Manual feeder bookletmaker with folder, 2 staplers and short delivery belt. Extra: 2 drivers for ring eye staples. 220 V, 1 phase. Type of staples: 26/6, 26/8S, Ri26/6 Max. size: 345x450 mms Min. size: 140x210 mms Paperweight: 45-240 gsm Max thickness: 2.5 mms (25 sheets of 80 gsm) Speed: 1.200 booklets/hr.	€ 975

	Takofold 100E Bookletmaker https://youtu.be/yf8LYysFAAM	Year: unknown SN: 3122 Booklets: unknown Excellent condition Available: direct from stock	Manual feeder bookletmaker with folder, 2 staplers, a pressing station for nice pressed folds and a short delivery belt. 220 V, 1 phase, 50 Hz. Max. size: 450x320 mms Paperweight: 45-240 gsm Max thickness: (17 sheets of 80 gsm) Speed: 1.000 booklets/hr.	€ 425
	Plockmatic 60 & 61 Conveyor belt delivery	Year: na SN: na Booklets: unknown Good condition Available: direct from stock	Electric conveyor belt delivery for the Plockmatic 60 and Plockmatic 61 booklet makers. Retractable and independent driven with its own motor. Max. size: 338x458 mms	€ 125
	Nagel Foldnak 4, 6, 60, 8 & 80 Conveyor belt delivery	Year: 2006 SN: 061001084 Booklets: unknown Good condition Available: direct from stock	Electric conveyor belt delivery for Nagel Foldnak 4, 6, 60, 8 & 80 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase. Max. size: 450x345 mms	€ 225
	Nagel Foldnak 1 & 2 Conveyor belt delivery	Year: na SN: na Booklets: unknown Good condition Available: direct from stock	Electric conveyor belt delivery for Nagel Foldnak 1 and Foldnak 2 booklet makers. Retractable and independent driven with its own motor and speed control. 220 V, 1 phase. Max. size: 450x345 mms	€ 125
	Höhner Hohner 48/5S Universal Flat staple stitcher head	Year: na SN: na Excellent condition Available: direct from stock	2x Höhner flat staple stitcher heads.	€ 750 each


	Höhner Hohner 48/5S Universal Wire loop stitcher head	Year: na SN: na Excellent condition Available: direct from stock	2x Höhner loop wire stitcher heads. Completely re-furbished by Höhner and in shape of new.	€ 850 each
	Höhner Hohner 52/8 Universal Wire loop stitcher head	Year: na SN: na Excellent condition Available: direct from stock	2x Höhner loop wire stitcher heads.	€ 750 each
Binding equipment	Machine/type	Year/condition/available	Description/options	Price in Euros
	Bourg BB-3000 & BBR Perfect binder	Year: 2000 SN: 611055750 Good condition Available: direct from stock	<p>Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust) automatic cover feeder (vacuum suction) and pressing. Including BBR stacker delivery. On wheels for easy use and storage. Including manual, schemes and partsbook. 380 V, 3 phase, 15 A, 50/60 Hz.</p> <p>Min. / max size: 90x60 / 320 x385 mms Thickness: 0.1 – 45 mms (2 up to 450 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 500 sets/hr.</p>	€ 3.750
	Boway BO-564 Perfect binder	Year: 2012 SN: 7805416 Excellent condition (showroom model) Available: direct from stock Counter: only 1.870 books	<p>Semi-automatic floor model 1-clamp perfect binder for hot glue with electric transport, foot pedal operation, dust free milling (with exhaust), hot glue, manual cover feeder and pressing. On wheels for easy use and storage.</p> <p>Min. / max size: 90x60 / 420 x320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Cover thickness: 80 – 320 gsm Binding speed: up to 380 sets/hr.</p>	€ 1.750

	Duplo DPB-500PUR Perfect binder	Year: 2012 SN: 081200407 Fair condition (PUR parts need replacement of the piping and connectors) Available: direct from stock	Professional high-speed floor model and fully automated 1-clamp perfect binder with feeding system and transport and electric pressing, dust free milling (up to 1.8 mm depth) with exhaust. Touch screen operations with memories for 20 jobs. Automatic size- and format change, side gluing (with scoring wheels), vacuum suction cover feeder. No glue machine coming with this binder. Min./max size: 120 x 120 mms / 360 x 320 mms Thickness: 0.1 – 51 mms (2 up to 500 pages) Paper thickness: 52 – 157 gsm / Cover thickness: 80 – 300 gsm Binding speed: up to 170 - 525 sets/hr.	€ 2.680
	Nordson DuraPail 8072834 PUR applicator	Year: 2009 SN: LU09C0217 Excellent condition (reconditioned and checked by Nordson engineer) Available: direct from stock	Professional heated PUR applicator for PUR required equipment (perfect binders etc.), manual pressure control, blow-off valves, pail centering etc. with digital tip-touch operating panel. Pail contents: 20 liter Pail diameter: 280 – 286 mms Hydraulic pressure: 100 bar Volume max.: 92 kg/hr.	€ 15.750
	Planax Type 1191 Perfect binder	Year: unknown SN: 688 Good condition Available: direct from stock	Simple manual table model 1-clamp perfect binder for hot glue with electric transport and manual pressing. Max binding length: 440 mms Thickness: 0.1 – 60 mms (2 up to 450 pages) Binding speed: up to 220 sets/hr.	€ 1.150
	Planax Perfect-Binder FII Perfect binder	Year: 2004 SN: 1188/762 Good condition Available: direct from stock	Simple semi-automated floor model 1-clamp perfect binder for cold glue, including side glue and with dust free milling (up to 1.8 mms depth and including exhaust), electric transport and electric pressing of the cover. Removable glue pot for easy cleaning. Including 1188 delivery table (heated). 380 V, 3 ph, 2,44 Kw, 50/60 Hz. Min. / max size: 150 x 110 / 380 x 350 mms Thickness: 0.1 – 40 mms (2 up to 350 pages) Max. cover thickness: 250 gsm (300 gsm grooved) Binding speed: up to 170 - 220 sets/hr.	€ 1.750
	Powis Parker Fastback 15xsE Perfect binder	Year: 2016 SN: 16306 Excellent condition Available: direct from stock	Simple table model semi-automated floor 1-clamp thermo binder for lines strips. 6 programs with microcontroller for different thicknesses. The linen strips are clamped and glued automatically after inserting the paperpile. Including a cooling rack and a lot of binding strips. 220/240 V, 1 Ph, 50/60 Hz, 3.5 A. Min. / max size: DIN A5, DIN A4+ up to 37,1 mm Thickness: 5 up to 350 pages of 80 gsm Binding speed: up to 170 - 240 sets/hr.	€ 750

	Planatol Copy Binder 3 Perfect binder	Year: 2010 SN: 109188-1072 Good condition Available: direct from stock	Simple table model semi-automated floor 1-clamp thermo binder for lines strips. 6 programs with microcontroller for different thicknesses. The linen strips are clamped and glued automatically after inserting the paperpile. 220/240 V, 1 Ph, 50 Hz, 2 A. Min. / max size: DIN A5, DIN A4 and 11" Thickness: 5 up to 330 pages of 80 gsm Binding speed: up to 170 - 220 sets/hr.	€ 750
	Universal 43 Gluing table	Year: na SN: na Good condition Available: direct from stock	Simple manual gluing table for blocks with pressure spindle. Including heater/dryer and adjustable in angle. All on wheels for easy storage. 220 V, 1 ph. Max. width: 430 mms Max. pile height: 520 mms	€ 250
	Muro 3450 Gluing table	Year: na SN: na Excellent condition Available: direct from stock	Simple table model manual gluing clamps for blocks with pressure spindle. Incl. fast size change for height. Max. width: 340 mms Max. pile height: 500 mms	€ 175
	Muro 41 Gluing table	Year: na SN: na Good condition Available: direct from stock	Simple table model manual gluing clamps for blocks with pressure spindle. Max. width: 410 mms Depth: 70-140 mms Max. pile height: 90 mms	€ 150
	Demco 500H Hot melt pistol	Year: na SN: 1435 Good condition Available: direct from stock	Simple manual hotmelt pistol for hot glue. Including consumable (glue cartridges). 220/240 V, 1 ph, 50/60 Hz.	€ 50

	Planax 1188 Perfect binder	Year: na SN: na Good condition Available: direct from stock	Simple stacker delivery table (heated) for forced drying cold glue bound books, blocks, magazines etc. 220 V, 1 ph, 50/60 Hz. Min. / max size: 150 x 110 / 380 x 350 mms	€ 75
	Bourg BBR JS80140-W Stacker delivery	Year: 2005 SN: 11342150 Excellent condition Available: direct from stock	Vertical stacker delivery for automated Bourg perfect binders (series: BBF-2005, BB-3000, BB-3001, B-3002) with electric transport and connection to this delivery. Min./max. size: 110 x 50 / 450 x 320 mms Thickness: 0.1 – 60 mms (2 up to 600 pages of 80 gsm) Paperweight: 60-160 gsm (cover: 80 – 250 gsm) Binding speed: up to 200 sets/hr.	€ 850
	Mekanotch Junior Milling and notching machine	Year: 8803314 SN: 1988 Excellent condition Available: direct from stock	Industrial electric spine milling and notching machine with an adjustable clamp system for preparing and improving books, blocks and piles of paper before gluing or binding with glue or a perfect binder. Depth of milling can be adjusted. Suitable for all types of paper (standard, glossy, coated or calendered paper) All safeties (2 knob operation, shields etc.) Milling depth: 0 – 4 mms - notching intervals: 15 mms Min. max paper length: 152 - 380 mms Thickness: 3 – 79 mms (25 up to 600 pages) Binding speed: up to 300 sets/hr.	€ 1.450
	Ibico Kombo A4-PB Punch and closer	Year: unknown SN: 209923 Excellent condition Available: direct from stock	Simple manual table model punch and binding system for 21 rectangle holes and binder A4 size Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 7.200 sh/hr.	€ 75
	Ibico A4 EP Punch	Year: unknown SN: 5/658 Excellent condition Available: direct from stock	Simple electric table model punch for 24 rectangle holes and binder A4+ size Punch capacity max. paper: up to 20 sheets of 80 gsm. (covers up to 2 sheets per cycle) Punching speed: up to 5.000 sh/hr.	€ 185

	Ibico A3 AB Closer	Year: unknown SN: 20439 Excellent condition Available: direct from stock	Simple manual table model closer for 29 rectangle holes and binders up to A3 size Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr.	€ 115
	GBC 16DB Closer	Year: unknown SN: UE92061E Excellent condition Available: direct from stock	Simple manual table model closer for 29 rectangle holes and binders up to A3 size Binding and closing capacity max. paper: up to 200 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 300 sheets Binding speed: up to 150 sets/hr.	€ 115
	Lamirel Combi Combi punch/binder	Year: unknown SN: unknown Good condition Available: direct from stock	Simple manual table model punch and binder for 24 rectangle holes and binder A4+ size Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 115 sheets Punching speed: up to 5.000 sh/hr. Binding speed: up to 250 sets/hr.	€ 85
	GBC Pronto P2000 Closer	Year: na SN: TC65661H Excellent condition Available: direct from stock	Heavy semi-automatic electric table model automatic closer for binding pre-punched paper with plastic Wire'O combs (ProClick) up to A4 size. On button operation and full automated and digital settings with LCD screen. Bindings can be easily opened and closed again for adding or removing pages. Coming with 8 boxes of ProClick bindings. Binding capacity (adjustable): 4 up to 500 sheets Binding speed: up to 500 sets/hr.	€ 285
	Xerox ChannelBind Binder/closer	Year: na SN: na Excellent condition Available: direct from stock	Heavy table model binder/closer with crank operation for binding magazines, reports, books etc. up to A4 size. Binding capacity (adjustable): 4 up to 500 sheets of 80 gsm Binding speed: up to 300 sets/hr.	€ 85

	Prima Opera 41 Paperlock binder	Year: na SN: na Excellent condition Available: direct from stock	Heavy manual table model binder for binding pre-punched paper with self-adhesive papercombs without glue, metal- or plastic bindings up to A4 size. Binding capacity (adjustable): 4 up to 500 sheets Binding speed: up to 250 sets/hr.	€ 85
	GBC EuroWire 2000 (EWM) Wire'O binder and closer	Year: 1999 SN: 99EWM1499 Used condition Available: direct from stock	Electric table model punch and closer for 3:1 Wire'O binders A4+ size (round holes). Thickness indicator at the possible for the correct choice of the binding. Footpedal operation. 230 V, 50 Hz, 1 Ph, 2.6 A. Punch capacity max. paper: up to 25 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 240 sheets Punching speed: up to 3.000 sh/hr. Closing speed: up to 500 sets/hr.	€ 985
	JBI Compact PB Wire'O binder and closer	Year: na SN: na Excellent condition Available: direct from stock	Manual table model punch and closer for Wire'O binders A4 size. Calendar punch possible. Thickness indicator at the possible for the correct choice of the binding. In a protection box. Punch capacity max. paper: up to 10 sheets of 80 gsm. (covers up to 2 sheets per cycle) Binding capacity: up to 240 sheets Punching speed: up to 3.000 sh/hr. Closing speed: up to 150 sets/hr.	€ 285
	Kugler Specials 3 Punch blocks	Year: na SN: na Good condition Available: direct from stock	Exchangeable punch block (49 cms, 96 holes, round 3.0 mm over total distance 47.7 cm) for Kugler punching systems. Also 2 punch blocks with 4 holes (12.5 cms, 4 holes, round 4.5 mm –over total distance 4.5 cm). Punch blocks can be switched and installed within a few moments.	€ 595
	Unibind XU 638 Binder	Year: unknown SN: unknown Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 6 clamps and 6 heated stations. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document.	€ 70

	Thermo Prima 21 Binder	Year: unknown SN: unknown Good condition Available: direct from stock	Simple table model thermal hotmelt glue binder A4+ size with 1 clamp and 3 programs. Binding is achieved through the use of wrap round covers with glue inserted into the spine. This is heated with the thermal binder and the sheets are glued together and gives a professional looking document. Lot of consumables coming with it.	€ 50
	Universal Book casing-in machine	Year: unknown SN: unknown Good condition Available: direct from stock	Semi-automatic floor model casing-in machine for hard-cover bookbinding, that presses the linen covers around the pre-glued books. Pneumatic pressing with 2- knob operation. Max. 400 mms binding length and 5 - 35 mms thickness.	€ 400
Joggers	Machine/type	Year/condition/available	Description/options	Price in Euros
	Foellmer C 1 Vibrating table	Year: unknown SN: 1045 Excellent condition Available: direct from stock	Table model vibrating table, for manual straight vibrating of piles of paper. Vibrating is adjustable. Max. papersize: 52 x 36 cm	€ 125
	Planatol Planatol Jogging unit	Year: unknown SN: 01488 Fair condition Available: direct from stock	Table model jogger, for corner and manual straight jogging Max. papersize: A3	€ 50
	Ideal Vibro 3 Jogging unit	Year: 1973 SN: 10459 Excellent condition Available: direct from stock	Table model jogger, adjustable in vibration and angle. Max. papersize: A3	€ 75

	Bourg TR-JOG-T Jogging unit	Year: unknown SN: 293040310 Good condition Available: direct from stock	Floor model criss cross jogger for online use with Bourg equipment, adjustable in vibration and angle. Max. papersize: 35 x 50 cms	€ 350
	Van Dijk 40x50 Jogging unit	Year: unknown SN: unknown Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle. Max. papersize: 40 x 50 cms	€ 200
	Universal A3+ Jogging unit	Year: unknown SN: unknown Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle. Max. papersize: 35 x 50 cms	€ 200
	Universal A3+ Jogging unit	Year: unknown SN: unknown Good condition Available: direct from stock	Floor model jogger, adjustable in vibration and angle. Max. papersize: 47 x 47 cms	€ 250
	Schneider Senator Vibra Jogging unit	Year: 1987 SN: 91061 Good condition Available: direct from stock	Floor model jogger, including airtable, footpedal operation, adjustable in vibration and angle. Including manual side flap at right side. Max. papersize: 115 x 80 cms	€ 1.150

	Schneider Senator 1073 Jogging unit	Year: 1990 SN: 183-1223 Excellent condition Available: direct from stock	Floor model jogger with stainless steel table, air supply (also on the sides) and airstrike roller, automatic inclination adjustable in angle. Both side flaps also work automatically. With operating panel and heavy duty compressor unit for pressure and air supply. Max. papersize: 120 x 85 cms	€ 2.750
Packing, mailing and binding	Machine/type	Year/condition/available	Description/options	Price in Euros
	Ranpak FillPak TTKS-0209 Kraft paper packing machine	Year: new SN: F1627516 Excellent condition (new and never used – in original packing) Available: direct from stock	Mobile floor model electric voidfill- and cushion packaging machine that produces a up cushion air filled kraft paper for packing all products into boxes from fanfold kraft paper. Free hands for packing and cutting with foot pedal operation. Thickness kraftpaper: 50 – 70 gsm Speed: 1.4 m/sec.	€750
	AVC MCS-30/35 sealing- and shrink wrapping machine	Year: 2006 SN: 142670606 Excellent condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrink tunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Max size: 350 x 300 x120 mms	€ 2.250
	Minipack FM-75 sealing- and shrink wrapping machine	Year: 1987 SN: 87-3735 Used condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for sealing and shrink wrapping magazines, catalogues, brochures or other mailing products. All is packed tight in PP or PE film materials. Sealing vacuum window, shrink tunnel with timers and constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Max size: 400 x 250 x200 mms	€ 450

	Polybag Mailbag Mailing- and wrapping machine	Year: 2009 SN: na Excellent condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour	€ 3.150
	Routexpress 2 Lara Mailbag Mailing- and wrapping machine	Year: 42009 SN: 1992 Used condition Available: direct from stock	Manual feed mailing wrapping system with handfeed for wrapping magazines, catalogues, brochures or other mailing products. All is packed tight, so no shrinking is required. Constant temperature control. This machine is suitable for the graphic industry, logistics, mailings, post etc. Min./max size: 160 x 100 / 250 x 360 mms Thickness up to 15 mms Speed: up to 200 cycles/hour	€ 1.450
	BVM Mailmaster 4004 Mailing- and wrapping machine	Year: 2001 SN: 010402498/B01 & 43509 Excellent condition Available: direct from stock	Automatic mailing wrapping line with 3 feeders (handfeed or automatic with Sitma 0019-156 & GUK SVA/35-SP feeders) for collating and wrapping magazines, catalogues, brochures or other mailing products. Size change is done automatically with the operating panel. All is packed tight, so no shrinking is required. Constant temperature control. This line is suitable for the graphic industry, logistics, mailings, post etc. Size: from 80 mms up to DIN A3 long and max. 60 mms height Size bag length: 80 – 550 mms (adjustable) Speed: up to 130 cycles/minute	€ 30.000
	Kern 620 Collator and mailing system	SN: 620.0092 Good condition Available: direct from stock	Floor model collator (1 station max. A3 size and 1 station 30x20 cm) with friction collating; double sheet detection; counter and delivery. Coming with envelope feeder (min 76x140 mms up to 162x229 mms; 50 – 100 gsm), folding- and filling station for cards to this envelopes 70x70 mm size (min). 430 x 320 mm size (max). Paperweight: 70 – 240 gsm	€ 1.250
	PFE E1143AA Collator and mailing system	Year: na SN: CBK 51 34 Used condition Available: direct from stock	Table model mailing system with folding- and filling station for letters and cards to insert into envelopes	€ 250

	<p>Kirk Rudy 203</p> <p>Feeder head</p>	<p>Year: na SN: 1291 365</p> <p>Excellent condition Available: direct from stock</p>	<p>Labelling and Pick-and-Place head for integration into direct mail equipment or packing lines. This tip-on head can feed cards or similar flexible paper items to an online mailing- or packing line. The items are shuttle fed onto a vacuum pushing system. Connection with mis-feed signal in order to stop the complete line. Including removable glueing tray with glueing wheel application.</p> <p>Min. size: 5.1 x 5.1 cm Max. size: 18 x 20,3 cm Speed: 12.000 sh hr.</p>	€ 350
	<p>Kingpin 828S</p> <p>Strapping machine</p> <p>https://youtu.be/R2FTCc-4qY8</p>	<p>Year: 1987 (delivered 1988) SN: 61105</p> <p>Good condition Available: direct from stock</p>	<p>Floor model manual strapping for packing/thermo closing boxes with print work or bind piles of (printed) paper, brochures, magazines, books etc. with a wire strapping material. Sensor controlled operation. Including large unwind for bigger rolls with binding materials. 6 new rolls of binding material coming with the machine.</p> <p>Length of strap: 0,2 - 2 m.</p>	€ 650
	<p>Signode KRS 50x40</p> <p>Strapping machine</p>	<p>Year: 1990 SN: 503195</p> <p>Fair condition (machine needs some small repairs) Available: direct from stock</p>	<p>Floor model strapper for inline strapping print work, packages of magazines/newspapers etc., with binding straps up to 50 mms width. Including unwind for rolls. Easy pick up, transport, and delivery of the packs due to rolling conveyor belt.</p> <p>Size: 500 x 400 mms (wxh)</p>	€ 750
	<p>Super Power Stretch Film</p> <p>wrapping material</p>	<p>Year: 2015 SN: unknown</p> <p>Excellent condition (new) Available: direct from stock</p>	<p>30 rolls of black wrapping foil for automatic wrapping boxes, pallets or other equipment with an automatic polywrapper.</p> <p>Roll width: 500 mms</p>	€ 1.150
	<p>Alpha-Dot Inline printer</p>	<p>Year: unknown SN: unknown</p> <p>Good condition Available: direct from stock</p>	<p>Conveyor and driven roller belt (up to 400 mms width) with flexible inkjet printer (including remote keyboard for text input).</p> <p>Machine is used for batch printing on cardboard boxes. Can be integrated in another line and is adjustable in height.</p>	€ 1.650

Pumps and miscellaneous	Machine/type	Year/condition/available	Description/options	Price in Euros
	Prior Scales	Year: unknown SN: unknown Excellent condition Available: direct from stock	Floor model on wheels (retractable). One stationary weighing scale with rollers for in line situation.	€ 350
	GM GM-3000	Year: unknown SN: 33752 Excellent condition Available: direct from stock	Table model digital weighing scale with many programmable possibilities. Used for mixing colours and pantone inks. 240 V, 1 ph. Max. weight: 3000 grs Accuracy: 1 gr	€ 35
	Endra KO-76 Manual strapping machine	Year: na SN: 27104 Excellent condition Available: direct from stock	Manual hand strapper for packing/closing boxes into band strapping materials with clips. Including large unwind on wheels for flexible use and suited for bigger rolls with binding/strapping materials. Cardboard with 6 new rolls binding materials is coming with the equipment.	€ 350
	ATS Banding film	Year: na SN: na New condition Available: direct from stock	2,5 roll (new) banding film in order to bind packages, boxes etc. Colour: white Length per roll: 850 m Width: 48 mms	€ 50

	Mixers for glue or coatings.	Year: unknown SN: unknown Excellent condition Available: direct from stock	Mixers for glue or coatings. 2 available.	€ 500
	Kaeser Aquamat 2 Oil water separator	Year: 2005 SN: 3600 Good condition Available: direct from stock	Compressed air condensate is a by-product of all compressors. It is a mixture of oil and water with ambient particulates and hydrocarbons that have been concentrated during the compression process. Much of the oil is the result of oil vapours and aerosols present in the compressor intake air. This type of oil-water mixture may be classified as hazardous waste, federal and local environmental laws often prohibit the discharge of untreated condensate into surface drains. Kaeser's Aquamat 2 condensate management system offers a reliable and economical method of oil/water separation and can be used in combination up to 3 compressors. Productivity: 1 – 90 m3/min.	€ 550
	Abac B 2800/LN/M2 Compressor with buffertank and airdryer	Year: 2010 SN: ITRO 371918 Hours: only 262.74!!!! Excellent condition Available: direct from stock	Compressor with 270 liter buffer tank, Donaldson Ultrafilter and airdryer system with auto-start and auto-stop regulation suitable for pressure air needed machinery etc. in pre-press area, press area or binding area. Delivery: 254 l/min Pressure: 10 bar 1.300 rpm Consumption: 230 V, 1 Ph, 50/60 Hz, 1.5 kW.	€ 2.750
	Ingersoll-Rand Compact ES200 Compressor	Year: na SN: 1993294 Hours: 1080.78 Good condition Available: direct from stock	Compressor with 24 liter internal buffer tank and auto-start and auto-stop regulation suitable for pressure air needed machinery etc. in pre-press area, press area or binding area. Delivery: 225 l/min Pressure: 9 bar 1.260 rpm Consumption: 380 V, 3 Ph, 50/60 Hz, 1.5 kW.	€ 1.650
	Rietschle SKG-200-2.18 Pressure pump	Year: 1982 SN: 434182 Good condition Available: direct from stock	1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area. Delivery: 2.820 l/min Pressure: 97 mbar Consumption: 0.37 Kw	€ 450

	<p>Nishimura FB-400</p> <p>Pressure pump</p>	<p>Year: na SN: 53-5</p> <p>Excellent condition Available: direct from stock</p>	<p>1 pump/blower suitable for pressure air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 1.5 m3/min Rotational shaft speed: 2.850 turns/min. Consumption: 380 V, 3 Ph, 0.4 Kw</p>	€ 450
	<p>Orion CBX 15NK</p> <p>Vacuum / pressure pump</p>	<p>Year: 2000 SN: 410010</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 0,6 m3/min – 0.6 bar/-0.6 bar Rotational shaft speed: 1.750 turns/min. Consumption: 200 V – 0,75 kW</p>	€ 1.450
	<p>Becker SV 5.190/5</p> <p>Vacuum / pressure pump</p>	<p>Year: 1986 SN: 927864</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in printing press, folding or binding machinery.</p> <p>Delivery: 1,6 m3/min – 2.55 psi/86.6 wg Rotational shaft speed: 2.800 turns/min. Consumption: 220 V – 1 phase</p>	€ 950
	<p>Rietschle DCL 40/DV</p> <p>Vacuum / pressure pump</p>	<p>Year: na SN: 1900</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in binding area.</p> <p>Delivery: 40 m3/hr – 0.6 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 380 V – 1.5 kW</p>	€ 1.050
	<p>Rietschle TR 25DV (02)</p> <p>Vacuum / pressure pump</p>	<p>Year: 1982 SN: 726918</p> <p>Excellent condition Available: direct from stock</p>	<p>1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area.</p> <p>Delivery: 25 m3/hr – 0.7 bar/-0.6 bar Rotational shaft speed: 1.400 turns/min. Consumption: 220 V – 1.1 kW</p>	€ 800

	Gast 1022 Mag drive pump	Year: 1989 SN: 89-18210 Good condition Available: direct from stock	1 vacuum / pressure pump suitable for pressure and vacuum air needed machinery etc. in pre-press area, press area or binding area. Delivery: 15 m3/hr – 0.6 bar Vacuum: 116 mbar Rotational shaft speed: 1.425 turns/min. Consumption: 220 V – 0.6 kW	€ 500
	March MDXT-3 Fluid pump	Year: na SN: QQ 113344 Good condition Available: direct from stock	1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area. Delivery: 30 l/min. (max. head: 4 m.) Pressure: 0.55 bar Rotational shaft speed: 3.500 turns/min. Consumption: 220 V – 0.8A, 0,03 kW	€ 100
	Iwaki 2MD-15RU Fluid pump	Year: na SN: 0381195 Good condition Available: direct from stock	1 seal-less pump suitable for pumping (chemical) fluids for fluid needed machinery etc. in pre-press or press area. Delivery: 20 l/min. (max. head: 2-2.5 m.) Pressure: 0.55 bar Rotational shaft speed: 3.000 turns/min. Consumption: 220 V – 0.8A, 0,02 kW	€ 100
	Bonfiglioli Bonfigtronic 3.180.3000 Motor drive	Year: na SN: 1232 Good condition Available: direct from stock	1 drive motor suitable for belt drive of different kind of equipment in press- or binding area. Rotational shaft speed: 3000 turns/min. Torque: 4.5 Nm Consumption: 220 V – 4.9 A, 750 W	€ 250

All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2010)**. All machines are owned by us and can be seen in our warehouse in Venray - the Netherlands. Our delivery terms can be read on: <http://www.mctrade.nl/delivery-terms.html>. We are glad to send you a print of our terms. You can receive our newsletters and stock list by adding your email address to our mailing list: <http://www.mctrade.nl/subscribe.html>.

Machines in stock at: 13 January 2020
Also see: www.mctrade.nl

McTrade warehouse and office: Venootstraat 4-a; NL-5804 CN; Venray; the Netherlands
tel. +31 (0)6 53443948; fax +31 (0)478 571091; E-mail: info@mctrade.nl