

SMOKE & CO ALARMS

DETECTION DEVICES:

- Smoke Alarms
- Carbon Monoxide Alarms
- Auxiliary Devices
- Accessories



***Greatest
selection
of models***



Also available:
***Kidde Commercial & Industrial
Fire Extinguisher Catalog***



TABLE OF CONTENTS

DETECTION DEVICES

Alarm Legislation Map 3
Home Safety Product Placement . . . 3
Alarm Placement & Replacement . . . 4
What is Carbon Monoxide (CO). . . . 4

TruSense & The New UL Standard . . . 5
 AC/DC Hardwired 5
 DC Battery Operated 5

Intelligent Wire-Free Alarms 6
 AC/DC Hardwired 6
 DC Battery Operated 7


Worry-Free Alarms 8
 AC/DC Hardwired 8
 AC/DC Plug-in 9
 DC Battery Operated 9

Standard Alarms 10
 Firex AC/DC Hardwired 10
 AC/DC Plug-in 12
 DC Battery Operated 13


Auxiliary Devices & Accessories 14

It's the Law.

Comply with State CO & Smoke Alarm Legislation



HOME SAFETY PRODUCT PLACEMENT GUIDE



ALARM PLACEMENT & REPLACEMENT

DON'T TAKE SAFETY FOR GRANTED



Home safety alarms monitor 24 hours a day & 7 days a week, and are designed to provide accurate readings throughout the life of the alarm.

However, like most appliances, smoke and CO alarms don't last forever and need to be replaced every 10 Years.






PLACEMENT AND REPLACEMENT RECOMMENDATIONS

State and local codes have changed over the years. Do you have enough alarms to protect your family and home?

	PLACEMENT Recommendations	REPLACEMENT Recommendations
 Smoke Alarms	Install on every level, and inside & outside every sleeping area.	NFPA 72, the National Fire Alarm Code, requires REPLACING SMOKE ALARMS EVERY 10 YEARS.
 Carbon Monoxide (CO) Alarms	Install in a central location outside every sleeping area and on every level of your home.	A CO ALARM MUST BE REPLACED AT THE END OF ITS SERVICE LIFE. UL Listed CO alarms will give an End-of-Life beep as a reminder to replace. KIDDE CO ALARMS ARE UL LISTED AND LAST 10 YEARS. (mfg after 1/2013)

SMOKE ALARM SENSOR TECHNOLOGY

	Ionization sensing alarms may detect invisible fire particles (associated with fast flaming fires) sooner than photoelectric alarms.
	Photoelectric sensing alarms may detect visible fire particles (associated with slow smoldering fires) sooner than ionization alarms.
	For maximum protection of the various types of fires that can occur within the home, including fast flaming, slow smoldering, and polyurethane foam, it is recommended that multi criteria smoke alarms be installed. TruSense models meet the new polyurethane foam fire detection requirements, while at the same time include intelligent technology to reduce nuisance alarms from cooking.

TRUSENSE – THE NEW UL STANDARD

TRUSENSE

Advanced Smoke Detection Technology

New Smoke Alarm Sensor

A New Safety Standard

Homes today are built tighter, materials are more synthetic and homes are burning faster than when traditional smoke alarms were originally developed. For this reason, the Standard for Single and Multiple Station Smoke Alarms, UL 217, 8th Edition, will utilize new fire and nuisance tests that all manufacturers must meet in order to be compliant.

In addition to additional fire tests, UL now required additional power surge protection for AC hardwired alarms, as well as ten year timers on all certified smoke alarms.

Kidde alarms with TruSense technology meet these new standards which help recognize real fires and prevent nuisance alarms often caused by cooking. The TruSense products are the first alarms on the market to meet the new UL smoke alarm requirements.



Current ionization and photoelectric type smoke alarms WILL NOT PASS the new UL fire tests.



Helps Reduce Cooking Nuisance Alarms
UL 217 8th Ed.

Advanced Sensor Technology

- Detects More Types of Fires
- Reduces Cooking Nuisance Alarms
- Meets New Industry Standards (UL 217 8th Ed.)

Successful passing of four fire tests will be required to continue manufacturing smoke alarms after June 2021.



Synthetic Materials

Smoldering Polyurethane
Flaming Polyurethane



Cooking Nuisance



Wood & Paper

Smoldering Wood
Flaming Wood
Flaming Paper

Advanced TruSense technology detects fire faster, reduces nuisance alarms and meets the new industry standard.

INTELLIGENT WIRE-FREE

**Ten-Year
Long Life**

10-YEAR SEALED BATTERY & INTERCONNECTED SMOKE AND CARBON MONOXIDE (CO) ALARMS



- **Quick & easy setup:** No WiFi required, interconnect without re-wiring
- **Voice notifications**
- **Glowing LED status ring:** Easy ID of current state of alarm
- **Bug screen:** Protects alarm from insect integration
- **UL Listed**
- **Photoelectric smoke sensor**
- **Never change a battery!**



Green:
Unit is Working



Amber:
Error



Red:
Danger Detected

INTELLIGENT WIRE-FREE HARDWIRED ALARMS

**Ten-Year
Long Life**

120V AC/DC HARDWIRED WIRELESS INTERCONNECT (WITH 10-YEAR BATTERY BACKUP)



21027323

P4010ACSCO-W

Combo Smoke / CO with Voice

- Gateway to wireless interconnect
- 10-year battery backup
- Ambient light ring
- Easy setup



21027320

P4010ACS-W

Smoke Alarm with Voice

- Gateway to wireless interconnect
- 10-year battery backup
- Ambient light ring
- Easy setup



21027326

LED LIGHT

P4010LACS-W

Smoke Alarm with Voice and Safety Light

- Gateway to wireless interconnect
- 10-year battery backup
- Ambient light ring
- Easy setup





INTELLIGENT WIRE-FREE FEATURES

An expansion of the 10-Year Worry-Free line, these alarms can be interconnected wirelessly without the need for extensive and expensive re-wiring. If one alarm goes into alert it will signal all of your interconnected alarms to go into alert. If a fire starts upstairs, you will know immediately downstairs.

- **Quick and Easy Setup:** No Wi-Fi required, and no dip switches. An average home setup takes just minutes.
- **Voice Alerts:** Announces the type of hazard detected. Smoke alarms announce "Fire!" when a smoke or fire hazard is detected. Combination Smoke/CO alarms additionally announce "Warning Carbon Monoxide" when a CO hazard is detected.
- **Sealed-in Lithium Battery:** No battery replacement required over the 10 year life of the alarm. Eliminates worry about battery removal and maintenance fees to change batteries.
- **Photoelectric Sensor:** Smoke alarms contain advanced photoelectric sensor that may detect visible particles (associated with smoldering fires) sooner than ionization alarms.
- **Self Activation:** Automatically activates when attached to included mounting bracket.
- **Listings:** Smoke Alarms – UL 217 Listed
Combination alarms – UL 217 and UL 2034 Listed
California State Fire Marshal Listed



INTELLIGENT WIRE-FREE BATTERY ALARMS

DC BATTERY OPERATED WIRELESS INTERCONNECT



P4010DCSCO-W

Combo Smoke / CO with Voice

- Interconnect alarms wirelessly
- 10-year battery
- Ambient light ring
- Easy setup

21027311



P4010DCS-W

Smoke Alarm with Voice

- Interconnect alarms wirelessly
- 10-year battery
- Ambient light ring
- Easy setup

21027308



P4010LDCS-W

Smoke Alarm with Voice and Safety Light

- Interconnect alarms wirelessly
- 10-year battery
- Ambient light ring
- Easy setup

21027314

WORRY-FREE SMOKE & CO ALARMS

**Ten-Year
Long Life**

LONG LIFE SEALED-BATTERY ALARMS PROVIDE A DECADE OF PROTECTION FROM SMOKE, FIRE AND CO.

Powered by a sealed-in, 10-year lithium battery, Kidde's Worry-Free smoke and CO alarms use only one battery for the life of the alarm to provide 24/7 fire safety protection.

- **10-Year Alarms are Now Required in Many States and Municipalities** — Learn more at KiddeHomeSafety.com
- **Hardwired (with 10-Year Battery Backup), Battery Powered and Wireless options.**
- **All Kidde 10-Year Products are UL Listed** — PROVEN to provide a decade of protection.
- **Savings for Landlords and Contractors** — Save money over the life of each alarm on batteries and maintenance costs.
- **Ideal for Multi-Family Applications** — Apartments / condos, dorm rooms, hotels / motels, assisted living facilities.



Worry-Free

**Ten Year Sealed Battery
Smoke & Carbon Monoxide Alarms**



No more
late night
battery chirps!



Save \$40 over
life of each alarm!

WORRY-FREE HARDWIRE SMOKE ALARMS

**Ten-Year
Long Life**

120V AC/DC HARDWIRED 10-YEAR WORRY-FREE SMOKE & COMBO ALARMS (WITH 10-YEAR BATTERY BACKUP)



21010408-N: 6 pc box

**i12010SCO
Combo
Smoke / CO**

Voice clearly announces "Fire!" in addition to sounding the traditional alarm



21010407-A: 6 pc box

**i12010S
Hardwire
Smoke Alarm**

Large Hush® button temporarily silences nuisance alarms



21028057: 3 pk box

**P4010ACLEDSCO-2
3-IN-1 Strobe,
Smoke & CO Alarm**

Single unit can be installed where previously a separate smoke and strobe were needed. 10 year battery backup!



21027536: 4 pk box

**P4010ASCO
Combo
Smoke / CO
with Voice**

Voice alarm, ambient light ring, large Hush® button.



21027537: 4 pk box

**P4010ACS
Hardwire
Smoke Alarm**

Voice alarm, ambient light ring, large Hush® button.



21026872: 3 pk box

**P4010ACLED S-2
2-IN-1 Strobe
& Smoke Alarm**

Single unit can be installed where previously a separate smoke and strobe were needed. 10 year battery backup!



WORRY-FREE AC/DC PLUG-IN CO ALARMS

**Ten-Year
Long Life**

120V AC/DC HARDWIRED CARBON MONOXIDE ALARMS (WITH 10-YEAR BATTERY BACKUP)



KN-COP-DP-10YH
900-0284
HALLWAY
Plug-in CO Alarm:

- Super-bright LEDs illuminate your path to safety.
- AC Plug-in with 10-year Battery Backup
- Digital Display

21026365: 3 pk clam



KN-COP-DP-10YB
900-0282
BEDROOM
Plug-in CO Alarm:

- Voice Alarm
- AC Plug-in with 10-year Battery Backup
- Digital Display

21026359: 3 pk clam



KN-COP-DP-10YL
900-0284
LIVING AREA
Plug-in CO Alarm:

- AC Plug-in with 10-year battery backup
- Digital Display

21026350: 3 pk clam
21026354: 36 pk box
21026385: 36 pk box - CSA Listed

**Ten-Year
Long Life**

WORRY-FREE BATTERY OPERATED ALARMS

DC BATTERY OPERATED 10-YEAR WORRY-FREE SMOKE, CO & COMBO ALARMS



P3010CU
Combo
Smoke / CO
with Voice

Talking voice alarm alerts to type of danger present.

21026065: 3 pk clam



P3010K-CO
Kitchen Smoke / CO
Alarm

Intelligent multi-sensor reduces nuisance alarms and detects two different threats

21010071: 6 pk box
21010170: 3 pk clam



LED LIGHT

P3010H
Hallway
Smoke Alarm

Super-bright LED light illuminates your path to safety.

21010069: 6 pk box
21010167: 3 pk clam



P3010B
Bedroom
Smoke Alarm

Voice clearly announces "Fire!" in addition to sounding the traditional alarm

21010067: box
21010161: clam



P3010L
Living Area
Smoke Alarm

Large Hush® button temporarily silences nuisance alarms

21010064: box
21010164: clam



i9010
Ten-Year Sealed
Battery
Smoke Alarm

Original smoke alarm with a battery proven to last ten years

21008697: 6 pk box
900-0136-003: 3 pk clam



C3010D
10-YEAR
Worry-Free
CO Alarm:

Digital Display Sealed Battery – Lasts 10-years, the life of the alarm.

21010075: 6 pc box
21010047: 3 pk clam



C3010
10-YEAR
Worry-Free CO Alarm:

Sealed Battery – Lasts 10-years, the life of the alarm.

21010073: 6 pc box
21010045: 3 pk clam



**Ten Years of
Protection**

**Never change
a battery!**



120V AC/DC HARDWIRED SMOKE ALARMS

120V AC/DC HARDWIRED SMOKE ALARMS



i4618 Slide Load Front Battery Door

Easy access to
change backup
battery

21007581: w/ 9v battery, 6 pk box
21007583: w/ alk battery, 6 pk box
21007584: bulk 36 pk box



i5000 Slide Load Front Battery Door

Alkaline Battery
10-Yr Warranty

Easy access to
change backup
battery

21007582: 6 pk box



i12060 Spring Load Hardwired Smoke Alarm

Easy access to
change backup
battery

21006376: 9V battery, 6 pk box
21006931: alk battery, 6 pk box
21005927: 9V battery, 6 pc bulk



i12080 Safety Light

Safety light
illuminates when
alarm sounds

21006379: 6 pk box



P12040 Photoelectric Sensor

Standard alarm,
basic compliance
with Hush®

21006371: 6 pk box



i12040 Basic AC Smoke Alarm

Standard
alarm, basic
compliance
with Hush®

21006378: 9V battery, 6 pk box
21006928: alk battery, 6 pk box
21006373: 9V battery, 6 pc, bulk

wireless system

RF-SM-AC DC, 1279-9999 Kidde Wireless System AC Smoke Alarm

Gateway to existing
wired system. Use
with 0919-9999
(see page 13).



Pi2010 Dual Sensor

Contains both
ionization and
photoelectric
sensors

21007915-N: 6 pk box



1279-9999: 3 pk Box



CONTRACTOR FRIENDLY FEATURES

CONTRACTOR FRIENDLY FEATURES.

Firex® brand hardwired smoke and CO alarms by Kidde are known as the *Choice of Professionals*.

Firex hardwired alarms come in a full range of models and are known for quality, reliability, easy installation and maintenance.



FIREX 120V AC/DC HARDWIRED COMBO ALARMS

120V AC/DC HARDWIRED COMBINATION SMOKE/CO ALARMS



21006377-N 6 pk box

KN-COSM-IBA Intelligent Alarm

- Intelligent multi-sensor reduces nuisance alarms and detects two different threats, smoke and CO
- Slide load front battery door
- Ionization sensor



21007624: 6 pk box

KN-COPE-IB Talking Combo Alarm

- Voice alarm clearly warns of specific danger
- Spring load front battery door
- Photoelectric sensor

FIREX 120V AC/DC HARDWIRED CO ALARMS

120V AC/DC HARDWIRED CARBON MONOXIDE ALARM



21006407: 6 pc box

KN-COP-IC AC/DC Digital Display:

- Digital Display shows level of CO the alarm is sensing
- Peak level button displays the highest level of CO recorded



21006406: 6 pc box

KN-COB-IC AC/DC Basic Protection:

- Tamper-resist locking feature is great for landlords and property owners



21007426: 6 pc box

AC/DC Premium CO Alarm:

- Sleek low profile design
- Maintenance-Free
- Blue digital display with LED indicators
- Seven year product life

FIREX CONTRACTOR FRIENDLY FEATURES

EASY INSTALLATION

- **Pre-stripped wiring harness:** Easy-off cap does not require stripper tool. Tinned strands increase conductivity and wire nut grip.
- **Front battery pull tab:** Quick activation without removing battery or alarm from ceiling.
- **Large 360° mounting base:** Mountable from any angle and covers drywall imperfections.

FEWER CALLBACKS

- **Dust cover:** Protects sensors from contaminates during construction.
- **One button design:** Operates Hush® and alarm test.
- **Battery run down protection:** Shuts down alarm memory when AC power is not present, reducing low battery chirp.

USER FRIENDLY

- **Front load battery door:** Makes for easy battery replacement.
- **Tamper resist locking feature:** Deters alarm and battery theft.
- **Alarm memory:** Flashes red LED indicating which unit was initiating.
- **Battery backup:** Provides protection during power failure.
- **Interconnectable:** Connect up to 24 devices (of which 18 can be initiating).

STANDARD 120V AC/DC PLUG-IN CO ALARMS

120V AC/DC PLUG-IN CARBON MONOXIDE ALARMS



KN-COP-DP2
900-0263
AC/DC Basic Plug-in:

- Optional tamper-resist feature is great for landlords and property owners
- Unit will go into constant alarm mode when removed from outlet
- 9V Battery Backup

21025759: 2 pk clam
 21025763: 4 pk clam
 21025772: 6 pk box
 21025761: 6 pc bulk



KN-COPP-3
900-0076
AC/DC Digital Plug-in:

- Digital Display shows level of CO the alarm is sensing
- Peak level button displays the highest level of CO recorded
- 6' cord allows wall, tabletop or outlet installation.
- 9V Battery Backup

900-0076-01: 2 pk clam
 21006973: 6 pc bulk



KN-COP-DP-B
900-0278
AC/DC Digital Plug-In:

- No night chirps : Low battery warning programmed not to occur in dark conditions.
- Digital Display shows level of CO the alarm is sensing
- Peak level button displays the highest level of CO recorded

21026344: 4 pk clam



KN-COEG-3
AC/DC CO /Explosive Gas
Combination Alarm Plug-In:

- CO /Gas alarm detects CO, propane and methane
- Digital Display shows level of CO the alarm is sensing
- Peak level button displays the highest level of CO recorded
- 6' cord allows wall, tabletop or outlet installation.
- Seven year product life

900-0112-02: 2 pk clam
 21006677: 4 pk clam

STANDARD BATTERY OPERATED CO ALARMS

BATTERY OPERATED CARBON MONOXIDE ALARMS



KN-COPP-B-LB
900-0230
DC Digital NightHawk

- Digital display shows level of CO alarm is sensing
- Peak level button displays highest level of CO recorded

21007267: 4 pk clam



KN-COPP-B-LPM-LP
900-0146
DC Digital CO Alarm

- Digital display shows level of CO alarm is sensing
- Peak level button displays highest level of CO recorded
- Free standing or wall/ceiling mount

21008873: 4 pk clam



KN-COB-LP2
9CO5-LP2
DC Basic CO Alarm

- Basic protection
- Freestanding or wall/ceiling mount

21025778: 3 pk clam
 21026458: 6 pk box
 21025788: 6 pc bulk



STANDARD BATTERY POWERED SMOKE ALARMS

DC BATTERY POWERED SMOKE ALARMS



i9070
Spring Load
Front Battery
Door

Easy access to
change battery

0976-9997: 2 pk clam



i9080
Escape light

Safety light
illuminates
when in alarm
mode

0918E: 12 pk box



i9060
Hush®

Silence nuisance
alarms

0916E: 12 pk box



P9050
Photoelectric
Sensor

Provides basic
protection with
Hush®

PE9E: 12 pk box



i9050
Ionization
Sensor

Provides basic
protection for
general use

0915E: 12 pk box



Low Profile

4" alarm
provides basic
protection

5" Mounting
Plate covers
paint rings

0914: 4" plate, 12 pk box
0914E: 5" plate, 12 pk box



Pi9010
Dual Sensor

Contains both
ionization and
photoelectric
sensors

44200702-N: 3 pk clam



wireless system

RF-SM-DC, 0919-9999
Kidde Wireless System
DC Smoke Alarm

Extend coverage without
additional wiring. Use with
1279-9999 (see page 10)

0919-9999: Box

STANDARD BATTERY POWERED COMBO ALARMS

DC BATTERY POWERED SMOKE AND CARBON MONOXIDE ALARMS



KN-COSM-XTR-BA
900-0216A
Smoke / CO Combo
Intelligent Alarm

- Intelligent multi-sensor reduces nuisance alarms and detects two different threats, smoke and CO
- Front battery door
- Voice alarm

21007450: 4 pk clam
21008700: 6 pc box



KN-COSM-BA
900-0102A
Smoke / CO
Combo

- Front battery door
- Voice alarm
- Ionization sensor

900-0102-02: 3 pk clam
21006974: 6 pc bulk



KN-COPE-D
CP9000
Smoke / CO
Combo

- Voice alarm clearly warns of specific danger
- Spring load front battery door
- Photoelectric sensor

21027445: 4 pk clam

AUXILIARY DEVICES & ACCESSORIES

AUXILIARY DEVICES



P4010ACLEDSO-2
3-IN-1 Strobe,
Smoke & CO Alarm

Meets UL 1971. Single unit can be installed where previously a separate smoke and strobe were needed. 10 year battery backup!

21028057:



P4010ACLEDS-2
2-IN-1 Strobe &
Smoke Alarm

Meets UL 1971. Single unit can be installed where previously a separate smoke and strobe were needed. 10 year battery backup!

21026872:



Strobe SLED177i

For use with Kidde alarms. Meets UL 1971 and ADA standards. Bright 177 Candela LED.

SL177i:



HD135F
Heat Alarm

Detects 135° F fixed temp. 120V single or multiple station with 9V battery backup.

HD135F:



Adapters

Interconnect Kidde smoke alarms to your old Firex, First Alert or BRK units. Easy to install.

21028268, BRK adapt, 25 pk
21028270, Firex adapt, 25 pk



Relay Modules

Used to activate auxiliary warning devices.

CO120X
SM120X

ACCESSORIES



Alarm Dust Covers

Protect sensor from contaminants during construction, reducing nuisance alarms.

21027648: 6 pk, 6 covers per box



2 or 3 Story
Escape Ladder

13 ft or 25 ft

468093 (2-story)
468094 (3-story)

KEYSAFE® KEY MANAGEMENT SOLUTIONS

KeySafe is a consumer product line that provides key management solutions to allow convenient access and storage for inside and outside.



Key Cabinets



Portable



Permanent



FIRE & CO SAFETY

SMOKE ALARMS SAVE LIVES

According to the NFPA, a home fire occurs approximately once every 86 seconds in the US.* Fire experts state having a working smoke alarm cuts the chances of dying in a reported fire in half. The safest way for families to protect themselves from a home fire is to make sure they have working smoke alarms that can provide an early alert and time to escape. It only takes a few minutes to install or test a smoke alarms, develop and practice an escape plan, and learn how to use a fire extinguisher.

*Source: NFPA: Fires in the United States During 2014


CARBON MONOXIDE: THE SILENT KILLER

Carbon monoxide (CO) is the number one cause of accidental poisoning deaths in the U.S. The poisonous gas is often called the "silent killer" because it is odorless, colorless and tasteless.

Any time a fuel-burning appliance malfunctions or is improperly installed, CO can quickly reach dangerous levels in the home, leading to injury or even death.

Symptoms often mimic the flu without a fever, and can include dizziness, severe headache, nausea, sleepiness, fatigue, weakness and disorientation.

POTENTIAL SOURCES OF CO POISONING



REPLACE OUTDATED ALARMS WITH KIDDE 10-YEAR BATTERY ALARMS



- **Sealed Lithium Battery:** No missing batteries or worry of non-functioning alarm.
- **Maintenance-Free:** Battery never needs replacing. No more low battery chirps!
- **Save time and money by investing in Worry-Free 10-Year Alarms!**

About Kidde Safety

Kidde is the world's largest manufacturer of fire safety products. Our mission is to provide solutions that protect people and property from the effects of fire and its related hazards. For more than 100 years, industry leaders, the military, airlines, firefighters, businesses and millions of homeowners have turned to us to do exactly that.

Choose Kidde for fire extinguishers, smoke alarms, carbon monoxide alarms, and other life-saving devices.

For more information on all of the products Kidde offers, please visit www.Kidde.com.



Kidde Fire Safety

1016 Corporate Park Drive
Mebane, NC 27302
Customer service: 800-654-9677



© 2020 Kidde All rights reserved.