

ChemDry[®]

CTS 56 LIQUID

Introducing the
Revolutionary
Chem-Dry Carbonating TruckMount System
Revolutionizing Expectations for TruckMount Cleaning

CTS56 Liquid

Slide-in TruckMount



Carpet




Tile



Upholstery



The power of the industry's leading new TruckMount meets ultimate versatility with the CTS56 Liquid. The CTS56 Liquid is designed for best in class performance, functionality, and reliability. This slide-in unit makes cleaning easy with the capability to run Carpet, Upholstery, or Tile & Stone cleaning tools. Learn more about this remarkable revolution in cleaning technology.



LIQUID COOLED ENGINE

PROTECTANT INJECTION

**CONSISTENT HIGH
SOLUTION HEAT**

FLEX DESIGN: CARPET/TILE

**LARGER BLOWER GENERATES
POWERFUL VACUUM**

DIGITAL DISPLAY

DURABLE DESIGN


SIMPLIFIED MAINTENANCE

**STAINLESS STEEL
SOLUTION PATH**



OVERVIEW

1. Digital Display
2. System Power ON/OFF Switch
3. Protectant Injection Tank
4. Vacuum Inlet Connections with Built-in Pre-filter Assembly
5. Through Floor Blower/Engine Exhaust Discharge
6. Panel with Safety, Warnings, & Precautions & QR Code to Access Operator's Manual
7. Pressure Regulator
8. Blower Lube Port
9. Hard Surface Water Outlet
10. Carpet & Upholstery Solution Outlet
11. Fresh Water Inlet for Hard Surface Cleaning
12. Protectant Injection Flow Rate
13. Protectant OFF/ON/PRIME Switch
14. Protectant Flow Meter
15. Selection Lever for Carpet/Upholstery or Hard Surface Cleaning - Conveniently Located
16. Oil Maintenance Center:
Change Engine Oil, Drain Blower Oil, & Drain Pump Oil



DIGITAL DISPLAY

ALL-IN-ONE, STATE OF THE ART DISPLAY



1. Digital Display
2. Solution Temperature
(red=too hot, yellow=cleaning temp, blue=too low)
3. Waste Tank full indicator icon
4. Blower Vacuum Gauge
5. Machine Hour Meter
6. Auto Pump Out Control Switch
7. Solution Temperature Control
8. Solution Pump OFF/ON/HEAT Switch
9. Throttle Control
10. MENU - takes you to maintenance, setup, IO (Troubleshooting) status
11. Solution Pressure Gauge
12. Solution Tank empty indicator icon
13. Ignition ON/OFF



Maintenance Reminders:

View necessary key maintenance reminders at key intervals. Clear issues once resolved.

Auxiliary Control: Manage optional connected accessories such as compressor, interior lighting, etc.

ADDITIONAL FEATURES



STAINLESS STEEL CONSTRUCTION

INCREASED RELIABILITY

This unit features stainless steel components throughout which offer better protection from corrosion, provide heat resistance, and are less likely to crack, rust or freeze to help prolong the TruckMount's life. The Stability-Control Stainless Steel base platform (that the unit is built onto), allows for easier management of the machine and its parts. Platform includes protective channels for hoses. Additionally, the carpet cleaning solution path features 100% stainless steel components.

CABIN HEAT DISCHARGE SYSTEM™

MANAGE HEAT FLOW

The proprietary Cabin Heat Discharge System™ works to remove radiant heat from the engine exhaust and transfers it through a channeled airflow system, discharging the extra heat outside of the vehicle. This unique design is only available on the CTS56 Liquid machine.

SLIDING HOSE REEL

EASIER MAINTENANCE ACCESS

This unit features a sliding hose reel. Slide the hose reel out of the way to access the machine for maintenance.

MAXI-DRAIN WASTE TANK DESIGN

130 GALLON STAINLESS STEEL WASTE TANK

The stainless steel waste tanks offer better protection from corrosion, heat, cracks, rust or freezing. This 130 gallon stainless steel waste tank offers extra large capacity and comes with a 105 gallon auto shut off (plus notification icon on the dash screen) so you know when your tank needs to be emptied to continue working. Maxi-Drain design ensures nearly every drop of waste can be drained with its inclined floor tapered down to the exit port.

POWERFUL LIQUID COOLED ENGINE

PROLONGS ENGINE LIFE

This TruckMount motor has an integrated "Engine Cooler" system. This system helps keep the engine cooler and prolongs the engine's life.

LIVE SOLUTION HOSE REELS

EASIER HOSE CONTROL

This unit features a mounted solution hose reel. Use the amount of hose you need per job. No need to unwind any extra hose.

INNOVATIVE HEAT EXCHANGER DESIGN

INCREASE RELIABILITY

This unit's heat exchanger is unlike any other heat exchanger on the market. This unit uses Cyclonic Air Flow to maximize the heat transfer into The Natural® for superior cleaning results.

IN-LINE PROTECTANT INJECTION SYSTEM

EASIER PROTECTANT USE


This machine boasts a Protectant injection system to manage your Protectant use and make it easier for your technicians to apply Protectant.

MEGAFLO 56 BLOWER

INCREASED RELIABILITY

MegaFlo 56 Blower - connecting a top performing industry-leading blower with the Liquid-cooled motor offers power and performance that is unrivaled. This blower offers reduced engine noise, triple lip seals which provide improved lubrication to extend the life of the seal up to 50% also resulting in longer bearing life. This blower also includes double-row ball bearings at the gear end, stronger than single row ball bearings offered by other manufacturers.

Typical Van Layout



STANDARD KIT ITEMS* INCLUDE

150 ft 2" vacuum hose
150 ft high pressure solution hose
10 ft 1 ½" whip vacuum hose
10 ft 1 ½" drain hose
50 ft garden hose
50 gallon solution tank
with built-in chemical tray

Thru floor exhaust kit
Pre-filter box system
Protectant injection system
Waste Tank

*items included are subject to change.

For more information, contact
Equipment Sales: 435-890-1008