

Frequently Asked Questions (FAQ) for Schools

Additional Guidance as of October 27, 2020

(subject to change based on new information and updates to existing CDC guidance)

Management of Ill Students and Staff

1. What actions should be taken by students/staff sent home with COVID-like symptoms? (Updated 10/27/2020)

- All students and staff sent home with COVID-like symptoms should be diagnostically tested. Students and staff should remain home from school until they receive the test results. Students and staff who are confirmed or probable cases of COVID-19 must complete 10 calendar days of isolation from the date of first symptom onset **and** be fever-free for 24 hours without use of fever-reducing medications **and** other symptoms have improved before returning to school. Individuals who have been cleared by the LHD for release from isolation may return to school even if other household members are in isolation or quarantine in the home.
- Students and staff returning to school after experiencing COVID-like symptoms but being diagnosed with a non-COVID illness must meet the criteria for returning to school for the illness with which they have been diagnosed. At a minimum, the individual must be fever-free for 24 hours without the use of fever-reducing medications **and** have had no diarrhea or vomiting in the previous 24 hours. Other diseases have specific criteria for when a student or staff member can [return to school](#)¹. Follow school health policies and communicable disease guidance for those illnesses. A healthcare provider's note documenting the alternative diagnosis, or a negative COVID-19 test result should accompany a student or staff member returning to school with an alternative diagnosis after experiencing COVID-like symptoms. Schools and districts should assist families in locating free or reduced-cost medical clinics for assistance where needed.
- Students and staff with COVID-like symptoms who do not get tested for COVID-19 and who do not provide a healthcare provider's note documenting an alternative diagnosis, must complete 10 calendar days of isolation from the date of first symptom onset **and** be fever-free for 24 hours without use of fever-reducing medications **and** other symptoms have improved before returning to school.
- Medical evaluation and COVID-19 diagnostic testing are strongly recommended for all persons with COVID-like symptoms.

2. If a student is sent home sick with suspected COVID-19 symptoms (e.g., cough, fever, diarrhea, shortness of breath, etc.), must all their siblings/household members be sent home as well and quarantined for 14 calendar days? (Updated 10/27/2020)

Yes. If one of the household members is being evaluated for COVID-19, the rest of the household must be quarantined until an alternative diagnosis is made or negative result received. If the sick student becomes a confirmed case (i.e., tests positive for COVID-19) or a probable case (i.e., has COVID-like symptoms and is epidemiologically linked² to known case), the local health department (LHD) conducting contact tracing will place household contacts, including siblings, in quarantine for

14 calendar days. (Note that cases are to isolate for a minimum of 10 calendar days or if symptoms persist, when released by the LHD, while contacts are to quarantine for 14 calendar days. This is because the incubation period--the time they might develop symptoms after an exposure—is 14 calendar days, while the infectious period when a case can transmit illness is approximately 10 calendar days.) The health department also will provide guidance on how to safely quarantine and isolate within the household.

3. How many symptoms does a person need to have to be considered a suspect COVID-19 case? (Updated 10/27/2020)

Students and staff exhibiting one or more COVID-like symptoms **are considered suspect cases and** should be immediately isolated, and evaluated. Schools should evaluate each **symptomatic** student/staff to determine if this symptom is new or if it is part of an existing condition for this student/staff.

4. Our current school policy recommends sending children home with a temperature of 100.0°F or greater. The ISBE and CDC guidance both say 100.4°F or greater. Which should we use? (Updated 10/27/2020)

For consistency with CDC and Illinois Joint Guidance for Schools, it is recommended that schools use 100.4°F **or greater** as the threshold for fever.

5. If the sick person has a known condition causing the symptoms, e.g., allergies, migraine, etc., can this be taken into consideration? (Updated 10/27/2020)

Every symptomatic person should be evaluated by their healthcare provider on a case-by-case basis and decisions to test for COVID-19 should be based on their personal health history. **Each episode of new symptom onset should be evaluated.** Diagnostic testing is strongly encouraged whenever an individual experiences COVID-like symptoms; it is possible to have COVID-19 and other health conditions at the same time. Early diagnosis can prevent further transmission. Individuals who have undergone testing should remain home away from others while waiting for COVID-19 test results.

6. What are the recommendations for someone who has previously tested positive for COVID-19? (Updated 10/27/2020)

For those who have had prior diagnoses of COVID-19 confirmed by viral testing within 3 months, isolation and quarantine may not be needed. The table below describes various scenarios that may occur. Schools are encouraged to discuss these situations with their LHDs for clear guidance.

Status of Previous COVID-Positive Individual	Less than 90 days (3 months) from last Positive Test	Greater than 90 days (3 months) from last Positive Test
Refer for clinical evaluation if COVID-like symptoms are present?	YES	YES
Repeat COVID-19 test if COVID-like symptoms are present?	NOT Recommended Healthcare Provider may decide to test based on clinical assessment.	YES

Exclude from school if COVID-like symptoms are present?	Refer to Column C in Exclusion Guidance Decision Tree.	If COVID test positive : Refer to Column A in Exclusion Guidance Decision Tree. If COVID test negative : Refer to Column B in Exclusion Guidance Decision Tree.
Place in quarantine (for 14 calendar days) if named as a close contact to a known case of COVID-19?	NO	YES

- 7. A student is identified as a close contact to a confirmed case. Upon further discussion with the parent, we are told the student was previously determined to be a case after exposure to another case in the household a few months ago. The student was never tested but was diagnosed based on symptoms and close contact and was isolated for 10 days. Subsequent antibody testing was positive, indicating the student had COVID-19. Does this student now need to undergo quarantine after being identified as a close contact to a confirmed case? (Updated 10/27/2020)**

Yes. Probable cases who were classified by symptom and epi-link criteria only (without COVID-19 testing) and who later become close contacts to a COVID-19 case should be managed as per guidance for close contacts, including quarantine and monitoring for symptoms.

Contacts to Cases

8. What is contact tracing?

Contact tracing is used by health departments to prevent the spread of infectious diseases. In general, contact tracing involves identifying people who have a confirmed or probable case of COVID-19 (cases) and people who they came in contact with (close contacts) and working with them to interrupt disease spread. This includes asking people with COVID-19 to [isolate](#) and their contacts to [quarantine](#) at home voluntarily.

9. Who is a close contact? (Updated 10/27/2020)

A close contact is anyone (with or without a face covering) who was within 6 feet of a confirmed case of COVID-19 (with or without a face covering), for a **cumulative total of at least 15 minutes or more over a 24-hour period during the infectious period**. Repeated exposures result in an increased amount of time of exposure; the longer a person is exposed to an infected person, the higher the risk of exposure/transmission. The **infectious** period of close contact begins 2 calendar days before the onset of symptoms (for a symptomatic person) or 2 calendar days before the positive sample was obtained (for an asymptomatic person). If the case was symptomatic (e.g., coughing, sneezing), persons with briefer periods of exposure may also be considered contacts. Close contacts to a confirmed case of COVID-19 are required to remain in quarantine at home for 14 calendar days starting from the last day of contact with the confirmed case.

10. Who will do contact tracing?

Contact tracing will be performed by the Local Health Department (LHD), sometimes in partnership with IDPH or a community-based organization. However, schools can assist the LHD by identifying all

close contacts with a confirmed case. Documentation of assigned seats and taking photos of assembled classes can be useful in helping schools determine who was within 6 feet of a given case.

Schools must be aware of records and confidentiality laws pertaining to school student records, including exceptions for release of information in the event of an emergency and requirements to notify parents and create a record of emergency releases of information. (105 ILCS 10/6(a)(7); 23 Ill. Admin. Code 375.60).

11. Is contact tracing only performed when a positive test is received? (Updated 10/27/2020)

Contact tracing is performed for a confirmed case (~~laboratory-confirmed~~ positive PCR test) or a probable case (positive antigen test OR person with clinically compatible COVID-like symptoms and epidemiologically linked² via known exposure to a confirmed case. ~~or testing positive by an antigen test~~).

12. If a confirmed or probable COVID-19 case is identified in a classroom, or on a school bus, who will be considered close contacts that need to be quarantined for 14 calendar days? Will this include the entire classroom or all the students on the bus? (Updated 10/27/2020)

Exposure in a classroom should be limited to everyone with whom the confirmed or probable COVID case had close contact, within 6 feet, for a cumulative total of at least 15 minutes throughout the course of a day 24-hour period. Exposure on a bus must include everyone who sat within 6 feet of the confirmed or probable COVID case for 15 minutes or longer. A possible approach to identifying close contacts on a bus would be to include persons who sat 3 rows in front and 3 rows behind the confirmed or probable COVID case.

13. If the close contact and the COVID case were both wearing their cloth face coverings when the exposure occurred, is the close contact still required to be quarantined?

Yes. While there is strong evidence that face coverings significantly reduce the risk of infection, the likelihood for transmission cannot be ruled out.

14. Is a healthcare provider's note required to return to school after a 'close contact' to a case completes 14 calendar days in quarantine? (Updated 10/27/2020)

Persons who remain asymptomatic throughout 14 calendar days of quarantine do not need a healthcare provider's note to return to school. During the quarantine period, a contact tracer will be closely monitoring the contact to confirm they remain asymptomatic. Documentation to return to school includes a Release from Quarantine letter (if received from their LHD) provided by the parent/guardian OR notification via phone, secure email, or fax from the LHD to the school, OR via another process implemented by the LHD. ~~from the LHD to the school.~~

15. What is the definition of an outbreak in schools?

Two confirmed cases of COVID-19 infections occurring within 14 calendar days of each other in individuals in the same classroom would meet the case definition for an outbreak. This is because the cases would be epidemiologically linked² (by known exposure) with respect to place (same classroom) and time (within 14 calendar days). This would prompt an investigation by the LHD that

may result in recommendations for testing and quarantining all students/staff in the affected classroom.

16. If a student or staff member is identified as a close contact to a person with COVID-19 and is instructed to quarantine for 14 calendar days, are their household members and close contacts also required to be in quarantine? (Updated 10/27/2020)

No. Contacts of a person who is a close contact to a COVID-19 case (i.e., **contacts to contacts**) do not need to self-quarantine unless they develop symptoms or if the person identified as the close contact develops COVID-19. They should, however, monitor themselves closely for symptoms of COVID-19 and if they become symptomatic, self-isolate and seek medical evaluation/testing.

Special Situations/Other Groups

17. Can the school nurse administer nebulizer treatments on campus?

Where possible, nebulizer treatments should be scheduled to be administered at home or the student may switch to metered dose inhalers with spacers for use at school. Nebulizer treatments, if required to be administered at school, should be done in a separate room with only the school nurse and student present. Nebulizer treatments should be administered to only one student at a time. If a window or fan is available, open the window and vent the fan to blow out of the window. The person administering the treatment should wear personal protective equipment (PPE) including a fit-tested N95/KN95 respirator, a face shield or goggles, gown, and gloves. Hand hygiene (washing) should be performed before donning (putting on) and after doffing (removing) PPE. Upon completing the nebulizer treatment, the student should perform hand hygiene. The room should be left vacant for a period of time (suggested minimum of 2 hours) then thoroughly cleaned and disinfected. Consult with individual student health care providers, if applicable, and Individualized Education Program (teams to determine the best modality to meet students' needs on an individualized basis. Appropriate consents must be obtained for communication with outside providers. Review IEPs, 504 Plans, asthma action plans, or Individualized Health Plans to determine if these plans will need to be amended or modified.

18. Playing of some music instruments and singing are recognized as ways COVID-19 can be spread more easily by respiratory droplets. How can we prevent transmission in band or music classes? (Updated 10/27/2020)

All persons playing instruments in orchestra, band, or general music settings, singing in choir or other lessons, dancing, participating in color guard, or teaching should wear a washable or disposable, multi-layered face covering or mask. Students who play wind instruments are able to use face coverings with a slit. Face coverings may only be removed while outdoors when social distance is maintained. Whenever possible, hold music classes outside. When possible, music classes held indoors should occur in well-ventilated spaces and if possible, with windows open. A minimum distance between singers and/or instrumentalists of 6 feet side-to-side should be maintained. For trombones, a minimum distance of 9 feet front-to-back is recommended. Ensure students (and teachers) are physically distanced from each other by at least 6 feet and consider increasing the amount of social distancing more than 6 feet if space allows. Have students in one line or stagger spacing to ensure maximum distancing. Students should not face each other. Instruments where air is blown into or through should be turned so that expelled air does not go

towards others. Consider using instrument covers to prevent spread. **For additional guidance on music classes, please see [IDPH Interim COVID-19 Music Guidance](#).**

19. Occasionally, students share music, equipment, and even instruments. How do we manage these situations?

Avoid sharing instruments. If instruments must be shared (e.g., drums), they should be cleaned and disinfected between students³. Music reeds and mouthpieces should **not** be shared. Note that some instrument surfaces may be damaged by cleaning and disinfecting products, so contact your instrument dealer for guidance on disinfection, and follow the manufacturer's instructions for cleaning. Discourage the sharing of music stands so that students do not inadvertently move closer to each other to see the music.

20. If an athlete is diagnosed with COVID-19, is it up to the school to notify all other teams that the athlete has been in contact with?

Yes, the school should make generic notifications to other schools and teams with which the confirmed or probable COVID athlete may have had contact without identifying the person's name. Provide minimal information to protect confidentiality, but enough for the school to respond as needed. The LHD can assist in making this notification.

21. What is the role of the Local Health Department in a situation involving an athlete diagnosed with COVID-19?

The LHD will conduct contact tracing to identify close contacts (including household, social, and sport-related) to the case and place them in quarantine for 14 calendar days.

Testing

22. What is the average amount of time after receiving a COVID test that results will be received?

Turnaround time (TAT) for laboratory test results is dependent on laboratory capacity. Typically, the TAT for test results from the state lab is 2-3 calendar days. The TAT can increase when the demand for testing is high. Private reference labs may be able to offer a shorter TAT and should be considered as an option for testing.

23. Can the school be notified of a confirmed or probable case as quickly as possible?

Schools should ask parents/guardians to notify the school as quickly as possible of any confirmed or probable COVID-19 cases. It is important that schools communicate this expectation to parents/guardians early and often. The local health department (LHD) will also receive a report of a confirmed or probable case from either a lab or provider. However, the report does not necessarily include school information (unless the school was the test submitter). This means that the LHD must obtain this information by interviewing the case/parent/legal guardian. The LHD will notify the school as soon as they have acquired the school information. Schools should identify a point of contact for LHDs, including someone who can be reached after hours.

24. If a student or staff member presents a note or negative COVID-19 test result, for how many days is that test result valid?

A negative polymerase chain reaction (PCR) test is valid only for the day on which it was reported. It denotes that on the day that the sample was collected, the individual being tested did not have any detectable virus in their system. Because the incubation period (time from exposure to infection) for COVID-19 is 2-14 calendar days, a person with a negative test may still develop infection at some point during the incubation period.

Personal Protective Equipment (PPE)

25. What PPE is required to work in or attend school? (Updated 10/27/2020)

All persons on school grounds including students, teachers, school nurses, administrative and secretarial staff, food service personnel, custodial staff, public safety personnel, etc., must wear a face covering at all times when in school or in transit to and from school via group conveyance (i.e., school buses), unless a specific exemption applies. **The face covering should have two or more layers to stop the spread of COVID-19, and should be worn over the nose and mouth, secured under the chin, and should fit snugly against the sides of the face without gaps.**

Masks intended for healthcare workers, such as N95 respirators, should not be worn. There are also masks available with exhalation valves or vents. These are not recommended for source control of COVID-19 and should NOT be worn.

See additional guidance as follows regarding safe and effective use of face coverings.

26. What is the primary purpose of a face covering? (Updated 10/27/2020)

Cloth face coverings are recommended as a simple barrier to help prevent respiratory droplets from traveling into the air and onto other people when the person wearing the cloth face covering coughs, sneezes, talks, or raises their voice. This is called source control. The primary purpose of a face covering is to prevent the wearer from potentially exposing or infecting others. To be effective, face coverings must be worn properly and must completely cover both the nose and mouth.

27. How should cloth face coverings be cleaned and stored?

Personal cloth face coverings should be taken home, laundered daily, dried in a dryer, and reused. Personal cloth face coverings should be stored between uses in a clean sealable paper bag or breathable container.

28. When should a face covering be changed?

Face coverings must be changed immediately if soiled, wet, or torn.

29. Can face coverings be removed at certain times? (Updated 9/9/2020)

Yes – face coverings may be temporarily removed at school:

- When eating

- When outdoors and physical distancing of at least 6 feet can be maintained
- When playing a musical instrument outdoors with at least 6 feet social distancing
- If using a face shield when other methods of protection are not available or appropriate (<https://www.isbe.net/Documents/IDPH-Update-Appropriate-Use-Face-Shields.pdf>)
- While children are napping with close monitoring to ensure no child leaves their designated napping area without putting their face covering back on
- For staff, when alone in classrooms or offices with the door closed

Strict adherence to social distancing should be maintained when face coverings are removed in limited situations.

30. What if a student or staff member is unable to tolerate wearing a face covering? (Updated 9/9/20)

Individuals who have a condition or medical contraindication (e.g., difficulty breathing) that prevents them from wearing a face covering are required to provide documentation from the individual's healthcare provider. These persons may wear a face shield in lieu of a face covering; however social distancing must be strictly enforced. Measures to reduce risk of exposure for these persons should be implemented where possible.

31. What practices should be followed for children during naptime? (Updated 9/9/20)

Ensure that children's naptime mats and cots are spaced at least 6 feet apart as much as possible. Consider placing children head to toe to further reduce the potential for viral spread. Use bedding (sheets, pillows, blankets, sleeping bags) that can be washed weekly. Keep each child's bedding separate and stored in individually labeled bins, cubbies, or bags. Label cots and mats individually for each child. Face coverings can be removed while children are napping with close monitoring to ensure that no child leaves their designated napping area without putting on their masks. Children should be instructed to not talk or sing during nap time. Where possible, provide good ventilation where the children are napping, opening windows when feasible and incorporating fresh air into the ventilation system.

32. What PPE is required by school nurses who are assessing a student or staff member reporting COVID-like symptoms? (Updated 10/27/2020)

If the nurse is screening a sick individual, it will be safest for them to be wearing a fit-tested N95 mask, eye protection with face shield or goggles, gown, and gloves. When performing clinical evaluation of a sick individual, school nurses will use enhanced droplet and contact transmission-based precautions. Staff performing this evaluation should use appropriate personal protective equipment (PPE) including:

- Fit-tested N95 respirator
- Eye protection with face shield or goggles
- Gown
- Gloves

Any staff member who may be involved in the assessment or clinical evaluation of a student or staff member with COVID-like symptoms should be trained on the type of PPE required and how to don (put on) and doff (remove) it correctly and safely.

Respirators such as N95s must be used as part of a written respiratory protection program.⁴ OSHA requires that N95 masks be fit tested prior to use. This is an important step to ensure a tight fit for the mask to be effective in providing protection. **If a fit-tested N95 respirator is not available, the next safest levels of respiratory protection include, in the following order: a non-fit-tested N95 respirator, a KN95 respirator on the FDA-approved list⁵, or a surgical mask.**

33. If a nurse or staff member was wearing full PPE as recommended and was in the same room as a student or staff member later determined to be a probable or confirmed COVID-19 case, is that nurse or staff member required to quarantine? (Updated 10/27/2020)

If wearing the recommended PPE appropriately, the nurse evaluating the student or staff member who is later determined to be a probable or confirmed COVID-19 case would not be recommended for quarantine as a close contact. The nurse should continue to follow all recommended infection prevention and control practices, including wearing a facemask for source control while at work, actively monitoring themselves for fever or COVID-19 symptoms prior to work and while working, and staying home if ill. See <https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-risk-assesment-hcp.html>.

34. Can a face shield be worn instead of a face covering?

Because respiratory droplets may be expelled from the sides and bottom of face shields, they do not provide adequate 'source control' and should only be used as a substitute for face coverings in the following limited circumstances:

- Individuals who are under the age of 2.
- Individuals who are unconscious, incapacitated, or otherwise unable to remove the cover without assistance.
- Students who provide a health care provider's note as documentation that they have a medical contraindication (a condition that makes masking absolutely inadvisable) to wearing a face covering.
- Teachers needing to show facial expressions where it is important for students to see how a teacher pronounces words (e.g., English learners, early childhood, foreign language, etc.). However, teachers will be required to resume wearing face coverings as soon as possible. Preferred alternatives to teachers wearing face shields include clear face coverings or video instruction. There must be strict adherence to social distancing when a face shield is utilized.

35. Who has the credentials to be able to provide a medical note or perform a routine health check-up? (Updated 9/9/20)

IDPH recommends that a healthcare provider licensed to practice medicine in all branches of medicine, as defined in [105 ILCS 5/27-8.1](#), be referred to for providing medical notes and performing routine health check-ups.

36. How should schools handle students with IEPs or 504 plans who cannot tolerate a face covering or a face shield?

Students with an Individualized Education Program (IEP) or 504 Plan who are unable to wear a face covering or face shield due to a medical contraindication may not be denied access to an in-person education if the school is offering in-person education to other students. Staff working with students who are unable to wear a face covering or shield due to a medical contraindication should wear approved and appropriate PPE based on job specific duties and risks and maintain social distancing as much as possible. Other students should also remain socially distant from students who are unable to wear a face covering or face shield due to a medical contraindication. Schools should consult with their local public health department regarding appropriate PPE for these situations.

37. Can athletic face coverings, e.g., neck warmers be used as a substitute for cloth face coverings? (Updated 10/27/2020)

CDC recommends that people wear cloth face coverings in public settings and when around people who don't live in your household, especially when other social distancing measures are difficult to maintain. Cloth face coverings are recommended as a simple barrier to help prevent respiratory droplets from traveling into the air and onto other people when the person wearing the cloth face covering coughs, sneezes, talks, or raises their voice. This is called source control. It is not known if athletic face coverings/neck warmers provide any benefit as source control to protect others from the spray of respiratory particles. CDC does **not** recommend use of athletic face coverings (e.g., 'gaitors'/neck warmers) as a substitute for cloth face coverings.

38. Can you provide recommendation on cleaning? (Updated 10/27/2020)

Schools should follow CDC's guidance for cleaning and disinfecting public spaces, workplaces, businesses, schools and homes. Cleaning and disinfection products should not be used by children or near children, and staff should ensure that there is adequate ventilation when using these products to prevent children or themselves from inhaling toxic fumes.

39. What kind of PPE is required for staff who clean areas used by a suspected or known COVID case? (Updated 8/20/20)

If a janitor is cleaning an area used by a suspected or known COVID case, it will be safest for them to be wearing a fit-tested N95 mask, eye protection with face shield or goggles, gown, and gloves.

40. Can clear face coverings be utilized? (Updated 9/9/20)

While cloth face coverings are strongly encouraged to reduce the spread of COVID-19, CDC recognizes there are specific instances when wearing a cloth face covering may not be feasible. In these instances, parents, guardians, caregivers, teachers, staff, and school administrators should consider adaptations and alternatives whenever possible. They may need to consult with healthcare providers for advice about wearing cloth face coverings.

People who are deaf or hard of hearing—or those who care for or interact with a person who is hearing impaired—may be unable to wear cloth face coverings if they rely on lipreading to communicate. This may be particularly relevant for faculty or staff teaching or working with

students who may be deaf or hard of hearing. In this situation, consider using a **clear face covering** that covers the nose and wraps securely around the face. If a clear face covering isn't available, consider whether faculty and staff can use written communication (including closed captioning) and decrease background noise to improve communication while wearing a cloth face covering that blocks your lips.

In addition to those who interact with people who are deaf or hard of hearing, the following groups of teachers and staff may also consider using clear face coverings:

- Teachers of young students (e.g., teaching young students to read).
- Teachers of students who are English language learners.
- Teachers of students with disabilities.

School Closure

41. If there is a confirmed or probable case of COVID-19 within a school, what are the recommendations for school closure? (Updated 10/27/2020)

Decisions for temporary closure of a school will be made by school leaders in consultation with the LHD during its investigation of a case or cluster of cases. If the LHD determines that there is a risk to the school community, the school may be closed temporarily for cleaning and disinfection. This initial short-term dismissal allows time for the local health officials to gain a better understanding of the COVID-19 situation impacting the school. This also allows the local health officials to help the school determine appropriate next steps, including whether an extended dismissal duration is needed to stop or slow further spread of COVID-19.

Please reference the IDPH [Adaptive Pause and Metrics: Interim School Guidance for Local Health Departments](#) (dated August 17, 2020) for additional guidance to inform decisions about implementing school-based strategies (e.g., pivot to remote learning, event or extracurricular cancellations, other social distancing measures). As stated above, these decisions should be made locally, in collaboration with local health officials, who can help determine the level of transmission in the community, and in conformity with ISBE/IDPH Joint Guidance. This IDPH guidance is consistent with the September 15, 2020 guidance released from CDC on [Indicators for Dynamic School Decision-Making](#). The CDC's guidance also encourages schools to self-assess implementation of key mitigation strategies as part of the decision-making process.

42. Are there alternative strategies to school closure that may be considered or employed? (Updated 10/27/2020)

In consultation with the Local Health Department, alternative strategies, less drastic than closure, a school may implement might include:

- Quarantining the affected classroom where social distancing is challenging (e.g., early childhood).
- Suspending affected classes or closing playgrounds.
- Canceling non-essential activities and meetings.
- Keeping students in constant class groups or classrooms and moving teachers routinely between classes.
- Increasing spacing between students in classes.
- Shortening the school week.

- Staggering school start and lunch/break times across year groups or classes.

Communication and Reporting

43. Are schools required to report information to the local health department including cases, type and onset of symptoms, number of exposed persons, etc.?

Yes – schools must cooperate with the LHD to provide relevant information needed for mitigating the spread of COVID-19 infection and must be reported to the LHD for use in surveillance and contacting tracing public health activities. Schools must be aware of records and confidentiality laws pertaining to school student records, including exceptions to release of information in the event of an emergency, and requirements to notify parents and create a record of emergency releases of information. (105 ILCS 10/6(a)(7); 23 Il. Admin. Code 375.60).

44. Is there a template letter for schools to use when notifying parents/guardians, students, and staff of a case of COVID-19?

Yes, a template letter can be found here:

https://www.isbe.net/_layouts/Download.aspx?SourceUrl=/Documents/Case-School-sample-letter.docx.

45. Is it a Family Educational Rights and Privacy Act (FERPA) violation to notify the LHD/IDPH or staff and parents of a confirmed or probable case(s) in our school?

No – a laboratory confirmed case of COVID-19 is reportable within 3 hours to the Local Health Department per the **Communicable Disease Code**. Identifiable information on a student or staff member including name and contact information, is reportable to IDPH or to the local public health authority for any notifiable disease or condition.

Schools must be aware of records and confidentiality laws pertaining to school student records, including exceptions to release of information in the event of an emergency, and requirements to notify parents and create a record of emergency releases of information. (105 ILCS 10/6(a)(7); 23 Il. Admin. Code 375.60).

46. Does contact tracing violate the Health Insurance Portability and Accountability Act (HIPAA)?

No. The HIPAA Privacy Rule allows for reporting by covered entities to public health for the purpose of preventing the spread of infectious diseases. HIPAA recognizes the legitimate need for public health authorities, and others responsible for ensuring public health and safety, to have access to protected health information to carry out their public health mission^{6,7}.

47. If we have a case of COVID-19 in a student at our school, what is our responsibility for notifying schools attended by siblings of the case?

There is no need to notify a school attended by siblings of a sick individual. If the sick individual tests positive for COVID-19 or becomes a probable case, the LHD conducting contact tracing will place siblings in quarantine for 14 calendar days and facilitate parental notification to the school(s) attended by siblings of the case.

48. Besides public health authorities, who should be notified of a case of COVID-19 at our school? Must we notify the entire district, or only the classroom or the building?

Communication of a confirmed or probable case of COVID-19 to the district and school community should align with the school's policy for notification of cases of communicable diseases. The communication message should counter potential [stigma](#) and discrimination. In such a circumstance, it is critical to maintain confidentiality of the student or staff member as required by the Americans with Disabilities Act, the Family Education Rights and Privacy Act, and the Illinois School Student Records Act

Travel Restrictions

49. Are there any current domestic or international travel restrictions for which we should be monitoring and excluding students and staff? (Updated 10/27/2020)

There is widespread, ongoing transmission of novel coronavirus worldwide. Anyone who has traveled internationally or domestically where COVID-19 transmission is high or increasing should stay home and monitor their health for 14 calendar days. The CDC updated COVID-19 Travel Recommendations by Destination on August 25, 2020. Click [here](#) to link to this page to identify countries with high transmission for which 14-day quarantine would be recommended. Information on domestic travel can be found [here](#). Some Illinois counties or municipalities do require or recommend 14 calendar days of quarantine for travelers returning from states with high community prevalence of COVID-19. IDPH does receive frequent notifications of travel-related exposures. If public health is notified that a student or staff member is a contact to a COVID-19 case as a result of travel, quarantine for 14 calendar days will be required. As an employer working with vulnerable populations, school administrators may consider advising staff who travel that they are required to quarantine (if exposed) due to travel.

Cleaning and Disinfection

50. What kind of cleaning and disinfection should our school be doing routinely?

Enhance your standard cleaning and disinfection practices. Increase the frequency of cleaning and disinfection with a focus on areas that are commonly touched, such as doorknobs, stairwells, light switches, elevator buttons, etc. Disinfect seats and rails on school buses at least daily. Shared objects such as toys, games, art supplies, should be cleaned and disinfected between uses. Ensure cleaning and disinfection products are EPA-approved and used safely and in accordance with label directions.

51. What are exact cleaning requirements for areas used by a suspected or confirmed COVID-19 case?

Areas used by an individual with COVID-like symptoms, e.g., examination room in the school nurses' office, should be closed off for as long as practical before beginning cleaning and disinfection to minimize potential for exposure to respiratory droplets. Outside doors and windows should be opened to increase air circulation in the area. If possible, wait up to 24 hours before beginning cleaning and disinfection. Environmental cleaning staff should clean and disinfect all areas (e.g., offices, bathrooms, and common areas) used by the ill persons with COVID-like symptoms, focusing especially on frequently touched surfaces. For disinfection, most common EPA-registered household

disinfectants should be effective. A list of products that are EPA-approved for use against the virus that causes COVID-19 is available [here](#). Personnel performing environmental cleaning should use personal protective equipment (PPE) including fit-tested N95 respirator, eye protection with face shield or goggles, gown, and gloves.

Miscellaneous

52. Can space heaters and fan be used in the school environment (e.g., classrooms, offices, gyms, locker rooms)? (Updated 10/27/2020)

The use of oil or water-filled radiators, ceramic, or infrared heaters wouldn't be expected to increase the risk for COVID-19 transmission. However, fan-forced heaters could present an issue. We recommend that schools consult with their building engineer before using fan-forced heaters, as well as floor fans and ceiling fans, because changing airflow patterns can limit the ability of aerosols (COVID-19 can be exhaled in droplets and aerosols) and air contaminants to enter the HVAC system.

Additional considerations related to space heater safety include the following:

- Space heaters should bear the seal of a nationally recognized testing laboratory (NRTLs), such as Underwriters Laboratories. A [Current List of NRTLs](#) is available from OSHA.
- Place space heaters at least 3 ft. from people and anything that can burn.
- Purchase a unit with overheat protection.
- Turn it off and unplug it after use.

We recommend the school develop a policy or guidelines for heaters used at their school. More information is available from the Office of the Illinois State Fire Marshal's [Portable Heater Safety](#) webpage.

Resources

¹ <http://dph.illinois.gov/sites/default/files/publications/commchartschool-032817.pdf><https://www.healthychildren.org/English/family-life/work-play/Pages/When-to-Keep-Your-Child-Home-from-Child-Care.aspx>

²A "case with an epidemiological link" is a case that has either been exposed to a confirmed case or has had the same exposure as a confirmed case.

³<https://www.nfhs.org/articles/covid-19-instrument-cleaning-guidelines/>

<https://issma.net/covidresources.php> (Indiana guidance may vary from Illinois)

⁴ OSHA: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.134>

⁵<https://www.fda.gov/medical-devices/coronavirus-disease-2019-covid-19-emergency-use-authorizations-medical-devices/personal-protective-equipment-euas#appendix>

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/international-respirator-purchase.html>

National Association of School Nurses

https://higherlogicdownload.s3.amazonaws.com/NASN/3870c72d-fff9-4ed7-833f-215de278d256/UploadedImages/PDFs/03182020_NASN_Facemask_Considerations_for_Health_care_Professionals_in_Schools.pdf

⁶<https://www.hhs.gov/hipaa/for-professionals/special-topics/public-health/index.html#:~:text=Background%20The%20HIPAA%20Privacy%20Rule%20recognizes%20the%20legitimate,information%20to%20carry%20out%20their%20public%20health%20mission>

⁷<https://www.hhs.gov/hipaa/for-professionals/special-topics/hipaa-covid19/index.html>