











HAZARDOUS PICTOGRAMS & DESCRIBED HAZARDS

 <p>Can cause death or toxicity with short exposure to small amounts.</p> <p>Oral Dermal Inhalation</p> <p>Skull & Crossbones</p>	 <p>Fire hazard.</p> <p>Flammable gases Flammable aerosols Flammable liquids Flammable solids Pyrophoric liquids Pyrophoric solids Pyrophoric gases Self-heating substances and mixtures Substances mixed with, or in contact with water</p> <p>Flame</p>
 <p>Represents oxidizing hazards.</p> <p>Oxidizing gases Oxidizing liquids Oxidizing solids</p> <p>Flame Over Circle</p>	 <p>May cause less serious health effects or damage the ozone layer.</p> <p>Oral Dermal Inhalation (Category 4)* Skin corrosion/irritation – Skin irritation Serious eye damage/eye irritation Respiratory or skin sensitization Specific target organ toxicity</p> <p>Exclamation Mark</p>
 <p>Represents presence organisms or toxins that can cause diseases in people or animals.</p> <p>Biohazardous Infectious Materials</p> <p>Biohazard</p>	 <p>May cause or suspected of causing serious health effects.</p> <p>Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific Target Organ Toxicity Specific Target Organ Toxicity Aspiration hazard</p> <p>Health Hazard</p>
 <p>Represents possibility of explosion or reactivity hazard.</p> <p>Self-reactive substances Self-reactive mixtures Organic peroxides</p> <p>Exploding Bomb</p>	 <p>Represents gases under pressure</p> <p>Compressed gas Liquefied gas Refrigerated liquefied gas Dissolved gas)</p> <p>Gas Cylinder</p>
 <p>Represents corrosive damage to metals, as well as skin and eyes.</p> <p>Corrosive to metals Skin corrosion/irritation Serious eye damage/eye irritation Serious eye damage</p> <p>Corrosion</p>	 <p>May cause damage to the aquatic environment.</p> <p>Physical Chemical Biological</p> <p>Environment</p>

* Acute toxicity by inhalation refers to those adverse effects occurring following an inhalation exposure of gas, dust, mist or vapor for 4 hours.
- Both the Flame and Explosive pictogram are used for Self-reactive substances and mixtures (Type B) and Organic peroxides (Type B)



Solas Ray Lighting™ | 5935 West 84th Street | Indianapolis, IN 46278
Phone: 765-298-8030 | www.solasray.com

NOTE: Physical Hazards Not Otherwise Classified and Health Hazards Not Otherwise Classified classes are required to have a GHS pictogram that is appropriate to the hazard identified.