

TOBACCO SCREENING & CESSATION WORKFLOW

HOW TO RECEIVE CREDIT ⁺

Ann-Marie Cabonce, Clinical Operations Specialist
Patricia Perdomo, Clinical Operations Specialist



Step 1. Ask the patient (12 years old +) two questions:

1. Do you currently or have you ever smoked or used smokeless tobacco?
2. Are you exposed to any smokers?



Step 2. Depending on the patient's response:

1. "No" - Select Never or Former (if pt. quit)

- If pt. quit - ask pt. their usage history and estimated quit date.
- Mark as reviewed

2. "Yes" - Ask pt. if they are ready to quit.

- If YES - ask pt. how many cigs/day and when they approximately started to smoke.
- **Is the pt. ready to quit?** Select yes or no and mark section as reviewed
- Notify provider



Smoking

Never Former **Every Day** Some Days Unknown

Passive exposure: **Never** Past Current

Types: Cigarettes Pipe Cigars Vape E-Cigarette

Total pack years: 5

Cigarettes

First smoked: 2016 Current use: 0.5 packs/day since 2016

Update current usage: Quit

Packs / Day	From	To	Years
0.5	2016	(26 y.o.) Current	(36 y.o.) ≈ 10.1
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Smokeless

Never Former Current Unknown

Cessation

Ready to quit: **Yes** No

Counseling given: **Yes** No



Smoking

Never Former **Every Day** Some Days Unknown

Passive exposure: **Never** Past Current 


Types: Cigarettes Pipe Cigars Vape E-Cigarette

Total pack years: 5

Cigarettes

First smoked: 2016 Current use: 0.5 packs/day since 2016

Update current usage:  Quit 

Packs / Day	From	To	Years
0.5	2016	(26 y.o.) Current	(36 y.o.) ≈ 10.1 
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Smokeless

Never Former Current Unknown

Cessation

Ready to quit: **Yes** No

Counseling given: **Yes** No



Smoking

Never Former **Every Day** Some Days Unknown

Passive exposure: **Never** Past Current 

Types:

Cigarettes Pipe Cigars Vape E-Cigarette

Total pack years: **5**

Cigarettes

First smoked: 2016 Current use: 0.5 packs/day since 2016

Update current usage:

 Quit



Packs / Day	From	To	Years
0.5	2016	(26 y.o.) Current	(36 y.o.) ≈ 10.1
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Smokeless

Never Former Current Unknown

Cessation

Ready to quit:

Yes No

Counseling given:

Yes No



Step 3. Provider workflow (counseling, documentation, billing)


1. Smoking icon will turn red if pt is identified as a current smoker
2. Open tobacco cessation smart set (adult)

Step 3. Provider workflow (counseling, documentation, billing)

1. Smoking icon will turn red if pt is identified as a current smoker



Efficiency Tip: Clicking **Social Determinants of Health** in the patient's storyboard is a quick way of accessing tobacco use as well.



Step 3. Provider workflow (counseling, documentation, billing)

1. Open tobacco cessation smart set (adult)

Tobacco Cessation Adult

 [Manage User Versions](#)

The USPSTF recommends that clinicians advise tobacco users to quit; please select an AVS handout and/or treatment options based on the amount of tobacco used.

▼ Documentation and Billing

▼ Documentation & Billing

Choose one counseling documentation option with its corresponding billing code.

Tobacco cessation counseling <3 minutes (Documentation)

Tobacco cessation counseling <3 minutes (CPT Code)

 Clinic Performed, Qty-1

Tobacco cessation counseling 3-10 minutes (Documentation)

Tobacco cessation counseling 3-10 minutes (CPT Code)

Clinic Performed

Tobacco cessation counseling >10 minutes (Documentation)

Tobacco cessation counseling >10 minutes (CPT Code)

Clinic Performed


▼ Tobacco Cessation For Smokers Not Ready To Quit

▼ Tobacco Cessation for Smokers Not Ready to Quit

AVS: Health Benefits of Smoking Cessation (English)

AVS: Health Benefits of Smoking Cessation (Spanish)








IF THE PATIENT IS
IDENTIFIED AS A
SMOKER BUT IS NOT
READY TO QUIT




If the patient is not ready to quit

- Have a discussion with the pt about the risks of smoking and benefits of quitting.





- Inform the pt. of the resources available to help them quit





Under vitals or history section for tobacco screening:
Select **YES** on question "**Counseling given?**"

- Add pt. education in AVS

- 
- Select appropriate CPT billing code to reflect time spent on counseling

Tobacco Cessation Adult

 [Manage User Versions](#)

The USPSTF recommends that clinicians advise tobacco users to quit; please select an AVS handout and/or treatment options based on the amount of tobacco used.

▼ Documentation and Billing

▼ Documentation & Billing

Choose one counseling documentation option with its corresponding billing code.

Tobacco cessation counseling <3 minutes (Documentation)

Tobacco cessation counseling <3 minutes (CPT Code)

 Clinic Performed, Qty-1

Tobacco cessation counseling 3-10 minutes (Documentation)

Tobacco cessation counseling 3-10 minutes (CPT Code)

Clinic Performed

Tobacco cessation counseling >10 minutes (Documentation)

Tobacco cessation counseling >10 minutes (CPT Code)

Clinic Performed

▼ Tobacco Cessation For Smokers Not Ready To Quit

▼ Tobacco Cessation for Smokers Not Ready to Quit

AVS: Health Benefits of Smoking Cessation (English)

AVS: Health Benefits of Smoking Cessation (Spanish)

Select 2 boxes under documentation and billing based on time spent on counseling the pt.

1. Documentation
2. Associated CPT code

Tobacco Cessation Adult

 [Manage User Versions](#)

The USPSTF recommends that clinicians advise tobacco users to quit; please select an AVS handout and/or treatment options based on the amount of tobacco used.

▼ Documentation and Billing

▼ Documentation & Billing

Choose one counseling documentation option with its corresponding billing code.

Tobacco cessation counseling <3 minutes (Documentation)

Tobacco cessation counseling <3 minutes (CPT Code)

 Clinic Performed, Qty-1

Tobacco cessation counseling 3-10 minutes (Documentation)

Tobacco cessation counseling 3-10 minutes (CPT Code)

Clinic Performed

Tobacco cessation counseling >10 minutes (Documentation)

Tobacco cessation counseling >10 minutes (CPT Code)

Clinic Performed

▼ Tobacco Cessation For Smokers Not Ready To Quit

▼ Tobacco Cessation for Smokers Not Ready to Quit





AVS: Health Benefits of Smoking Cessation (English)

AVS: Health Benefits of Smoking Cessation (Spanish)


Expand the Tobacco Cessation for Smokers Not Ready to Quit section and select AVS option for English or Spanish

(only options available)

SmartSets, Panels, & Express Lanes ⌵ Search panels and SmartSets by user 🔍 ⌘ (Alt+1)

ID	Name	Notes	Pref List	Code
🏠  394793	Tobacco Cessation for Heavy Smokers (> 10 cigs/day)		AMB UCSF DGIM MEDI...	O215681
🏠  394794	Tobacco Cessation for Light Smokers (5-10 cigs/day)		AMB UCSF DGIM MEDI...	O215682
🏠  394795	Tobacco Cessation for Low-Level Smokers (<5 cigs/day)		AMB UCSF DGIM MEDI...	O215683
 2571	Tobacco Cessation Adult	The USPSTF recommends that clinicians advise tobac		

NOTE: WHEN YOU SEARCH FOR TOBACCO CESSATION SMARTSET, THERE WILL BE MULTIPLE OPTIONS. SELECT TOBACCO CESSATION ADULT.



ID	ICD	Name	Notes	ICD	ICD
254733	J01	Tobacco Cessation for Heavy Smokers (>10 cigarettes)		J01	J01
254734	J01	Tobacco Cessation for Light Smokers (5-10 cigarettes)		J01	J01
254735	J01	Tobacco Cessation for Low-Level Smokers (<5 cigarettes)		J01	J01
2271	J01	Tobacco Cessation Adult	The USPSTF recommends that clinicians advise tobacco	J01	J01

Expand the section based on usage to access appropriate treatment options for pt. who is **READY to quit.**

- **Low-Level** (<5 cigs/day)
- **Light** (5-10 cigs/day)
- **Heavy** (>10 cigs/day)

Tobacco Cessation Adult


 [Manage User Versions](#)

The USPSTF recommends that clinicians advise tobacco users to quit; please select an AVS handout and/or treatment options based on the amount of tobacco used.

▼ Documentation and Billing

▼ Documentation & Billing

Choose one counseling documentation option with its corresponding billing code.

- Tobacco cessation counseling <3 minutes (Documentation)
- Tobacco cessation counseling <3 minutes (CPT Code)
 -  Clinic Performed, Qty-1
- Tobacco cessation counseling 3-10 minutes (Documentation)
- Tobacco cessation counseling 3-10 minutes (CPT Code)
 - Clinic Performed
- Tobacco cessation counseling >10 minutes (Documentation)
- Tobacco cessation counseling >10 minutes (CPT Code)
 - Clinic Performed

▼ Tobacco Cessation For Smokers Not Ready To Quit

▶ Tobacco Cessation for Smokers Not Ready to Quit Click for more

▼ Low Level Smokers (<5 cigs/day)

▶ Tobacco Cessation for Low-Level Smokers (<5 cigs/day) Click for more

▼ Light Smokers (5-10 cigs/day)

▶ Tobacco Cessation for Light Smokers (5-10 cigs/day) Click for more

▼ Heavy Smokers (>10 cigs/day)

▶ Tobacco Cessation for Heavy Smokers (> 10 cigs/day) Click for more

If the patient is a current smoker

One of the following interventions are **required** to receive credit:

- Referral
- Prescription for cessation aid

▼ Low Level Smokers (<5 cigs/day)


▼ Tobacco Cessation for Low-Level Smokers (<5 cigs/day)


Referrals: Counseling doubles the chances of long-term quitting.

1. UCSF Fontana Tobacco Treatment Center offers in-person classes and individual consultations.
2. California Smokers' Helpline offers self-help materials and 1:1 counseling over the phone.

Medications: Click below for more details.

- [Smoking Cessation Medication Guide](#)

- nicotine polacrilex (NICORETTE) 2 mg gum
Disp-220 each, R-2, 1 each = 1 piece of gum., Normal
- nicotine polacrilex (COMMIT) 2 mg lozenge
Disp-216 lozenge, R-2, Normal
- Ambulatory referral to The Fontana Tobacco Treatment Center 
- Ambulatory Referral to Smoking Cessation Quit Line
- AVS: Preparing to Stop Smoking (English)
- AVS: Preparing to Stop Smoking (Spanish)
- AVS: Info on Tobacco Cessation Medications (English)
- AVS: Info on Tobacco Cessation Medications (Spanish)



▼ Light Smokers (5-10 cigs/day)

▶ Tobacco Cessation for Light Smokers (5-10 cigs/day)

[Click for more](#)

▼ Heavy Smokers (>10 cigs/day)

▶ Tobacco Cessation for Heavy Smokers (> 10 cigs/day)

[Click for more](#)

If the patient is a current smoker

One of the following interventions are **required** to receive credit:

- Referral
- Prescription for cessation aid

▼ Low Level Smokers (<5 cigs/day)

▼ Tobacco Cessation for Low-Level Smokers (<5 cigs/day)



Referrals: Counseling doubles the chances of long-term quitting.

1. UCSF Fontana Tobacco Treatment Center offers in-person classes and individual consultations.
2. California Smokers' Helpline offers self-help materials and 1:1 counseling over the phone.

Medications: Click below for more details.

- [Smoking Cessation Medication Guide](#)

- nicotine polacrilex (NICORETTE) 2 mg gum
Disp-220 each, R-2, 1 each = 1 piece of gum., Normal
- nicotine polacrilex (COMMIT) 2 mg lozenge
Disp-216 lozenge, R-2, Normal
- Ambulatory referral to The Fontana Tobacco Treatment Center ■
- Ambulatory Referral to Smoking Cessation Quit Line
- AVS: Preparing to Stop Smoking (English)
- AVS: Preparing to Stop Smoking (Spanish)
- AVS: Info on Tobacco Cessation Medications (English)
- AVS: Info on Tobacco Cessation Medications (Spanish)



▼ Light Smokers (5-10 cigs/day)

▶ [Tobacco Cessation for Light Smokers \(5-10 cigs/day\)](#)

[Click for more](#)

▼ Heavy Smokers (>10 cigs/day)

▶ [Tobacco Cessation for Heavy Smokers \(> 10 cigs/day\)](#)

[Click for more](#)

Expanding these sections acts as a "one-stop shop" to complete the requirements to receive credit. Include pt. education instructions in AVS

▼ Low Level Smokers (<5 cigs/day)

▼ Tobacco Cessation for Low-Level Smokers (<5 cigs/day)

Referrals: Counseling doubles the chances of long-term quitting.

1. UCSF Fontana Tobacco Treatment Center offers in-person classes and individual consultations.
2. California Smokers' Helpline offers self-help materials and 1:1 counseling over the phone.

Medications: Click below for more details.

- [Smoking Cessation Medication Guide](#)

- nicotine polacrilex (NICORETTE) 2 mg gum
Disp-220 each, R-2, 1 each = 1 piece of gum., Normal
- nicotine polacrilex (COMMIT) 2 mg lozenge
Disp-216 lozenge, R-2, Normal
- Ambulatory referral to The Fontana Tobacco Treatment Center ■
- Ambulatory Referral to Smoking Cessation Quit Line
- AVS: Preparing to Stop Smoking (English)
- AVS: Preparing to Stop Smoking (Spanish)
- AVS: Info on Tobacco Cessation Medications (English)
- AVS: Info on Tobacco Cessation Medications (Spanish)

▼ Light Smokers (5-10 cigs/day)


▶ Tobacco Cessation for Light Smokers (5-10 cigs/day)

Click for more

▼ Heavy Smokers (>10 cigs/day)

▶ Tobacco Cessation for Heavy Smokers (> 10 cigs/day)

Click for more



▼ Low Level Smokers (<5 cigs/day)

▼ Tobacco Cessation for Low-Level Smokers (<5 cigs/day)

Referrals: Counseling doubles the chances of long-term quitting.

1. UCSF Fontana Tobacco Treatment Center offers in-person classes and individual consultations.
2. California Smokers' Helpline offers self-help materials and 1:1 counseling over the phone.

Medications: Click below for more details.

- [Smoking Cessation Medication Guide](#)

- nicotine polacrilex (NICORETTE) 2 mg gum
Disp-220 each, R-2, 1 each = 1 piece of gum., Normal
- nicotine polacrilex (COMMIT) 2 mg lozenge
Disp-216 lozenge, R-2, Normal
- Ambulatory referral to The Fontana Tobacco Treatment Center ■
- Ambulatory Referral to Smoking Cessation Quit Line
- AVS: Preparing to Stop Smoking (English)
- AVS: Preparing to Stop Smoking (Spanish)
- AVS: Info on Tobacco Cessation Medications (English)
- AVS: Info on Tobacco Cessation Medications (Spanish)

▼ Light Smokers (5-10 cigs/day)

▶ Tobacco Cessation for Light Smokers (5-10 cigs/day)

Click for more


▼ Heavy Smokers (>10 cigs/day)

▶ Tobacco Cessation for Heavy Smokers (> 10 cigs/day)

Click for more

When a medication is prescribed

Include info on Tobacco Cessation Medications
AVS instructions





Questions?

Email ACRT@ucsf.edu