



## Mathematics Calculator Guidance Grade 5

TN Standard	Calculator Tested Subpart	Non-Calculator Tested Subpart	enVision Lesson(s)	Notes
<b>Calculator Step Guide</b>				
<b>5.OA.A.1</b> Use parentheses and/or brackets in numerical expressions involving whole numbers and evaluate expressions having these symbols using the conventional order by applying the Order of Operations. (When applying the order of operations, the evaluation of exponents need not be included.)	✓	✓	Topic 13: Lessons 13-1 and 13-2; 13-4	Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.OA.A.2</b> Write simple expressions that record calculations with numbers and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$ . Recognize that $3 \times (18,932 + 921)$ is three times as large as $18,932 + 921$ , without having to calculate the indicated sum or product.	✓		Topic 13: Lessons 13-2 and 13-3	Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.  Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.OA.B.3</b> Generate two numerical patterns using two given rules. For example, given the rule "Add 3" and the starting number 0, and	✓		a and b- Topic 15: Lessons 15-3 and 15-4	Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p>given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences.</p> <p><b>5.OA.B.3a</b> Identify relationships between corresponding terms in two numerical patterns.</p> <p><b>5.OA.B.3b</b> Form ordered pairs (limited to first quadrant) consisting of corresponding terms from two numerical patterns and graph the ordered pairs on a coordinate plane.</p>			<p>a-only Topic 15: Lessons 15-1 and 15-2</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to check the number pattern from a given rule.</p>
<p><b>5.NBT.A.1</b> Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.</p>		✓	<p>Topic 1: Lessons 1-2 and 1-3</p>	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to check the reasonableness of an answer using the understanding of place value when dividing.</p>
<p><b>5.NBT.A.2</b> Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.</p>		✓	<p>Topic 1: Lesson 1-1 Topic 3: Lesson 3-1 Topic 4: Lesson 4-1 Topic 6: Lesson 6-1 Topic 12: Lessons 12-4 through 12-6</p>	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to</p> <ul style="list-style-type: none"> <li>• check the factors and products when converting units of measurement using an equation with an exponent.</li> <li>• check the reasonableness of an answer using the understanding of place value, commutative, associative, and /or distributive properties.</li> </ul>
<p><b>5.NBT.A.3</b> Read and write decimals to thousandths using standard form, word form, and expanded notation (e.g., the expanded notation of 347.392 is written as <math>(3 \times 100) + (4 \times</math></p>	✓	✓	<p>Topic 1: Lessons 1-4 and 1-5; 1-7</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p><math>10) + (7 \times 1) + (3 \times (1/10)) + (9 \times (1/100)) + (2 \times (1/1000))</math>). Compare two decimals to thousandths based on meanings of the digits in each place and use the symbols <math>&gt;</math>, <math>=</math>, and <math>&lt;</math> to show the relationship.</p>				
<p><b>5.NBT.A.4</b> Round decimals to the nearest hundredth, tenth, or whole number using understanding of place value, and use a number line to explain how the number was rounded.</p>	✓	✓	<p>Topic 1: Lesson 1-6 Topic 2: Lessons 2-1 and 2-2</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NBT.B.5</b> Fluently multiply multi-digit whole numbers (up to three-digit by four-digit factors) using efficient strategies and algorithms.</p>		✓	<p>Topic 3: Lessons 3-2 through 3-9 Topic 12: Lessons 12-2 through 12-3; 12-7 and 12-8; 12-9</p>	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to check the factors and products using appropriate strategies and algorithms.</p>
<p><b>5.NBT.B.6</b> Find whole-number quotients and remainders of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	✓	✓	<p>Topic 5: Lessons 5-1 through 5-8; TN-2 Topic 12: Lessons 12-2 and 12-3; 12-7</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NBT.B.7</b> Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between operations; assess the reasonableness of</p>		✓	<p>Topic 4: Lessons 4-1 through 4-9 Topic 6: Lessons 6-1 through 6-7; TN-3</p>	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to check the reasonableness of an answer when adding, subtracting, multiplying, and dividing decimals.</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



answers using estimation strategies (Limit division problems so that either the dividend or the divisor is a whole number).				
<b>5.NF.A.1</b> Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, $2/3 + 5/4 = 8/12 + 15/12 = 23/12$ or $3/5 + 7/10 = 6/10 + 7/10 = 13/10$ .	✓	✓	Topic 7: Lessons 7-1 through 7-11	Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.NF.A.2</b> Solve contextual problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers. For example, recognize an incorrect result $2/5 + 1/2 = 3/7$ , by observing $3/7 < 1/2$ .	✓		Topic 7: Lessons 7-1 through 7-12 Topic 10: Lessons 10-1 through 10-4	Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.  Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.NF.B.3</b> Interpret a fraction as division of the numerator by the denominator. For example, $3/4 = 3 \div 4$ so when 3 wholes are shared equally among 4 people, each person has a share of size $3/4$ . Solve contextual problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers by using visual fraction models or equations to represent the problem.	✓		Topic 9: Lessons 9-1 and 9-2	Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.  Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p><b>5.NF.B.4</b> Apply and extend previous understandings of multiplication to multiply a fraction by a whole number or a fraction by a fraction.</p> <p><b>a.</b> Interpret the product <math>a/b \times q</math> as <math>a \times (q \div b)</math> (partition the quantity <math>q</math> into <math>b</math> equal parts and then multiply by <math>a</math>). Interpret the product <math>a/b \times q</math> as <math>(a \times q) \div b</math> (multiply <math>a</math> times the quantity <math>q</math> and then partition the product into <math>b</math> equal parts). For example, use <math>a</math> visual fraction model or write <math>a</math> story context to show that <math>2/3 \times 6</math> can be interpreted as <math>2 \times (6 \div 3)</math> or <math>(2 \times 6) \div 3</math>. Do the same with <math>2/3 \times 4/5 = 8/15</math>. (In general, <math>a/b \times c/d = ac/bd</math>.)</p>	✓		<p>Topic 8: Lessons 8-1 through 8-5; 8-8</p>	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NF.B.4</b> Apply and extend previous understandings of multiplication to multiply a fraction by a whole number or a fraction by a fraction.</p> <p><b>b</b> Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles and represent fraction products as rectangular areas.</p>	✓		<p>Topic 8: Lesson 8-6 and 8-9</p>	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NF.B.5</b> Interpret multiplication as scaling (resizing).</p>	✓		<p>Topic 8: Lesson 8-8</p>	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p>a. Compare the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. For example, know if the product will be greater than, less than, or equal to the factors.</p> <p>b Explain why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explain why multiplying a given number by a fraction between 0 and 1 results in a product less than the given number; and relate the principle of fraction equivalence <math>\frac{a}{b} = \frac{a \times n}{b \times n}</math> to the effect of multiplying <math>\frac{a}{b}</math> by 1.</p>				<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NF.B.6</b> Solve real-world problems involving multiplication of fractions and mixed numbers by using visual fraction models or equations to represent the problem.</p>	✓	✓	<p>Topic 8: Lessons 8-1 and 8-2; 8-7; 8-9 Topic 10: Lesson 10-3</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>
<p><b>5.NF.B.7</b> Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions.</p> <p>a Interpret division of a unit fraction by a non-zero whole number and compute such quotients. For example, use visual models and the relationship between multiplication and division to explain that <math>(\frac{1}{3}) \div 4</math></p>	✓	✓	<p>a- Topic 9: Lesson 9-5 and 9-6; 9-9</p> <p>b Topic 9: Lesson 9-3 and 9-4; 9-6 and 9-7</p> <p>c- Topic 9: Lesson 9-3 through 9-7</p>	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p>= <math>1/12</math> because <math>(1/12) \times 4 = 1/3</math>. In other words, when thirds are partitioned into 4 equal groups, they become twelfths.</p> <p><b>b</b> Interpret division of a whole number by a unit fraction and compute such quotients. For example, use visual models and the relationship between multiplication and division to explain that <math>4 \div (1/5) = 20</math> because <math>20 \times (1/5) = 4</math> (i.e., there are 20 groups of <math>1/5</math> inside 4 wholes and connect this to <math>? \times (1/5) = 4</math>).</p> <p><b>c</b> Solve real-world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions and non-unit fractions by using visual fraction models and equations to represent the problem. For example, how much chocolate will each person get if 3 people share <math>1/2</math> lb of chocolate equally? How many <math>1/3</math> cup servings are in 2 cups of raisins?</p>				
<p><b>5.MD.A.1</b> Convert customary and metric measurement units within a single system by expressing measurements of a larger unit in terms of a smaller unit. Use these conversions to solve multi-step real-world problems involving distances, intervals of time, liquid volumes, masses of objects, and</p>	✓		<p>Topic 12: Lessons 1-1 through 12-9; TN-4</p>	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



money (including problems involving simple fractions or decimals). For example, 3.6 liters and 4.1 liters can be combined as 7.7 liters or 7700 milliliters.				
<b>5.MD.B.2</b> Make a line plot to display a data set of measurements in fractions of a unit ( $\frac{1}{2}$ , $\frac{1}{4}$ , $\frac{1}{8}$ ). Use operations on fractions for this grade to solve problems involving information presented in line plots. For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.	✓	✓	Topic 10: Lessons 10-1 through 10-4	Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.MD.C.3</b> Recognize volume as an attribute of solid figures and understand concepts of volume measurement.  <b>a.</b> Understand that a cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume and can be used to measure volume.  <b>b.</b> Understand that a solid figure which can be packed without gaps or overlaps using $n$ unit cubes is said to have a volume of $n$ cubic units.	✓		Topic 11: Lessons 11-1 and 11-5	Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.  Instruction should prepare students to demonstrate mastery with and without the aid of the calculator.
<b>5.MD.C.4</b> Measure volume by counting unit cubes, using cubic centimeters, cubic inches, cubic feet, and improvised units.			Topic 11: Lessons 11-1 and 11-2; 11-5	Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.  If the calculator is permitted on future assessments, the calculator could be utilized to calculate the volume.

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p><b>5.MD.C.5</b> Relate volume to the operations of multiplication and addition and solve real-world and mathematical problems involving volume of right rectangular prisms.</p>	✓			<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator</p>
<p><b>5.MD.C.5a</b> Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent whole-number products of three factors as volumes (e.g., to represent the associative property of multiplication).</p>	✓	✓	Topic 11: Lesson 11-2	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator</p>
<p><b>5.MD.C.5b</b> Know and apply the formulas <math>V = l \times w \times h</math> and <math>V = B \times h</math> (where B represents the area of the base) for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real-world and mathematical problems.</p>		✓	Topic 11: Lesson 11-2	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to calculate the volume of a rectangular prism.</p>
<p><b>5.MD.C.5c</b> Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real-world problems.</p>	✓		Topic 11: Lessons 11-3 and 11-4	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator</p>
<p><b>5.G.A.1</b> Graph ordered pairs and label points using the first quadrant of the coordinate plane. Understand in the ordered pair that the first number</p>	✓	✓	Topic 14: Lesson 14-1;14-2;14-4	<p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator</p>

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*



<p>indicates the horizontal distance traveled along the x-axis from the origin and the second number indicates the vertical distance traveled along the y-axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).</p>				
<p><b>5.G.A.2</b> Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane and interpret coordinate values of points in the context of the situation.</p>		✓	<p>Topic 14: Lessons 14-2 through 14-4</p>	<p>Historically, this standard appeared on the non-calculator subpart of the TCAP practice assessment.</p> <p>If the calculator is permitted on future assessments, the calculator could be utilized to calculate to help interpret coordinate values of points in the context of a situation.</p>
<p><b>5.G.B.3</b> Classify two-dimensional figures in a hierarchy based on properties. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles</p>	✓		<p>Topic 16; Lessons 16-1 through 16-4</p>	<p>Historically, this standard appeared on the calculator subpart of the TCAP practice assessment.</p> <p>Instruction should prepare students to demonstrate mastery with and without the aid of the calculator</p>

*(Note: Some standards may have been previously tested on the calculator and non-calculator subparts of the TCAP.)*

*This document was created to provide opportunities to leverage the implementation of state-approved calculators based on historical trends identified on previous TCAP practice assessments. These suggestions may be utilized to make instructional decisions to meet the needs of your students.*