

TIBIAL CORTEX TRANSVERSE TRANSPORT

Reference List & Clinical Bibliography

The following references support the clinical, scientific, and economic rationale for tibial cortex transverse transport (TCTT) and related distraction histogenesis techniques in the management of diabetic foot ulcers, chronic limb ischemia, and recalcitrant lower-extremity wounds. Citations are organized by year of publication, most recent first. All DOI and source links are active.

2024

- Da Ros, R. et al. (2024). Burden of Infected Diabetic Foot Ulcers on Hospital Admissions and Costs in a Third-Level Center. *Diabetology*, 2024. 141–150. <https://doi.org/10.3390/diabetology5020011>
- Liu, J. et al. (2024). Modified tibial cortex transverse transport for diabetic foot ulcers with Wagner grade $\geq$ II: a study of 98 patients. *Frontiers in Endocrinology*, 15. <https://doi.org/10.3389/fendo.2024.1334414>
- Mukherjee, S., Im, S.-S. (2024). Impact of tibial transverse transport in tissue regeneration and wound healing with perspective on diabetic foot ulcers. *World Journal of Diabetes*, 15(5), 810–813. <https://doi.org/10.4239/wjd.v15.i5.810>

2023

- Armstrong, D.G. et al. (2023). Diabetic foot ulcers: A review. *JAMA*, 330(1), 62–75. <https://doi.org/10.1001/jama.2023.10578>
- Chang, S. et al. (2023). Outcomes of integrated surgical wound treatment mode based on tibial transverse transport for diabetic foot wound. *Frontiers in Surgery*, 9. <https://doi.org/10.3389/fsurg.2022.1051366>
- Hu, X.-X. et al. (2023). Effectiveness of transverse tibial bone transport in treatment of diabetic foot ulcer: A systematic review and meta-analysis. *Frontiers in Endocrinology*, 13(1095361). <https://doi.org/10.3389/fendo.2022.1095361>
- Jianda, X. et al. (2023). A novel and alternative treatment method for large heel ulceration in diabetic patients: Proximal tibial cortex transverse distraction. *International Wound Journal*, 20(3), 732–739. <https://doi.org/10.1111/iwj.13916>
- Liu, J.-P. et al. (2023). Learning curve of tibial cortex transverse transport: A cumulative sum analysis. *Journal of Orthopaedic Surgery and Research*, 18(650). <https://doi.org/10.1186/s13018-023-04149-x>
- Liu, Y. et al. (2023). Anterior superior iliac spine distraction for severe and recalcitrant diabetic foot ulcers. *Injury*, 54, 778–783. <https://doi.org/10.1016/j.injury.2022.11.070>
- Ou, S. et al. (2023). Tibial cortex transverse transport potentiates diabetic wound healing via activation of SDF-1/CXCR4 signaling. *PeerJ*. <https://doi.org/10.7717/peerj.15894>
- Parker, E.D. et al. (2023). Economic costs of diabetes in the U.S. in 2022. *Diabetes Care*. <https://doi.org/10.2337/dci23-0085>

- Qin, W. et al. (2023). Efficacy and safety of unilateral tibial cortex transverse transport on bilateral diabetic foot ulcers: A propensity score matching study. *Journal of Orthopaedic Translation*, 42, 137–146. <https://doi.org/10.1016/j.jot.2023.08.002>
- Wen, R. et al. (2023). Transverse tibial bone transfer in the treatment of diabetes foot ulcer: A pilot study. *Diabetes, Metabolic Syndrome and Obesity*, 16, 2005–2012. <https://doi.org/10.2147/DMSO.S413884>

2022

- Bai, S. et al. (2022). Cranial bone transport promotes angiogenesis, neurogenesis, and modulates meningeal lymphatic function in middle cerebral artery occlusion rats. *Stroke*, 56, 1373–1385. <https://doi.org/10.1161/STROKEAHA.121.037912>
- Chen, Y. et al. (2022). Effect of tibial cortex transverse transport in patients with recalcitrant diabetic foot ulcers: A prospective multicenter cohort study. *Journal of Orthopaedic Translation*, 36, 194–204. <https://doi.org/10.1016/j.jot.2022.09.002>
- Ezzatvar, Y. et al. (2022). Global estimates of diabetes-related amputations incidence in 2010–2020: A systematic review and meta-analysis. *Diabetes Research and Clinical Practice*, 195(110194). <https://doi.org/10.1016/j.diabres.2022.110194>
- Liu, Z., Xu, C. et al. (2022). Twenty years development of tibial cortex transverse transport surgery in PR China. *Orthopaedic Surgery*, 14(6), 1034–1048. <https://doi.org/10.1111/os.13214>
- Ou, S., Qi, Y. et al. (2022). Transverse tibial bone transport enhances distraction osteogenesis and vascularization in the treatment of diabetic foot. *Orthopaedic Surgery*, 14(9), 2170–2179. <https://doi.org/10.1111/os.13416>
- Thaller, P.H. et al. (2022). Transverse Kallusdistraktion – Neue Chancen für den Extremitätenerhalt? *Unfallchirurg*, 125(4), 282–287. <https://doi.org/10.1007/s00113-022-01156-1>
- Yang, Y., Li, G. et al. (2022). Tibial cortex transverse transport accelerates wound healing via enhanced angiogenesis and immunomodulation. *Bone & Joint Research*, 11(4), 189–199. <https://doi.org/10.1302/2046-3758.114.BJR-2021-0364.R1>

2021

- Armstrong, D.G. et al. (2021). Observed impact of skin substitutes in lower extremity diabetic ulcers: Lessons from the Medicare Database (2015–2018). *Journal of Wound Care*, 30(7), 5–16.
- Mizelle, R.M., Jr. (2021). The art of medicine – Diabetes, race, and amputations. *The Lancet*, 397, 1256–1257.
- Nie, X. et al. (2021). Tibial cortex transverse transport facilitating healing in patients with recalcitrant non-diabetic leg ulcers. *Journal of Orthopaedic Translation*, 27, 1–7. <https://doi.org/10.1016/j.jot.2020.11.001>
- Sain, A. et al. (2021). Current concepts in the management of thromboangiitis obliterans (TAO) using distraction osteogenesis. *Indian Journal of Surgery*. <https://doi.org/10.1007/s12262-020-02653-6>
- Yuan, Y. et al. (2021). Modified tibial transverse transport technique for the treatment of ischemic diabetic foot ulcer in patients with type 2 diabetes. *Journal of Orthopaedic Translation*, 29, 100–105. <https://doi.org/10.1016/j.jot.2021.04.006>

2020

- Armstrong, D.G. et al. (2020). Five-year mortality and direct costs of care for people with diabetic foot complications are comparable to cancer. *Journal of Foot and Ankle Research*, 13(16). <https://doi.org/10.1186/s13047-020-00383-2>
- Baumhauer, J.F. (2020). CORR Insights®: Proximal tibial cortex transverse distraction facilitating healing and limb salvage in severe and recalcitrant diabetic foot ulcers. *Clinical Orthopaedics and Related Research*, 478, 852–853. <https://doi.org/10.1097/CORR.0000000000001146>
- Guangwei, L. et al. (2020). The emerging role of tibial cortex transverse transport in the treatment of chronic limb ischemic diseases. *Journal of Orthopaedic Translation*, 25, 17–24. <https://doi.org/10.1016/j.jot.2020.10.001>
- Hua, Q. et al. (2020). Chinese Association of Orthopaedic Surgeons (CAOS) clinical guideline for the treatment of diabetic foot ulcers using tibial cortex transverse transport technique. *Journal of Orthopaedic Translation*, 25, 11–16. <https://doi.org/10.1016/j.jot.2020.05.003>
- Hua, Q. et al. (2020). Treatment experiences of 516 cases of diabetic foot treated with tibial transverse transport. *Chinese Journal of Reparative and Reconstructive Surgery*, 34(8), 959–963. <https://doi.org/10.7507/1002-1892.202003099>
- Jiang, L. et al. (2020). Effectiveness of a collaborative nursing care model for the treatment of patients with diabetic foot disease by transverse tibial bone transport technique: A pilot study. *Journal of PeriAnesthesia Nursing*, 35(1), 60–66. <https://doi.org/10.1016/j.jopan.2019.06.009>
- Kong, L.-C. et al. (2020). An update to the advances in understanding distraction histogenesis: From biological mechanisms to novel clinical applications. *Journal of Orthopaedic Translation*, 25, 3–10. <https://doi.org/10.1016/j.jot.2020.09.003>
- Li, G., Ling, S.K.K. et al. (2020). How to perform minimal invasive tibial cortex transport surgery. *Journal of Orthopaedic Translation*, 25, 28–32. <https://doi.org/10.1016/j.jot.2020.06.005>
- Lipsky, B.A., Senneville, É., Abbas, Z.G. et al. (2020). Guidelines on the diagnosis and treatment of foot infection in persons with diabetes (IWGDF 2019 update). *Diabetes/Metabolism Research and Reviews*, 36(S1), Article e3280. <https://doi.org/10.1002/dmrr.3280>
- Monteiro-Soares, M., Russell, D., Boyko, E.J. et al. (2020). Guidelines on the classification of diabetic foot ulcers (IWGDF 2019). *Diabetes/Metabolism Research and Reviews*, 36(S1), Article e3273. <https://doi.org/10.1002/dmrr.3273>
- Najafi, B., Reeves, N.D., Armstrong, D.G. (2020). Leveraging smart technologies to improve the management of diabetic foot ulcers and extend ulcer-free days in remission. *Diabetes/Metabolism Research and Reviews*, 36, Article e3239. <https://doi.org/10.1002/dmrr.3239>
- Rathnayake, A., Saboo, A., Malabu, U.H., Falhammar, H. (2020). Lower extremity amputations and long-term outcomes in diabetic foot ulcers: A systematic review. *World Journal of Diabetes*, 11(9), 391–399. <https://dx.doi.org/10.4239/wjd.v11.i9.391>
- Schaper, N.C., Van Netten, J.J. et al. (2020). Practical guidelines on the prevention and management of diabetic foot disease (IWGDF 2019 update). *Diabetes/Metabolism Research and Reviews*, 36(S1), Article e3266. <https://doi.org/10.1002/dmrr.3266>

- Van Netten, J.J., Bus, S.A., Apelqvist, J. et al. (2020). Definitions and criteria for diabetic foot disease. *Diabetes/Metabolism Research and Reviews*, 36(S1), Article e3268. <https://doi.org/10.1002/dmrr.3268>
- Zhang, Y., Armstrong, D.G. et al. (2020). Global disability burdens of diabetes-related lower-extremity complications in 1990 and 2016. *Diabetes Care*, 43, 964–974. <https://doi.org/10.2337/dc19-1614>
- Zhang, Y.-W. et al. (2020). Treatment of diabetic foot with the transverse tibial bone transport guided by three-dimensional printing guide plates. *Asian Journal of Surgery*, 43, 832–834. <https://doi.org/10.1016/j.asjsur.2020.03.009>
- Zhu, Y.-L. et al. (2020). Tibial cortex transverse distraction for primary lymphoedema in the lower limb: A case report. *Journal of Orthopaedic Translation*, 25, 25–27. <https://doi.org/10.1016/j.jot.2020.09.005>

2019

- Chen, Y., Lu, W. et al. (2019). Proximal tibial cortex transverse distraction facilitating healing and limb salvage in severe and recalcitrant diabetic foot ulcer. *Clinical Orthopaedics and Related Research*, 478(4), 836–851. <https://doi.org/10.1097/CORR.0000000000001075>
- Chouhan, A. et al. (2019). Limb salvage in Buerger's disease by distraction histogenesis: A prospective study with literature review. *Journal of Clinical Orthopaedics and Trauma*, 10, 981–985. <https://doi.org/10.1016/j.jcot.2018.08.011>
- Conte, M.S. et al. (2019). Global vascular guidelines on the management of chronic limb-threatening ischemia. *Journal of Vascular Surgery*, 69(6S). <https://doi.org/10.1016/j.jvs.2019.02.016>
- Grüneboom, A., Culemann, S. et al. (2019). A network of trans-cortical capillaries as mainstay for blood circulation in long bones. *Nature Metabolism*, 1(2), 236–250. <https://doi.org/10.1038/s42255-018-0016-5>
- Kerr, M., Kong, W.M. et al. (2019). The cost of diabetic foot ulcers and amputations to the National Health Service in England. *Diabetic Medicine*, 36(8). <https://doi.org/10.1111/dme.13973>
- Sen, C.K. et al. (2019). Human wounds and its burden: An updated compendium of estimates. *Advances in Wound Care*, 8(2). <https://doi.org/10.1089/wound.2019.0946>

2018

- Meloni, M. et al. (2018). Recurrence of critical limb ischemia after endovascular intervention in patients with diabetic foot ulcers. *Advances in Wound Care*, 7(6). <https://doi.org/10.1089/wound.2017.0778>
- Raghav, A. et al. (2018). Financial burden of diabetic foot ulcers to world: A progressive topic to discuss always. *Therapeutic Advances in Endocrinology and Metabolism*, 9(1), 29–31. <https://doi.org/10.1177/2042018817744513>
- Zuo, Q. et al. (2018). Application of Ilizarov transverse tibial bone transport and microcirculation reconstruction in the treatment of chronic ischemic diseases in lower limbs. *Experimental and Therapeutic Medicine*, 16, 1355–1359. <https://doi.org/10.3892/etm.2018.6321>

2017

- Armstrong, D.G. et al. (2017). Diabetic foot ulcers and their recurrence. *New England Journal of Medicine*, 376(24), 2367–2375. <https://doi.org/10.1056/NEJMra1615439>

- Barshes, N.R., Wrobel, J., Armstrong, D.G. et al. (2017). A model to estimate cost-savings in diabetic foot ulcer prevention efforts. *Journal of Diabetes and Its Complications*. <http://dx.doi.org/10.1016/j.jdiacomp.2016.12.017>
- Dabis, J. et al. (2017). The history, evolution and basic science of osteotomy techniques. *Strategies in Trauma and Limb Reconstruction*, 12, 169–180. <https://doi.org/10.1007/s11751-017-0296-4>
- Kröger, K. et al. (2017). Lower limb amputation in Germany. *Deutsches Ärzteblatt International*, 114, 130–136.
- Orgutsova, K., Huang, Y. et al. (2017). IDF Diabetes Atlas: Global estimates for the prevalence of diabetes for 2015 and 2040. *Diabetes Research and Clinical Practice*, 128, 40–50. <https://doi.org/10.1016/j.diabres.2017.03.024>
- Zhang, P. et al. (2017). Global epidemiology of diabetic foot ulceration: A systematic review and meta-analysis. *Annals of Medicine*, 49(2), 106–116. <http://dx.doi.org/10.1080/07853890.2016.1231932>

2016

- Carinci, F. et al. (2016). Lower extremity amputation rates in people with diabetes as an indicator of health systems performance: A critical appraisal of the data collection 2000–2011 by the Organization for Economic Cooperation and Development (OECD). *Acta Diabetologica*, 53, 825–832. <https://doi.org/10.1007/s00592-016-0879-4>
- Fife, C.E. et al. (2016). A predictive model for diabetic foot ulcer outcome: The wound healing index. *Advances in Wound Care*, 5(7), 279–287. <https://doi.org/10.1089/wound.2015.0668>
- Jeffcoate, W.J. et al. (2016). Reporting standards of studies and papers on the prevention and management of foot ulcers in diabetes: Required details and markers of good quality. *The Lancet Diabetes & Endocrinology*, 4, 781–788. [http://dx.doi.org/10.1016/S2213-8587\(16\)30012-2](http://dx.doi.org/10.1016/S2213-8587(16)30012-2)

2015

- Jiménez, S.V. et al. (2015). Valor pronóstico de la TcPO2 en la cicatrización de lesiones en pie diabético tras revascularización. *Angiología*, 67(6), 476–482. <http://dx.doi.org/10.1016/j.angio.2015.03.001>
- Lazzarini, P.A., Derhy, P.H. et al. (2015). Reduced incidence of foot-related hospitalisation and amputation amongst persons with diabetes in Queensland, Australia. *PLoS ONE*, 10(6), Article e0130609. <https://doi.org/10.1371/journal.pone.0130609>
- National Institute for Health and Care Excellence (2015). *Diabetic foot problems: Prevention and management*. National Institute for Health and Care Excellence. <https://www.nice.org.uk/guidance/ng19>

2013

- Margolis, D.J., Jeffcoate, W. (2013). Epidemiology of foot ulceration and amputation: Can global variation be explained? *Medical Clinics of North America*, 97(5), 791–805. <https://doi.org/10.1016/j.mcna.2013.03.008>
- Stogov, M.V. et al. (2013). Growth factors in human serum during operative tibial lengthening with the Ilizarov method. *Journal of Orthopaedic Research*, 1966–1970. <https://doi.org/10.1002/jor.22454>

2012

- Martínez de Jesus, F.R., Torres, G.G., Herrera, P.O. et al. (2012). Diagnóstico, clasificación y tratamiento de las infecciones en el pie diabético. *Cirujano General*, 34(3), 199–205.

2011

- Kulkarni, S. et al. (2011). Management of thromboangiitis obliterans using distraction osteogenesis: A retrospective study. *Indian Journal of Orthopaedics*, 45(5), 459–464. <https://doi.org/10.4103/0019-5413.83954>
- Patwa, J.J., Krishnan, A. (2011). Buerger's disease (thromboangiitis obliterans) – Management by Ilizarov's technique of horizontal distraction: A retrospective study of 60 cases. *Indian Journal of Surgery*, 73(1), 40–47. <https://doi.org/10.1007/s12262-010-0186-1>

2010

- Buchberger, B. et al. (2010). *Bedeutung von Wachstumsfaktoren für die Behandlung von chronischen Wunden am Beispiel des diabetischen Fußulcus* (1. Aufl.). <https://doi.org/10.3205/hta000090L>
- Driver, V.R., Lavery, L.A. et al. (2010). The costs of diabetic foot: The economic case for the limb salvage team. *Journal of Vascular Surgery*, 100(5), 335–341.

2005

- Matsuyama, J. et al. (2005). Osteogenesis and angiogenesis in regenerating bone during transverse distraction. *Clinical Orthopaedics and Related Research*, 433, 243–250. <https://doi.org/10.1097/01.blo.0000150562.24256.a4>

2001

- Qu, L. et al. (2001). The therapy of transverse tibial bone transport and vessel regeneration operation on thromboangiitis obliterans. *Zhonghua Yixue Zazhi*, 81(10), 622–624.

1999

- Brismar, K., Jörneskog, G. et al. (1999). Transcutaneous oxygen tension and toe pressure as predictors for outcome of diabetic foot ulcers. *Diabetes Care*, 22(1), 147–151. <https://doi.org/10.2337/diacare.22.1.147>
- Eingartner, C., Coerper, S., Koveker, G. et al. (1999). Growth factors in distraction osteogenesis: Immunohistological pattern of TGF- β 1 and IGF-I in human callus induced by distraction osteogenesis. *International Orthopaedics (SICOT)*, 23, 253–259.

1989

- Ilizarov, G.A. (1989). The tension-stress effect on the genesis and growth of tissues. Part I. The influence of stability of fixation and soft-tissue preservation. *Clinical Orthopaedics and Related Research*, 238, 249–281. <https://pubmed.ncbi.nlm.nih.gov/2910611/>