


product code \_\_\_\_\_

serial number \_\_\_\_\_

date of manufacturing \_\_\_\_\_

date of first service \_\_\_\_\_



### DEPLOYMENT

**A** Check to see if the tabs has deployed  
(stitching broken and red warning tag visible).

▪ Broken stitches	Pass	Fail	
-------------------	------	------	--

### LABELS

**B** First look for product information, date of manufacturing  
and date of inspection.

▪ Present	Pass	Fail	
▪ Legibility	Pass	Fail	

### WEBBING

Running the webbing through your hands,  
conduct a tactile examination on both sides of the webbing.

<b>C</b> ▪ Cuts/Punctures (tolerance 1%)	Pass	Fail	
▪ High abrasion/wear (tolerance 1%)	Pass	Fail	
▪ Evidence of modification	Pass	Fail	
▪ Chemical and heat damage	Pass	Fail	
▪ Excessive exposure to sunlight	Pass	Fail	

### STITCHING

Check for pulled or brocken stitching  
(tolerance 1% on a specific block).

<b>D</b> ▪ Present	Pass	Fail	
▪ Cuts/Loose/Broken	Pass	Fail	
▪ Abrasion/wear	Pass	Fail	

### HARDWARE

#### CONNECTORS

<b>E</b> ▪ Present	Pass	Fail	
▪ Abrasion/wear (tolerance 1%)	Pass	Fail	
▪ Deformed/fractured	Pass	Fail	
▪ Coroded area (tolerance 1%)	Pass	Fail	
▪ Functionality/Mechanism	Pass	Fail	

Result:  Back in service  
 Must be cleaned  
 Remove from service and destroy

inspected by \_\_\_\_\_

date \_\_\_\_\_

signature \_\_\_\_\_