COVID-19 Vaccines May Put Your Baby at Risk

FACT: COVID-19 mRNA vaccines contain genetic technology that has not been proven safe in pregnancy.



Concerns have been raised that the mechanism of action of the mRNA vaccines (Pfizer and Moderna) could cause an autoimmune rejection of the placenta.^[1] [2]

This means that the vaccine may permanently interfere with the ability to maintain a pregnancy.

COVID-19 vaccine manufacturers acknowledge the potential of this adverse effect and advise women to avoid pregnancy for at least two months after the second dose.

Some medical experts suggest that women of childbearing age delay making their decisions about this experimental vaccine until the risk to the placenta is fully known, in order that fully informed choices can be made.

Please Do Your Research

[1] https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/941452/Information_for_healthcare_professionals.pdf
[2] Petition/motion for administrative/regulatory action regarding confirmation of efficacy end points and use of data in connection with the following clinical trials. Dr. Wolfgang Wodarg and Dr. Michael Yeadon, petitioners. Filed with European Medicines Agency, December 1, 2020. https://healthimpactnews.com/wp-content/uploads/sites/2/2020/12/Wodarg_Yeadon_EMA_Petition_Pfizer_Trial_FINAL_01DEC2020_EN_unsigned_with_Exhibits.pdf

Vaccination is not mandatory in Canada - the choice is yours.

This medical procedure cannot be given by mandate or through coercion, but must be the individual's choice, based upon prior, free, and fully informed consent.

Learn more about the Constitutional freedoms that protect Canadians from medical overstep, and your right to decline COVID measures: www.bit.ly/RightsVideoCRC

Our Right Our Choice Our Future

