

Diabetes Monitoring for People with Diabetes and Schizophrenia

Measure Type: HEDIS (claims) / Age Cohort: 18-64 years



Measure Definition

Percent of patients diagnosed with both **schizophrenia and diabetes** receive **both** an **LDL-C test AND HbA1c test** during the measurement year

Documentation Required

- Diagnosis of schizophrenia: (F20.0 – F20.3, F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8, F25.9)
- **AND** diagnosis of diabetes: (E10.10 – E10.351, E10.359, E10.36, E10.39 – E11.351, E11.359, E11.36, E11.39 – E13.351, E13.359, E13.36, E13.39 – E13.9, O24.011 – O24.33, O24.811 – O24.83)
- Lab test for both a LDL-C test **and** a HbA1c test during the measurement year

Applicable LDL-C Test CPT Codes: 80061, 83700, 83701, 83704, 83721 / CPT Category II Codes: 3048F – 3050F

Applicable HbA1c Test CPT Codes: 83036, 83037 / CPT Category II Codes: 3044F – 3046F

Role of Care Management

- Patient/Family reminder calls
- Chronic Disease Education
- Identify & Address barriers to adherence

Role of PCP Practice

- Outreach to patient & schedule visit
- Visit reminder message to the patient
- Order LDL-C test and HbA1c test
- Consider assigning CPT Category II Code