

Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia

Measure Type: HEDIS (claims) / Age Cohort: 18-64 years



Measure Definition

Percent of patients with **schizophrenia and cardiovascular disease**, who had an **LDL-C test** during the measurement year

Documentation Required

- Diagnosis of schizophrenia: (F20.0 – F20.3, F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8, F25.9)
- **AND** diagnosis of cardiovascular disease:
 - Patient had AMI or CABG (Inpatient Visit only) or PCI (in any setting) during prior year
 - Patient had ischemic vascular disease (IVD) during both the measurement year and year prior (I20.0 – I20.9, I24.0 – I24.9, I25.10 – I25.119, I25.5 – I25.9, I63.00 – I66.9, I67.2, I70.0 – I70.92, I74.01 – I75.89)
- Lab test for LDL-C test during the measurement year

Applicable LDL-C Test CPT Codes: 80061, 83700, 83701, 83704, 83721

CPT Category II Codes: 3048F – 3050F

Role of Care Management

- Patient/Family reminder calls
- Chronic Disease Education
- Identify & Address barriers to adherence

Role of PCP Practice

- Outreach to patient & schedule visit
- Visit reminder message to the patient
- Order LDL-C test
- Review test result with patient
- Consider assigning CPT Category II Code when reviewing test results with patient