



iBT10 with earphones
(included)

iBT10 with lanyard
(included)



iBT10 with belt clip
(included)

FEATURES

- Stereo Bluetooth chipset
- Two different listening options: with included earphones or with the neck loop for users of hearing aid with T position (neckloop {iBT10 ML} not included)
- Possibility to connect two Bluetooth devices
- Adjustable volume up to **30dB**
- Adjustable tone
- Wireless range: 10m
- LED battery level indicators
- USB Type C Charging Port

TECHNICAL SPECIFICATIONS

- 500mAH Li-poly battery.
- 5.0 Bluetooth, working with iOS/Android mobile phones or other Bluetooth devices.
- Dimensions: 72x32x17mm

ACCESSORIES INCLUDED

- Earphones (with 3.5mm stereo jack)
- USB Type C charging cable (5V DC)
- Belt clip
- Lanyard with clamp

iB10 Neck Loop:

- Neck loop for users of hearing aid with T position
 - Neck loop length: 1m
 - Connection via 2.5 mm jack plug



Items pictured and details are subject to change at the manufacturer's discretion.

LLBT10UKV6

Authorized Distributor:



Halltel.com

1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2



iBT10 with earphones
(included)

iBT10 with lanyard
(included)



iBT10 with belt clip
(included)

FEATURES

- Stereo Bluetooth chipset
- Two different listening options: with included earphones or with the neck loop for users of hearing aid with T position (neckloop {iBT10 ML} not included)
- Possibility to connect two Bluetooth devices
- Adjustable volume up to **30dB**
- Adjustable tone
- Wireless range: 10m
- LED battery level indicators
- USB Type C Charging Port

TECHNICAL SPECIFICATIONS

- 500mAH Li-poly battery.
- 5.0 Bluetooth, working with iOS/Android mobile phones or other Bluetooth devices.
- Dimensions: 72x32x17mm

ACCESSORIES INCLUDED

- Earphones (with 3.5mm stereo jack)
- USB Type C charging cable (5V DC)
- Belt clip
- Lanyard with clamp

iB10 Neck Loop:

- Neck loop for users of hearing aid with T position
 - Neck loop length: 1m
 - Connection via 2.5 mm jack plug



Items pictured and details are subject to change at the manufacturer's discretion.

LLBT10UKV6

Authorized Distributor:




Halltel.com


1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2



L2T10 IN USE



*Smartphone not included.

DESCRIPTION

Thanks to this new device, you will see the voice messages / announcements transmitted through a magnetic loop, and only those, written on either your smartphone or tablet. Note it will be necessary for you to first install an application capable of transcribing spoken words.

We suggest you use the application Live Transcribe that runs on Android.

IOS users can use the Dictation feature in Notes instead of downloading a new app.

You will simply need to connect the L2T10 to the USB-C port of your device and launch the speech transcription app of your choice. If you stand in the electromagnetic field of a hearing loop, the L2T10 will catch the signal and you will see the transmitted message accurately transcribed on your screen.

CHARACTERISTICS

- ➔ Compatible with any device equipped with a USB-C port
- ➔ Dimensions: 50 x 30 x 6 mm
- ➔ Weight: 5g

Items pictured and details are subject to change at the manufacturer's discretion.

Recommended app for Android Devices: Live Transcribe

Characteristics:

- ➔ Requires an internet connection
- ➔ Many languages available (120)
- ➔ Conversation recordings saved for 24 to 72h
- ➔ Adjustable font size
- ➔ Requires Android 12 or a later version

Authorized Distributor:



Halltel.com

1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2



DESCRIPTION

The ROOM PACK is a magnetic induction loop that can be used in all small rooms up to 50m² in size.

Complies with EN60118-4.

CHARACTERISTICS:

- ➔ Induction Loop for service points, small rooms and vehicles ...
- ➔ Easy to set up
- ➔ 1 microphone input (3,5mm jack socket)
- ➔ 1 audio input (3,5mm jack socket)
- ➔ 1 audio output (3,5mm jack socket, for headsets, headphones, etc...)
- ➔ Tone modulation
- ➔ Volume input control
- ➔ Adjustable audio level (headsets, headphones...)
- ➔ Adjustable loop current
- ➔ Visual indicator of the magnetic field level
- ➔ Visual indicator of the loop current
- ➔ Possibility of connecting up to 40m cable to cover a room of 10 square meters up to 50 square meters (included)
- ➔ Wall mountable
- ➔ Dimensions: 150 x 70 x 40 mm
- ➔ Weight: 320g

OPTIONAL ACCESSORIES

- ➔ LHA2: Earphone with cradle
- ➔ LHA3: Handset shaped earphone with wall bracket

INCLUDED ACCESSORIES WITH THE LH160V2:

- ➔ International power supply 110 - 230V AC/12VDC 1.5A



- ➔ 1mm² cable reel x 40m



- ➔ Desk microphone (2.1m cord)



Packages available :

- ➔ **Car Pack:** Including: 1 LH160V2 + 1 12VDC 1.5A cigarette lighter adapter + 1 lapel microphone + 1 cushion mat with built in induction coil.
- ➔ **WALLOOP Pack:** Including: 1 LH160V2 + 1 WALLOOP + 1 International 110- 230V AC/12VDC 1.5A power supply + 1 desk microphone + 1 mounting Kit



The LH10 is an amplified hearing assistant equipped with a built-in high-sensitivity microphone which amplifies the ambient sound, allowing an hearing-impaired person to listen and take part in a conversation. In the T position, the LH10 works as a receiver that captures the magnetic fields generated by the induction loops (located in some movie theatres or conference rooms) and reproduce them as an audible signal.



FEATURES

- Amplified hearing assistant
- Adjustable receiving volume control : up to 30dB
- Tone control : +/- 10dB
- Left/right Balance control
- Super sensitive built in microphone
- UV coating to prevent case noise

TECHNICAL SPECIFICATIONS

- Up to 120 dB spl max acoustic output
- Frequency range : 100 to 8000Hz
- Built in Lithium battery
- Operating time 8 - 10 hours
- Low battery indicator
- Full charging time: 2/3 hours
- Telecoil sensitivity: -50dBv, 1Khz, 100mA/m
- 2,5mm jack input for external microphone (optional)
- Size: 5,7 x 2,7 x 10 cm

INCLUDED ACCESSORIES

- USB Type C charging cable (5V DC)
- Earphones (with stereo jack 3,5mm)

Items pictured and details are subject to change at the manufacturer's discretion.

LLH10V2UKV2

Authorized Distributor:



Halltel.com

1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2



A portable unit designed for facilitating communication between a speaker and wearer/s of T-coil hearing aids. The LoopHEAR™ is ideal for one to one applications such as at service counters, railway stations, banks, in vehicles and at small meeting rooms. This lightweight unit includes, within the casing an induction loop, a built-in amplifier and an external earpiece.

FEATURES

- ➔ Portable Loop with fixed option
- ➔ Magnetic field strength LED indicator
- ➔ Built-in microphone
- ➔ Adjustable Volume knob for external HAC earpiece
- ➔ 3.5 mm Connection for audio Equipment (MP3, computer, etc)
- ➔ Low battery + recharging LED indicators
- ➔ On/Off switch
- ➔ Indicator level output of the loop
- ➔ Adjusting the input level
- ➔ Adjustable magnetic field
- ➔ Adjustable tone control
- ➔ Supplied in a lightweight case

○ Key benefit of the LH102 V2:

- ✓ Connector for an external Loop

LLLH102V2UKV4



ACCESSORIES INCLUDED

- ➔ External Microphone with stand (3.5mm jack MIC connection and 2.1m cord)
- ➔ External HAC Ear Piece for private listening and its support
- ➔ Rechargeable Batteries 9xAAA (1,2V / 1000mAh)
- ➔ External power supply adaptor 230VAC - 15VDC
- ➔ Removable cover for mounting on the desk
- ➔ Official pictograms "crossed ear" for the signage

TECHNICAL SPECIFICATIONS

- ➔ Range of 1m2.
Possibility of connecting an external loop to cover a larger area (30 to 50m2).
- ➔ Battery time:
 - 7 to 10 hours when fully charged
 - Standby (when turned on but not in use): 1 days
 - Standby (when turned off) : 4 months
- ➔ Power supply (UK, VDE or US)
- ➔ Weight: 750 g
- ➔ Size: 25 x 22 x 7 cm

Items pictured and details are subject to change at the manufacturer's discretion.

Authorized Distributor:



Halltel.com

1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2



(3)



(1)

DESCRIPTION

The WALLOOP PACK is a magnetic induction loop that can be used in the following situations: reception counters, drive through take aways etc.

CHARACTERISTICS:

- Induction Loop for service points, small rooms and vehicles ...
- Easy to set up
- 1 microphone input (3,5mm jack socket)
- 1 audio input (3,5mm jack socket)
- 1 audio output (3,5mm jack socket, for headsets, headphones, etc...)
- Tone modulation
- Volume input control
- Adjustable audio level (headsets, headphones...)
- Adjustable loop current
- Visual indicator of the magnetic field level
- Visual indicator of the loop current
- Possibility of connecting up to 40m cable to cover a room of 10 square meters up to 50 square meters
- Wall mountable
- Dimensions:
 - LH160V2 : 150 x 70 x 40 mm ⁽¹⁾
 - WALLOOP : 150 x 150 x 10 mm ⁽²⁾
 - LH160V2 + WALLOOP : 150 x 150 x 50 mm ⁽³⁾
- Weight : 440g

INCLUDED ACCESSORIES WITH THE LH160V2:

→ WALLOOP



(2)

→ International power supply 110 - 230V AC/12VDC 1.5A



→ Desk microphone (2.1m cord)



→ Mount kit

Items pictured and details are subject to change at the manufacturer's discretion.

Authorized Distributor:



Halltel.com

1.800.265.2667

custserve@halltel.com

5477 RR#5 Hwy 6 N., Guelph, ON, N1H 6J2