

Murphy Avenue - Outdoor Dining Conditions of Approval

June 5, 2020 Update to the Santa Clara County Health Order

The following additional requirements and conditions will be applied to existing Approved Miscellaneous Plan Permits.

Planning:

1. Compliance with Approved Miscellaneous Plan Permit, except as otherwise noted below.

Public Works:

1. A 5' minimum sidewalk or walkway will have to be maintained for ADA access on both sides of the street along the length of the Murphy Street closure.
2. The storm drain catch basins along Murphy must be covered to prevent debris from entering the storm drain system.
3. Businesses will have to sweep or blow the street clean to prevent garbage/waste from accumulating and entering the storm drain system.
4. Businesses must adhere to sidewalk cleaning schedule as it relates to moving furniture off of the sidewalk for cleaning
5. Businesses are not allowed to use the City maintained garbage cans on the street for waste disposal(ESD)
6. Do not attach anything (chain, etc.) to the Street Trees
7. Businesses should spot clean spills as they occur and ensure all spills are cleaned up at the end of the night
8. Businesses must maintain adequate waste disposal service levels.
9. Businesses are not allowed to use the electrical outlets in the tree wells

Department of Public Safety:

1. Dining layout must comply with the Santa Clara County Health Order (as updated).
2. An inspection by the Department of Public Safety, Fire Prevention Unit, shall be completed upon installation of the tables and prior to commencement of outdoor dining. You may contact Fire Prevention Inspector Jasen Santos at JSantos@sunnyvale.ca.gov or 408-730-7296.
3. No permanent or heavy furniture within the 20' of the center of the street (light tables and chairs okay)).
4. Items need to be removed from the street at night to allow appropriate access for fire response in the middle of the night. (SDA must establish a set time)
5. Businesses to utilize light weight tables and chairs that can be easily moved from the roadway (this requirement applies to the roadway lanes, center 20').
6. Businesses shall have a plan and provide basic training to staff on how to quickly move tables and chairs from the roadway to allow access for emergency vehicles.
7. All fire hydrants and water supply access areas need to be clear and accessible.
8. Department of Public Safety reserves the right to add additional requirements or make changes to existing requirements as necessary.

9. Requirements related to the use of LPG heaters:

- a. LPG Heaters In Use: a. LPG heaters shall be installed and maintained in accordance with their listing. [CFC §603.5.2]
- b. LPG heaters in use shall be separated from combustibles as set forth in the manufacturer's product listing. In the absence of an owner's manual stating otherwise, the horizontal and vertical clearances shall be 5 feet. [Note: Most heaters have distance requirements stated on a permanently attached plate.] [CFC §603.5]
- c. LPG heaters in use shall not be located less than 5 feet from building openings. [CFC Table 6104.3]
- d. Structures such as walls, solid fences, earth or concrete barriers and other similar structures shall be avoided around or over LPG heaters. [Note: The base of the heater contains the LPG cylinder, and the presence of such structures can create significant hazards, such as pocketing of escaping gas, interference with the application of cooling water by firefighters, and the redirection of flames against the LPG cylinders.]
- e. LPG heaters are prohibited inside tents, canopies, and temporary membrane structures. [CFC §3104.13.1]
- f. Sources of ignition shall be prohibited within 5 feet of any LPG heater. "NO SMOKING" signs shall be posted at affected locations. [CFC §§305.1 and 310.3]
- g. LPG heaters shall not be located in exit pathways. [CFC §1028.2]