

Tree Skirt



Featuring fabrics from the **Joyeux Noel** collection by **Studio Frivolite** for **STUDIO**

Fabric Requirements

1	
(A) 2989-66	⅓ yard³
(B) 2989-88	¼ yard
(C) 2989-99	5⁄8 yard
(D) 2991-66	3/8 yard
(E) 2987-99	2 vards

(F) 2988-44	¼ yard
Backing	
2990-99	3 ¼ yards

^{*} Includes Binding

Additional Supplies Needed Batting 56" x 56" Piecing and sewing thread Quilting and sewing supplies

Quilt designed by Megan Downer Finished Tree Skirt Size 48" diameter

• STUDIO **e** PROJECTS • www.studioefabrics.com

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (2989-66 Large Damask - Green), cut:

- (2) 5 1/8" x WOF strips, sub-cut (10) 5 1/8" squares.
- Cut enough strips 2 1/4" strips on the bias to make 260" of bias binding.

Fabric B (2989-88 Large Damask - Red), cut:

- (5) 4" squares for Template 1 units.
- (5) 4" squares for Template 2 units.

Fabric C (2989-99 Large Damask - Black), cut:

• (2) 6" x WOF strips. Sub-cut (10) 6"x 8" strips.

Fabric D (2991-66 Script - Green), cut:

- (5) 4" squares for Template 1 units.
- (5) 4" squares for Template 2 units.
- (1) 7" x WOF strip, sub-cut (5) 5" x 7" strips.

Fabric E (2987-99 Floral – Black), cut:

• (10) 7" x 22" strips for Template 3 units.

Fabric F (2988-44 Holly – Ecru), cut:

• (1) 5" x WOF strip, sub-cut (5) 5" x 7" strips.

Backing (2990-99 Small Damask - Black), cut:

• (2) 56" x WOF strips. Sew the two strips together and cut one 56" square backing piece.

•STUDIO e PROJECTS• www.studioefabrics.com **Sewing**

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Tree Skirt Assembly

- 1. Sew (1) Fabric B-Template-1 unit to one side of (1) 5 $\frac{1}{8}$ " Fabric A square. Sew a Fabric B-Template-2 to an adjacent side of the Fabric A square (Fig. 1).
- 2. Sew (1) 6" x 8" Fabric C strip to the Fabric B side of the unit from Step 1 (Fig. 2).
- 3. Sew (1) 5" x 7" Fabric D strip to the bottom of the Fabric C strip. Pay attention to the orientation of the Fabric D strip to make (1) Blade One strip (Fig. 3).
- 4. Repeat Steps 1-3 to make (5) Blade One strips total.
- 5. Repeat Steps 1-3 using Fabric D Templates 1 & 2, (2) 5 $\frac{1}{8}$ " Fabric A squares, (5) 6" x 8" Fabric C strips and (5) 5" x 7" Fabric F strips to make (5) Blade Two strips (Fig. 4).







Fig. 2





Fig. 4

6. Use the blade template and cut out (5) Blade Ones, (5) Blade Twos and (10) Fabric E blades (Fig. 5).



Fig. 5

7. Sew the (20) blades together, along the long sides as shown in Figure 6 to make the trees skirt. Do not sew the first blade to the last blade.



Fig. 6

Layering, Quilting and Finishing

8. Press the tree skirt and 56" x 56" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 9. Cut the ends of the Fabric A binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 10. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.

