


P.P.E. Presentation

Richwoods Technology Inc.

FDA Registered



accessdata.fda.gov

My Drive - Google Drive Order Planning - Google Sheets Workspace Webmail :: Mail Index :: Inbox FDA Registration & Device Listing Workspace Webmail :: Mail Index :: Inbox

Follow FDA | En Español

U.S. FOOD & DRUG ADMINISTRATION

Home Food Drugs Medical Devices Radiation-Emitting Products Vaccines, Blood & Biologics Animal & Veterinary Cosmetics Tobacco Products

Establishment Registration & Device Listing

1 result found for Owner Operator Number : 10064483

New Search

Establishment Name	Registration Number	Current Registration Yr
RICHWOODS TECHNOLOGY INC.	TX/USA	No number listed
• Mask, Scavenging - Mask		Repackager/Relabeler; Reprocessor of Single Use Devices
• Instrument, Manual, Surgical, General Use - Face Mask		Repackager/Relabeler; Reprocessor of Single Use Devices
• Non-Surgical Isolation Gown - Protective Clothing		Repackager/Relabeler; Reprocessor of Single Use Devices
• Sunglasses (Non-Prescription Including Photosensitive) - Goggles		Repackager/Relabeler; Reprocessor of Single Use Devices

Can't find what you're looking for? [Try a new search](#)

Page Last Updated: 04/13/2020
Note: If you need help accessing information in different file formats, see [Instructions for Downloading Viewers and Players](#).
Language Assistance Available: [Español](#) | [繁體中文](#) | [Tiếng Việt](#) | [한국어](#) | [Tagalog](#) | [Русский](#) | [كُوُرُمْلَى](#) | [Kreyòl Ayisyen](#) | [Français](#) | [Polski](#) | [Português](#) | [Italiano](#) | [Deutsch](#) | [日本語](#) | [ස්වේච්ඡා](#) | [English](#)

FDA Accessibility | Contact FDA | Careers | FDA Basics | FOIA | No FEAR Act | Nondiscrimination | Website Policies

Medical Gowns

Anti-bacteria Strong isolation High density Anti-dust Waterproof Breathable
Membrane material: nonwovens Color: white Weight: 175
Certification: AAMI3

Price:

Lead time: 3-5 business days

Shipping time: 5-7 business days

Isolation clothing SKL-C



SKL-C

Material: SMS Nonwoven Fabric

Thickness:45gsm CUFF: Cotton Cuff

Closure:Tie-String to the back Size:L

125x157cm Packing:10pcs/polybag,10b

ags/Carton Carton Size:60x40x50cm,G.W:13kgs

With CE,ISO13485

Certification: **AAMI3**

standard Other Size:M,XL,XXL also available

Features: * 100 latex free * Non-Sterile and
single-use

- Soft,Anti- Bacteria,Waterproof *Eco- friendly

Price:

Lead time: 3-5 business days

Shipping time: 5-7 business days

Isolation clothing SKL-C2



SKL-C2

Material: 25gsm (12gsmPE+13gsmPP).

Dimension: 120*140cm

Waterproof, blue/yellow

Size: L, M, S

Packing: 10pcs/bag; 15bags/carton;

GW:9.25KGS/CTN

carton size 52*38*30cm

Price:


Lead time: 3-5 business days

Shipping time: 5-7 business days by Air

30 days by Ocean



Face Shield



Case: 100 pcs
Price:
MOQ: 2K Pcs
Lead time: 3-5 business days
Shipping time: 5-7 business days


Face shield SKL-M1



SKL-M1



Unique groove sponge design, can increase the air flow, Enhance the comfort when wearing it; Wearing this face shield on the user's forehead can not only absorb sweat, but also relieve the pressure caused by wearing it for a long time



Stretch band with resin button,
steady but flexible, One size fits all



High – transparent film
double - sided anti – fog
clear view

Goggles



Case: 200 pcs

MOQ: 2K pcs

Price: pcs (Y1-A)

pcs (Y1-B)

pcs (Y2-A)

Lead time: 3-5 business
days

Shipping time: 5-7
business days

Model: Y1-A
With aspirail

Model: Y1-B
Without aspirail

Model :Y2-A

Gloves



Material: Latex

Case: 100 pcs (50 pairs)

Carton: 1000 pcs (10 cases)

Inventory: 1 million pcs available

Price: /pcs, not pair.

Lead time: 2-4 business days

Shipping time: 5-7 business days

Thermometer

Carton: 60 units

Dimension: 52.5 x 45.5 x26.5 cm

Weight: 9.8kg (21.56 LBs)

Price: /unit

Lead time: 3-5 business days

Shipping time: 5-7 business days



Thermometer

Infrared Digital Non-Contact Forehead Thermometer

- Temperature Range: Body temperature 34.0°C-42.9°C(93.2°F-109.22°F), Object temperature 0°C-100°C(32°F-212°F)
- Precision: 0.1°C
- Detection Error: $\pm 0.2^\circ\text{C}$
- Method: Non-contact mid forehead detection
- Detection Distance: 1cm-3cm
- Response Time: ≤ 2 sec
- Auto power off: 12 sec
- Data Storage: 32 sets
- LED Indicators with sound alarm for different status: Green (normal), Yellow (Low fever), Red (High fever)
- Power: AAA battery x 2
- Storage: Temperature - 20°C~50°C(-4°F-122°F);Relative Humidity $\le 90\%$
- Operation: Temperature 16°C~35°C(60.8°F-95°F);Relative Humidity $\le 85\%$;Air Pressurion:70KPa~106KPa
- Certificates: CE, FDA
- Size:147.2*41*123.5mm
- 60 per carton

Thank You!