
LETBRO2306



ET2 Contemporary Lighting™



ET2

CONTINUUM

TRACK

CONTINUUM TRACK

The next generation of track lighting is here with the ultra-slim Continuum series from ET2.

Field adjustable track lengths can be extended, connected, or cut to fit the space they are installed. On them, a variety of low voltage light sources can be quickly snapped into place adding and directing light exactly where desired. Various power feed options are available including remote, on-track, or integrated dimmable driver and switch.

Available in Matte Black or Matte White, the track lengths can even be painted to match the exact paint color of the surface they are installed. This adaptable track system makes it simple to design the lighting in your space according to your vision and is only limited by your imagination.

- **Surface Mounted Installation**
- **Mount to both walls and Ceilings**
- **Ultra Slim Profile appears similar to recessed**
- **Various Lighting elements quickly click onto track**
- **Field adjustable**
- **Available in White and Black**
- **24 Volt System**







ON-TRACK DRIVER

24V Low Voltage Output
Plug-In and Hardwire Options



96W On-Track Driver
ETDRV001-24100BK, WT
11.5"L x 1"W x 2.25"H
Includes 48" Plug

INSTALL OPTION 1




INSTALL OPTION 2



INSTALL OPTION 3

DISCREETLY WIRE WITHIN
(Shown with Cover Plate)



COVER PLATE ACCESSORIES



Track Cover Plate
ETMSC02-BK, -WT
5"L x 5"W x .25"H


Track Cover Plate
ETMSC03-BK,**-WT**
5"L x 5"W x .25"H

REMOTE HARDWIRED DRIVER



Hardwire Driver
(Remote Installation)
EDHW-2496BK
8.5"L x 3.25"W x 1.5"H

DRIVER & DIMMER SWITCH




60W Dimmer Switch
SWT898-2460WT
2.25"L x 2"W x 4.25"H

75W Dimmer Switch
SWT898-2475WT
2.25"L x 2"W x 4.25"H

SPLICE BOX



Splice Box
ETMSC04-BK, -WT
3"L x 1"W x 0.75"H




ELECTRICITY FEED & COVER PLATE





Electricity Module and Cover Plate
(Driver not included)
ETMSC01-BK, -WT
5"L x 5"W x 0.25"H



SURFACE MOUNTED TRACK



Surface Mount Installation
Field Cuttable
Various Track Connectors Adaptable
Available in Black or White
3M Stickers Cover Screw Caps


TRACK SIZES AVAILABLE:

ETRK25080**-BK**, -WT **33"**


ETRK25150**-BK**, -WT **60"**

ETRK25200**-BK**, -WT **80"**

Screw Spacing Every 20 Inches





SURFACE MOUNTED CONNECTORS



TRACK LIGHTS

• Flat Lens Diffuser with even light distribution • Available with adjustable gimbal • 24V LED, 3000K Color Temperature





STANDARD LENS





ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL26212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	300	
ETL26216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	450	
ETL26218	BK, WT	12W PCB LED 3000K (Inte.)	13.5"L x 1"W x 1.5"H	90+	1500	750	

Finish Options: Black (BK) White (WT)





ETL25212-BK





ETL25216-WT





STANDARD LENS
w/Gimbal

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL25212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	600	300	
ETL25216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	900	450	

Finish Options: Black (BK) White (WT)

TRACK LIGHTS

• Flat Lens Diffuser with even light distribution • Available with adjustable gimbal • 24V LED, 3000K Color Temperature







ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL24212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	550	450	
ETL24216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	800	675	

Finish Options: Black (BK) White (WT)



ETL23212-BK







OPTICAL LENS
w/ Gimbal



ETL23216-WT






ETL28212-BK



ETL28216-WT



ANTI-GLARE LENS

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL23212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	550	450	
ETL23216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	800	675	
ETL28212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	250	
ETL28216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	350	

Finish Options: Black (BK) White (WT)


ETL29212
90° Flat
Corner
ETL29222
90° Corner
Intersection


TRACK LIGHTS

- Corner Modules Illuminate at 90 degrees
- 24V Low Voltage LED, 3000K Color Temperature • 90 degree single surface module
- 90 degree Wall to Ceiling Module
- Flat PMMA Acrylic Diffusers
- Available in Black and White

CORNER LIGHTS

90° CORNER LIGHT
Single
Surface

ETL29212-WT







ETL29222-BK

WALL-TO-CEILING LIGHT Two Plane
Surfaces

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL29212	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 9"W x 1.5"H	90+	1500	950	
ETL29222	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 1"W x 9"H	90+	1500	950	

Finish Options: Black (BK) White (WT)


SPOT LIGHTS

• Spot Lights to direct light where needed • Different apertures and lumen packages available • 24V Low Voltage LED 3000K Color Temperature Adjustable Beam Angle Models • Available in Black and White with Black interior




A. ETL21212**-BK**, **-WT**










PUSH-PULL
beam angle adjustments

B. ETL21211**-BK**, -WT






ANTI-GLARE Lens Included



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL21212	BK, WT	10W PCB LED 3000K (Inte.)	5.75"L x 2"W x 4.75"H	90+	900	300	
ETL21211	BK, WT	12W PCB LED 3000K (Inte.)	5.75"L x 2.5"W x 4.25"H	90+	1100	850	


Finish Options: Black (BK) White (WT)

C. ETL21210**-BK, -WTBK, -WT**




D. ETL21214**-BK**, -WT















SUNSET LENS
ETL21214-114BK, **-114WT**



WIDE OPTIC LENS


ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL21210	BK, WTBK, WT	7W PCB LED 3000K (Inte.)	5.75"L x 1.5"W x 5.75"H	90+	650	500	
ETL21214	BK, WT, 114BK, 114WT	5W PCB LED 3000K (Inte.)	5.75"L x 2.75"W x 4.25"H	90+	450	350	

Finish Options: Black (BK) White/Black (WTBK) White (WT)




ETL21216-BK, **-BKGLD**

READING LIGHT
FLEXIBLE ARM
HOLD POSITION
with touch switch




ETL21232-BK, **-WT**

TUBE LIGHT




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL21216	BK, BKGLD	2W PCB LED 3000K (Inte.)	5.75"L x 1"W x 17.5"H	90+	200	150	
ETL21232	BK, WT	12W PCB LED 3000K (Inte.)	19.75"L x 1.25"W x 3"H	90+	1100	850	


Finish Options: Black (BK) White (WT) Black/Gold (BKGLD)




ETL29223



INDIRECT LIGHT



ETL29224




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL29223	BK	5W PCB LED 3000K (Inte.)	6.5”L x 6.5”W x 1.5”H	90+	450	350	
ETL29224	BK	5W PCB LED 3000K (Inte.)	6.5”L x 6.5”W x 1.5”H	90+	450	350	

Finish: Black (BK)




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL31003	WTBK	12W PCB LED 3000K (Inte.)	39.25”L x 1.25”W	90+	600	600	
ETL31006	WTBK	20W PCB LED 3000K (Inte.)	78.5”L x 1.25”W	90+	1000	1000	


Finish: White/Black (WTBK)




ETL31622-BK, **-NAB**, -WT



ETL31022**-BK**, -NAB, -WT



ETL31013-WT, **-WTNAB**



ETL31251-BK, -NAB, **-WT**

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
ETL31622	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+	450	350	
ETL31022	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+	450	350	
ETL31013	WT, WTNAB	5W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 4.75"H, 63.75"OAH	90+	450	350	
ETL31251	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 2.25"H, 61.25"OAH	90+	450	350	

Finish Options: Black (BK) Natural Aged Brass (NAB) White (WT)

INDEX



SURFACE MOUNTED TRACK

	ETRK25080	-BK, -WT	33”L
	ETRK25150	-BK, -WT	60”L
	ETRK25200	-BK, -WT	80”L

SURFACE MOUNTED CONNECTORS

	ETMSC180-2END	-BK, -WT	END-TO-END
	ETMSC90-W2C	-BK, -WT	WALL to CEILING
	ETMSC90-2WALL	-BK, -WT	90° CORNER
	ETMSC90-3TW	-BK, -WT	90° CORNER 3-WAY “T”
	ETMSC90-4XW	-BK, -WT	90° CORNER 4-WAY “X”
	ETMSC-1END	-BK, -WT	END Connector

POWER SUPPLIES & ACCESSORIES

	ETDRV001-24100	-BK, -WT	96W On-Track Driver
	EDHW-2496	BK	Remote Hardwired Driver
	ESWT898-2460	WT	60W Dimmable Driver Switch
	ESWT898-2475	WT	75W Dimmable Driver Switch
	ETMSC01	-BK, -WT	Electricity Module & Cover Plate
	ETMSC02	-BK, -WT	Track Cover Plate
	ETMSC03	-BK, -WT	Track Cover Plate
	ETMSC04	-BK, -WT	Splice Box

TRACK LIGHTS

	ETL26212	-BK, -WT	5” FLAT LENS
	ETL26216	-BK, -WT	9” FLAT LENS
	ETL26218	-BK, -WT	13.5” FLAT LENS
	ETL25212	-BK, -WT	5” ADJUSTABLE FLAT LENS
	ETL25216	-BK, -WT	9” ADJUSTABLE FLAT LENS
	ETL24212	-BK, -WT	5” OPTICAL LENS
	ETL24216	-BK, -WT	9” OPTICAL LENS
	ETL28212	-BK, -WT	5” ANTI-GLARE LENS
	ETL28216	-BK, -WT	9” ANTI-GLARE LENS
	ETL23212	-BK, -WT	5” ADJUSTABLE OPTICAL LENS
	ETL23216	-BK, -WT	9” ADJUSTABLE OPTICAL LENS
	ETL21232	-BK, -WT	TUBE LIGHT
	ETL21216	-BK, -BKGLD	READING LIGHT

SPOT LIGHTS

	ETL21210	-BK, -WTBK, -WT	7W SPOT LIGHT
	ETL21211	-BK, -WT	12W SPOT LIGHT
	ETL21212	-BK, -WT	PUSH-PULL BEAM ADJUSTABLE
	ETL21214	-BK, -114BK, -114WT, -WT	5W SPOT LIGHT

CORNER LIGHTS

	ETL29212	-BK, -WT	90° SINGLE SURFACE
	ETL29222	-BK, -WT	90° WALL-to-CEILING

INDIRECT LIGHTS

	ETL29223	-BK	ROUND WALL WASHER
	ETL29224	-BK	SQUARER WALL WASHER

PENDANTS

	ETL31003	-WTBK	PENDANT
	ETL31006	-WTBK	PENDANT
	ETL31622	-BK, -NAB, -WT	PENDANT
	ETL31022	-BK, -NAB, -WT	PENDANT
	ETL31013	-WT, -WTNAB	PENDANT
	ETL31251	-BK, -NAB, -WT	PENDANT