



MERRILL Y. LANDIS, LTD.



Operating Systems Guide for Roman Shades For Designers and Workrooms

EFF. DATE JUNE 15, 2018 - UPDATED 6-14-18



Table of Contents

1. MYL 100% Cordless Shade System 
2. MYL Shield Spring System with Rollease Acmeda Easy Spring Plus 
3. Rollease Acmeda Easy Spring with Ring Locks System
4. Fashion Wand Connect System
5. Rollease Acmeda SS38 Roman Shade System
6. Rollease Acmeda Workroom 3/8"Shaft System
7. Rollease Acmeda R- Series
8. Rollease Automate Li-ion 1.1 Motor with Ring Locks
9. Rollease Automate Li-ion 2.0 Motor with Ring Locks
10. Rollease Automate Li-ion Switch Wand Motor SW1.1 with Ring Locks
11. Safe Zone Shade Sizes Chart for Spring Operated Shades

** Before ordering, refer to this chart for weight and size limitations.

Please read the additional information below:

DESIGNERS

- Custom Shade Labor Pricing & Details on top half of Pages 1-10
- Please refer all Motorization questions to the Products Division at 215 723 8177 Ext 216 or email **hardware@mylltd.com**
- To cover the Operating System so it's not seen from the outside of the window, please add, **“Back Shield for Shades”** as a line item on the order form. We add a 6" long piece of blackout lining across the top of the back of the Shade to cover the system.

-Cost is \$20.60 Retail per Foot.

WORKROOMS

- Custom Shade Kit Pricing & Details on lower half of Pages 1-10
- Please call or email the MYL Marketplace for the following information:
 - Detailed Fabrication Instructions in PDF form
 - Specific Components of Shade Kits

CUSTOM SHADE LABOR—Use code “OSA13” on the Shade Labor Order Form

Retail Cost—\$180 for up to 12 Sq Ft—Over 12 Sq Ft add \$6.00 Retail for each additional Sq Ft

- * Safe-T-Shade Ribs and J-Hooks with the Rollease Acmeda EasySpring Plus make this system 100% Cordless.
- * Minimum 2 1/2" Return, Minimum Width 26" *See the Chart on page 11 “Safe Zone Shade Sizes”
- * Shield attaches with Rib and J-Hooks at every horizontal row and at bottom of Shade.
- * Specify Blackout or Light Filtering Shield when ordering.
- * Specify Inside or Outside Mount when ordering.
- * Brackets and Mounting Instructions are included.




WORKROOM KIT—Use code “LTKIT” on the Kit Order Form

Retail Cost—\$200 for first 12 Sq Ft—Over 12 Sq Ft-add \$12 Retail for each Additional Sq Ft

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings & Inside or Outside Mount

Kit Includes:

| | |
|---|---|
| 1—Roller with Spring | 1—Wood Mounting Board |
| 2—Universal Bracket—Clutch Assist | 1—Plastic Bottom Rail Insert |
| 2—J-Hooks per rib | 1—Lift Rib for every 10" (standard) |
| 2—Bottom Rail Ends | 1—Bottom Rail |
| 1—Roller Fabric Lift System—Blackout is the standard because it hides the shadows | 2—1/2" Mounting Angle Irons with Screws |
| Created by the ribs / Light Filtering available | |





“MYL Shield Spring System with Rollease Acmeda Easy Spring Plus”

CUSTOM SHADE LABOR—Use code “OSA12” on the Shade Labor Order Form

Retail Cost—\$150 for up to 12 Sq Ft—Over 12 Sq Ft add \$4.00 Retail for each additional Sq Ft

- * Standard Shade construction with Rings and Cord, with Ladder Shroud on the side edge rows only.
- * Shield attaches at bottom of Shade with Rib and J-hooks.
- * Minimum 2 1/2" Return / Min Width 26" *See the Chart “Safe Zone Shade Sizes”
- * Specify Blackout or Light Filtering Shield when ordering.
- * Specify Inside or Outside Mount when ordering.
- * Brackets and Mounting Instructions are included.




WORKROOM KIT— Use code “LSKIT” on the Kit Order Form

Retail cost—\$180 for first 12 Sq Ft—Over 12 Sq Ft - add \$6 Retail for each Additional Sq Ft

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings & Inside or Outside Mount

Kit includes:

- 1—Head Rail is 3/4" pine covered in lining
- 1—Roller Head Rail & Roller (Mounted)
- 2—Brackets 2—J-Hooks
- 1—Rib for bottom hem 1—Bottom Rail
- 2—1/2" Mounting Angle Irons with Screws
- 1—Roller Fabric Lift System—Light Filtering standard / Blackout available
- **If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.





"Rollelease Acmeda Easy Spring Plus with Ring Locks System"

CUSTOM SHADE LABOR—Use code "OSA10" on the Shade Labor Order Form

Retail Cost—\$94.60 per shade

- * Standard Shade construction with Rings and Cord, with Ring Locks standard, Ladder Shroud available upon request.
- * Minimum 2 1/2" Return, Minimum Width 26" *See the Chart on page 11, "Safe Zone Shade Sizes"
- * The Ring is added to keep the Shade clean when raising and lowering. If there is a center row, the Ring is placed in the center. If you don't have a center row, the Ring will be placed on one of the rows closest to the center.
- * Brackets and Mounting Instructions are included.



WORKROOM KIT—Use code "REKIT" on the Kit Order Form

Retail Cost—\$130 for first 3' - Over 3' - add \$6 Retail for each Additional Foot

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings

Kit includes:

| | |
|-------------------|---------------------------------|
| 1—Roller | 4—Headrail screws |
| 1—Headrail | 2—Bracket with Adjustable Wheel |
| 1—Right Side Stop | 1—Left side Easy Spring |
| | 2—Headrail Mounting Bracket |

Roller Roman Clip—one for each row of Rings

**If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.





“Rollelease Acmeda SS38 Roman Shade System”

CUSTOM SHADE LABOR—Use code “OSA” on the Shade Labor Order Form


Retail Cost—\$160 per shade

- * Minimum 1 1/2" Return / Lengths up to 13'
- * Slim aluminum Headrail comes with Mounting Brackets. Is not board mounted. Specify Inside or Outside Mount & Control Side when ordering.
- * Continuous Bead Cord Loop standard with Safety Tags and the Tension Hold Down Device.
- * We suggest using with Ribbed Romans only as the first row of Rings on both sides is set in 3".
- * Two ways to mount— with Velcro on the front or with a Spline that inserts into the top of the Headrail.

We suggest using the Spline method.



Ideal for large Ribbed Shades!



WORKROOM KIT—Use code “LSS38” on the Kit Order Form

Retail Cost—\$160 for first 3' - Over 3' - add \$10 Retail for each Additional Foot

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings, Specify Inside or Outside Mount & Control Side

Kit includes:

| | |
|---|-------------------------|
| 1—Direct or Planetary Drive | 1—Chainhold |
| 1—Headrail End Cap | 1—Chain Rotation Chain |
| 1—Spline for inserting Shade to Headrail with Double Sided Tape or Touch Tape Sew On Standard spools with Lift Cords, Low Profile Mounting Clips, as needed | 1—Headrail with Tiltrod |





“Fashion Wand® Connect System”

CUSTOM SHADE LABOR— 2 Codes are needed for the Fashion Wand Connect

System—Use one of the 4 Operating System Codes below on the Shade Labor Code on the Order Form along with “FWC” code for the Fashion Wand Connect

Retail Cost—FWC add \$37 per Shade plus the cost of the Operating System being used below

Operating System Codes: **OSA1**—Workroom—Large **OSA2**—Workroom—Slim
OSA4—R-Series **OSA12**—MYL Shield Clutch



Shown as: R-Series
Operating System with
Fashion Wand Connect

**Standard is White 3 Ft.
Fashion Wand Connect**

* This product can also be used to easily upgrade existing unsafe shades. It is adaptable to any existing Rollease Acmeda clutch and attractively provides a child safe control.

WORKROOM KIT—2 Codes are needed for the Fashion Wand Connect System—Use one of the 4 Workroom Kit Codes below on the Kit Order Form along with “FWKIT” code for the Fashion Wand Connect

Retail Cost—FWKIT add \$37 per Shade plus the cost of the Workroom Kit being used below

Workroom Kit Codes: **L38S**—Workroom—Slim **L38L**—Workroom—Large
L12R—R-Series **RSKIT**—MYL Shield Clutch

Kit includes: System being ordered plus 1 Fashion Wand Connect




CUSTOM SHADE LABOR

OSA2 for the Slim OR OSA1 for the Large –Use one of these two codes on your Labor Order Form.

Retail Cost—\$94.60 for either - add to your Shade Labor Price

- * Continuous Bead Cord Loop standard with Safety Tags and Tension Hold Down Device.
- * Specify Inside or Outside Mount and Control Side when ordering.
- * Safe-T-Shade Forever Rings and Ring Locks standard with Ladder Shroud available upon request.



WORKROOM KIT

-L38S Slim System for min 1 1/2" Return is the code for Order Form

-L38L Large System for min 2 1/2" Return is the code for Order Form

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings, Control Side & Inside or Outside Mount

Retail Cost—\$120 for first 3' - Over 3' - add \$6 for each Additional Foot

Kit Includes:

- 1—Shaft 1—Shaft End Cap 6—Screw Eyes
- Workroom Clips—one for ea Row 1—Clutch 1—Clutch Cover
- Brackets come—1 for ea Row of Rings 2—Spear Drives
- 1—Disk Drive & Retainer 2—Screws for Disc Connector
- 1—4' Plastic Chain Loop with Safety Tag
- 1—Rollelease Hold Down Device Kit
- **If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.



CUSTOM SHADE LABOR

For lighter weight Shades with a Min. 2" Return - **use the R-Series—1 1/8" size Tube**

Code—OSA3 Retail—\$88.60—add to your Shade Labor Price

The size that is most commonly used with a Min. 2 1/2" Return **use the R-Series—1 1/2" size Tube**

Code—OSA4 Retail—\$94.60—add to your Shade Labor Price

For Motorization applications with a Min. 3 1/2" Return **use the R-Series—2" size tube**

Code—OSA5 Retail—\$104.00—add to your shade labor price

- * Continuous Bead Cord Loop standard with Safety Tags
- * Safe-T-Shade Forever Rings and Ring Locks Standard
- * Specify Inside or Outside Mount and Control Side when ordering.



WORKROOM KIT

Code **L18R 1 1/8" Tube**

Retail Cost—\$100 for first 3' - add \$6 for each Additional Foot

Code **L12R 1 1/2" Tube**

Retail Cost—\$110 for first 3' - add \$6 for each Additional Foot

Code **L20R 2" Tube**

Retail Cost—\$120 for first 3' - add \$6 for each Additional Foot

To Order Kit: Specify Shade Width, Length, Return, Rows of Rings, Control Side & Inside or Outside Mount

1—Tube 1—Clutch 1—4' Metal Chain Loop with Safety Tag 1—End Plug (Pin End)

1—Rollelease Hold Down Device Kit Roller Roman Clips & Screw Eyes - One Per Row of Rings “L” Brackets and screws for Hanging

**If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.



CUSTOM SHADE LABOR—Use code “OSAM1” on the Shade Labor Order Form

Retail Cost—\$ 590.90 for all sizes

- * Standard Shade construction with Rings and Cord, with Ring Locks standard, Ladder Shroud available upon request.
- * Minimum 2 1/2" Return / Min Width 20"
- * Specify Inside or Outside Mount when ordering.
- * Brackets and Mounting Instructions are included.
- * DC Tubular Motor with built-in Lithium-ion rechargeable battery.
- * Recommended Shade max sizes: Roller 84x84, Roman 60x60
- * 2-way RF communication, 3 speeds available, leveling control



WORKROOM KIT— Use code “ AUTO1 ” on the Kit Order Form

Retail cost—\$590.90 All Sizes

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings & Inside or Outside Mount

Kit includes:

| | |
|--|----------------------------|
| 1—Head Rail is 3/4" pine covered in lining | 1—DCRF Battery Motor |
| 1—Roller (Mounted) | 1—Recharger for DC Battery |
| 2—Brackets | 1—White 15-Channel Remote |
| 2-1/2" Mounting Angle Irons with Screws | 1—Crown & Drive Set 1.5" |
| tube | 1—Motor Adapter |

**If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.






“Rollelease Automate Li-ion 2.0 Motor with Ring Locks”

CUSTOM SHADE LABOR—Use code “OSAM2” on the Shade Labor Order Form

Retail Cost—\$ 655.60 for all sizes

- * Standard Shade construction with Rings and Cord, with Ring Locks standard, Ladder Shroud available upon request.
- * Minimum 2 1/2" Return / Min Width 29"
- * Specify Inside or Outside Mount when ordering.
- * Brackets and Mounting Instructions are included.
- * DC Tubular Motor with built-in Lithium-ion rechargeable battery.
- * Recommended Shade max sizes: Roller 120x120, Roman 84x84
- * 2-way RF communication, 3 speeds available,



WORKROOM KIT— Use code “ AUTO2 ” on the Kit Order Form


Retail cost—\$655.60 All Sizes

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings & Inside or Outside Mount

Kit includes:

| | |
|--|-------------------------------|
| 1—Head Rail is 3/4" pine covered in lining | 1—DCRF Battery Motor |
| 1—Roller (Mounted) | 1—Recharger for DC Battery |
| 2—Brackets | 1—White 15-Channel Remote |
| 2-1/2" Mounting Angle Irons with Screws | 1—Crown & Drive Set 1.5" tube |
| | 1—Motor Adapter |

**If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.





“Rollelease Automate Li-ion Switch Wand Motor Sw1.1 with Ring Locks”

CUSTOM SHADE LABOR—Use code “**OSAM3**” on the Shade Labor Order Form

Retail Cost—\$ 406.36 for all sizes

- * Standard Shade construction with Rings and Cord, with Ring Locks standard, Ladder Shroud available upon request.
- * Minimum 2 1/2" Return / Min Width 20"
- * Specify Inside or Outside Mount when ordering.
- * Brackets and Mounting Instructions are included.
- * DC Tubular Motor with built-in Lithium-ion rechargeable battery.
- * Recommended Shade max sizes: Roller 60X60, Roman 48X48.
- * Wand Assembly for Switch Motor (24", 36", 48")
- * USB Wall Charger




WORKROOM KIT— Use code “**AUTO3**” on the Kit Order Form

Retail cost—\$ 406.36 All Sizes

To Order Kit: Specify Shade Width, Length, Return, # Rows of Rings & Inside or Outside Mount , Control Side

Kit includes:

| | |
|--|--------------------------|
| 1—Head Rail is 3/4" pine covered in lining | 1—DCRF Battery Motor |
| 1—Roller (Mounted) | 1—USB Wall Charger |
| 2—Brackets | 1—Wand Assembly |
| 2-1/2" Mounting Angle Irons with Screws | 1—Crown & Drive Set 1.5" |
| tube | |
| | 1—Motor Adapter |



**If using Safe-T-Shade Ring Locks always use 1.4 mm Cord.



Safe Zone Easy Spring Shade Sizes

| Easy Spring Plus w/Shroud | | | MYL Shield | | | MYL 100% cordless | | | |
|-----------------------------|---------------|----------------|------------|----------|----------|-------------------|---------------------------|----------------|------|
| Flat Romans | | | | | | | | | |
| Spring size | Minimum Width | Maximum Length | Stop | Minim-um | Maxi-mum | Stop | Minimum Width | Maximum Length | Stop |
| Small | 26 to 30 | 66 | yes | 26 to 30 | 60 | yes | | | |
| Medium | 30 to 32 | 72 | no | 30 to 32 | 66 | no | Not recommended under 32" | | |
| | 32 to 37 | 72 | yes | 32 to 37 | 66 | yes | | | |
| Large | 37 to 48 | 72 | yes | 37 to 48 | 66 | yes | 37 to 48 | 66 | yes |
| | 48 to 60 | 72 | yes | 48 to 60 | 66 | yes | 48 to 60 | 66 | yes |
| Easy Spring Plus w/Shroud | | | MYL Shield | | | MYL 100% cordless | | | |
| Pleated Romans and Balloons | | | | | | | | | |
| Spring size | Minimum Width | Maximum Length | Stop | Minim-um | Maxi-mum | Stop | Minimum Width | Maximum Length | Stop |
| Small | 26 to 30 | 60 | yes | 26 to 30 | 54 | yes | Not recommended under 32" | | |
| Medium | 30 to 32 | 66 | no | 30 to 32 | 60 | no | | | |
| | 32 to 37 | 66 | yes | 32 to 37 | 60 | yes | 32 to 37 | 60 | yes |
| Large | 37 to 48 | 66 | yes | 37 to 48 | 60 | yes | 37 to 48 | 60 | yes |
| | 48 to 60 | 66 | yes | 48 to 60 | 60 | yes | 48 to 60 | 60 | yes |

Comments on Shade Sizing from Steve Landis:

Calculating maximum sizes for cordless shades is not an exact science. This chart is our best estimate for a normal drapery weight fabric and a standard lining.

Larger shades have and can be made, but you run the risk of the spring not being able to handle the weight or length.

The minimum width of 26" is not negotiable due to the size of the spring.

Caution: Blackout lining, interlining and upholstery weight fabrics will reduce the effectiveness of the spring.