

Winter Park

Quilt Design by Wendy Sheppard

hot cocoa



Quilt size: approximately 56" x 62"

Winter Park
by Robin Roderick
for P&B Textiles



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

Winter Park

Fabric collection by Robin Roderick for P&B Textiles

Quilt design by Wendy Sheppard

Skill level: Advanced Beginner • Finished Quilt Size: approximately 56" x 62"

Quilt Yardages:

BKGD:	RA10 762 W	2 1/2 yards
Fabric A:	WINP 4714 PA	1 panel
Fabric B:	WINP 4715 G	1/8 yard
Fabric C:	WINP 4716 B	5/8 yard
Fabric D:	WINP 4716 G	3/8 yard
Fabric E:	WINP 4716 R	7/8 yard
Fabric F:	WINP 4719 DB	3/8 yard
Fabric G:	WINP 4719 LB	1/8 yard
Fabric H:	WINP 4719 Y	1/4 yard
Fabric I:	WINP 4720 B	1/4 yard
Fabric J:	WINP 4720 G	1/4 yard
Fabric J:	WINP 4721 B	1/4 yard
Fabric J:	WINP 4721 G	1/8 yard
Backing:	WINP 4717 B suggested	4 yards
Batting:		64" x 70"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Background Fabric:

1. Cut eight 3 1/2" strips. Subcut eighty 3 1/2" squares. (Flying Geese units)
2. Cut four 1 1/2" strips. Subcut two 1 1/2" x 22 1/2" and two 1 1/2" x 24 1/2" rectangles. (Panel block)
3. Cut two 5 1/2" strips. Subcut eight 5 1/2" squares and six 1 1/2" x 12 1/2" rectangles. (House blocks)
4. Cut five 1 1/2" strips. Subcut two 1 1/2" x 12 1/2" and eight 1 1/2" x 15 1/2" rectangles. (House blocks)
5. Cut five 1 1/2" strips. Subcut eight 1 1/2" squares and eight 1 1/2" x 12 1/2" rectangles. (Tree block)
6. Cut one 2 1/2" strip. Subcut four 2 1/2" x 4 1/2" and eight 1 1/2" x 2 1/2" rectangles. (Tree block)
7. Cut two 3 1/2" strips. Subcut twelve 3 1/2" squares, four 1 1/2" x 3 1/2", four 2 1/2" x 3 1/2" and four 3 1/2" x 4 1/2" rectangles. (Tree block)
8. Cut six 2 1/2" strips. Piece strips and subcut two 2 1/2" x 52 1/2" and two 2 1/2" x 54 1/2" strips. (Inner border)

From Fabric A:

1. Cut one 16 1/2" square from large panel square, centering design. (Large panel block)

2. Cut four 10 1/2" squares from small panel squares, centering design. (Small panel block)

From Fabric B:

1. Cut one 3 1/2" strip. Subcut two 3 1/2" x 6 1/2" rectangles. (Tree block)

From Fabric C:

1. Cut one 2 1/2" strip. Subcut four 2 1/2" x 5 1/2" and one 1 1/2" x 12 1/2" rectangles. (House block)
2. Cut six 2 1/2" strips. Piece and subcut two 2 1/2" x 56 1/2" and two 2 1/2" x 58 1/2" strips. (Outer border)

From Fabric D:

1. Cut four 1 1/2" strips. Subcut two 1 1/2" x 22 1/2" and two 1 1/2" x 10 1/2" rectangles. (Large panel block and tree blocks)
2. Cut two 2 1/2" strips. Subcut eight 2 1/2" x 5 1/2" rectangles. (House blocks)

From Fabric E:

1. Cut two 1 1/2" strips. Subcut two 1 1/2" x 18 1/2" and two 1 1/2" x 20 1/2" rectangles. (Panel block)
2. Cut one 1 1/2" strip. Subcut one 1 1/2" x 12 1/2" rectangle. (House block)
3. Cut one 6 1/2" strip. Subcut seven 3 1/2" x 6 1/2" rectangles. (Flying Geese units)
4. Cut seven 2 1/4" strips. (Binding)

From Fabric F:

1. Cut two 2 1/2" strips. Subcut eight 2 1/2" x 5 1/2" rectangles. (House block)
2. Cut one 6 1/2" strip. Subcut seven 3 1/2" x 6 1/2" rectangles. (Flying Geese units)

From Fabric G:

1. Cut two 1 1/2" strips. Subcut two 1 1/2" x 16 1/2" and two 1 1/2" x 18 1/2" rectangles. (Large panel block)

From Fabric H:

1. Cut one 1 1/2" strip. Subcut two 1 1/2" x 12 1/2" rectangles. (House block)
2. Cut one 3 1/2" strip. Subcut three 3 1/2" x 6 1/2" rectangles. (Flying Geese units)
3. Cut one 2 1/2" strip. Subcut four 2 1/2" squares and sixteen 1 1/2" squares. (Tree block)

From Fabric I:

1. Cut one 6 1/2" strip. Subcut seven 3 1/2" x 6 1/2" rectangles. (Flying Geese units)

From Fabric J:

1. Cut one 3 1/2" strip. Subcut two 3 1/2" x 10 1/2" rectangles. (Tree block)
2. Cut one 3 1/2" strip. Subcut six 3 1/2" x 6 1/2" rectangles. (Flying Geese units)

From Fabric K:

1. Cut one 6 1/2" strip. Subcut seven 3 1/2" x 6 1/2" rectangles. (Flying Geese units)

From Fabric L:

1. Cut one 3 1/2" strips. Subcut two 3 1/2" x 8 1/2" rectangles and three 3 1/2" x 6 1/2" rectangles. (Tree blocks and Flying Geese units)

Piecing Instructions:

Flying Geese

1. Draw a diagonal line on the wrong side of one 3 1/2" background square. Place square, right sides together at a corner of one 3 1/2" x 6 1/2" print rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3 1/2" background square at the opposite corner of the same rectangle to make one flying geese unit.
2. Make a total number of flying geese units in the following prints: (Figure 1)




Figure 1

Tree Block

Section 1

1. Draw a diagonal line on the wrong side of one 1 1/2" H square. Place square, right sides together, at a corner of one 1 1/2" x 2 1/2" background rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1 1/2" H square at the opposite corner of the same rectangle to make a flying geese unit. Make a total of four units. (Figure 2)
2. Sew two Step 1 units to the opposite sides of one 2 1/2" H square to make a row unit. (Figure 3)
3. Sew two 1 1/2" background squares to the opposite short sides of one Step 1 unit to make a row unit. Make a total of two row units. (Figure 4)
4. Sew together row units to make one star unit. Unit measures 4 1/2" x 4 1/2" unfinished. Sew two 3 1/2" x 4 1/2" background rectangles to the left and right sides to complete Section 1. Section measures 4 1/2" x 10 1/2" unfinished. (Figure 5)




Figure 4
Make 2.

Figure 5

Section 2

1. Use instructions outlined in making flying geese unit (3 1/2" x 6 1/2" unfinished) to make one flying geese unit with two 3 1/2" background squares and one 3 1/2" x 6 1/2" B rectangle. (Figure 6)
2. Sew two 2 1/2" x 3 1/2" background rectangles to the opposite short sides to complete Section 2. Section measures 3 1/2" x 10 1/2" unfinished. (Figure 7)




Figure 6



Figure 7

Section 3

1. Draw a diagonal line on the wrong side of one 3 1/2" background square. Place square, right sides together, at a corner of one 3 1/2" x 8 1/2" L rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3 1/2" background square. Sew two 1 1/2" x 3 1/2" background rectangles to the opposite short sides to complete Section 3. Section measures 3 1/2" x 10 1/2" unfinished. (Figure 8)



Figure 8

Section 4

1. Draw a diagonal line on the wrong side of one 3 1/2" background square. Place square, right sides together, at a corner of one 3 1/2" x 10 1/2" J rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3 1/2" background square to complete Section 4. Section measures 3 1/2" x 10 1/2" unfinished. (Figure 9)



Figure 9

Section 5

1. Sew two 2 1/2" x 4 1/2" background rectangles to the opposite sides of one 2 1/2" H square to complete Section 5. Section measures 2 1/2" x 10 1/2" unfinished. (Figure 10)





Figure 10


2. Sew sections together and add one 1 1/2" x 10 1/2" D rectangle to the bottom. Sewn unit measures 10 1/2" x 16 1/2" unfinished. (Figure 11)

Figure 11



3. Sew two 1 1/2" x 16 1/2" background rectangles to the left and right sides of Step 2 unit, followed by two 1 1/2" x 12 1/2" background rectangles to the top and bottom of Step 2 unit to complete one tree block. Block measures 12 1/2" x 18 1/2" unfinished. Make a total of two blocks. (Figure 12)

Figure 12 Make 2.



Large Panel Block

1. Sew two 1 1/2" x 16 1/2" G rectangles to the opposite sides of one 16 1/2" A large panel square, followed by two 1 1/2" x 18 1/2" G rectangles to the remaining opposite sides.
2. Sew two 1 1/2" x 18 1/2" E rectangles to the opposite sides of Step 1 unit, followed by two 1 1/2" x 20 1/2" E rectangles to the remaining opposite sides.
3. Sew two 1 1/2" x 20 1/2" D rectangles to the opposite sides of Step 2 unit, followed by two 1 1/2" x 22 1/2" D rectangles to the remaining opposite sides.
4. Sew two 1 1/2" x 22 1/2" background rectangles to the opposite sides of Step 3 unit, followed by two 1 1/2" x 24 1/2" background rectangles to the remaining opposite sides to complete large panel block. Block measures 24 1/2" x 24 1/2" unfinished. (Figure 13)

House Block

1. Sew two 2 1/2" x 5 1/2" F rectangles to the opposite long sides of one 2 1/2" x 5 1/2" C rectangle, followed by two 2 1/2" x 5 1/2" D rectangles. (Figure 14)



Figure 14

2. Draw a diagonal line on the wrong side of one 5 1/2" background square. Place square, right sides together, at a corner of Step 1 unit. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 5 1/2" background square at the opposite corner of the same unit. (Figure 15)



Figure 15

3. Sew Step 2 unit on top of one 10 1/2" small panel A square. Unit measures 10 1/2" x 15 1/2" unfinished. (Figure 16)
4. Sew two 1 1/2" x 15 1/2" background rectangles to the left and right sides of Step 3 unit, followed by one 1 1/2" x 12 1/2" background rectangle to the top of unit. (Figure 17)




Figure 16




Figure 17

5. Sew together one 1 1/2" x 12 1/2" background rectangle and one 1 1/2" x 12 1/2" print rectangle. Add to the bottom of Step 4 unit to complete one block. Block measures 12 1/2" x 18 1/2" unfinished. Make a total of four blocks. (Figure 18)





Figure 18

Quilt Assembly:

1. Refer to quilt image for block placement guide, arrange and sew blocks to make horizontal rows. Sew together rows to complete quilt center.
2. Sew section A on top of section B, and sew to the left of large panel block to complete Row 3.
3. Inner border. Sew two 2 1/2" x 54 1/2" background strips to the left and right sides of quilt center, followed by two 2 1/2" x 52 1/2" background strips to the top and bottom of quilt center.
4. Outer border. Sew two 2 1/2" x 58 1/2" C strips to the left and right sides of quilt center, followed by two 2 1/2" x 56 1/2" C strips to the top and bottom of quilt center to complete quilt top.

Finishing:

1. Prepare backing using one vertical seam. Press seam open. Trim to 64" x 70".
2. Layer quilt top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with quilt top squaring corners.
5. Join seven 2 1/4" E binding strips with diagonal seams. Press seams open. Attach binding using your favorite method.
6. Make a label and sew to the back of quilt.




Quilt Diagram

Winter Park

Fabric Collection
by Robin Roderick
for P&B Textiles




WINP 4714 PA*




WINP 4718 MU




WINP 4717 LB*



WINP 4716 B*



WINP 4716 G*



WINP 4716 R*



WINP 4717 B†



WINP 4715 B



WINP 4715 G*



WINP 4720 B*



WINP 4720 G*



WINP 4721 B*




WINP 4721 G*



WINP 4719 DB*




WINP 4719 LB*



WINP 4719 R



WINP 4719 Y*



RA10 762 W*

