

Pundit® 250 Array Ultrasonic Imaging Scanner



Deep scanning of concrete and fibre reinforced concrete

Thickness measurements

Thick concrete elements and tunnel linings

Localization of defects


Voids, honeycombing and depth and extent of delaminations

Detection of objects


Pipes and tendon ducts beyond the rebar layer



Intuitive output – more than just graphs or values!



Rapid identification of suspect areas



Rebar detection in near field

Accurate depth measurement >1m

A Quantum Leap in Ultrasonic Pulse Echo Testing



Effective

- ✓ High quality images of defects, rebars and tendon ducts
- ✓ Superior near field performance
- ✓ Highly durable ceramic tips



- ✓ No couplant required due to dry point contact technology



Time saving

- ✓ Real-time B-scan visualization
- ✓ Image optimization before saving a scan
- ✓ Panorama B-scans for rapid identification of suspect areas
- ✓ Scan several meters in less than a minute
- ✓ Lightweight and compact design for increased accessibility and faster scans



Versatile

- ✓ Single handed positioning
- ✓ Double handle upgrade for increased control



- ✓ Upgrade to 16 channels to double the scan width




- ✓ Raw data export

High Resolution Imaging

Optimize Live Image Before Saving

Real-time B-scan




Cursors for depth and horizontal displacement information

A-scan with envelope function for accurate echo identification

Spot check with immediate visualization of the backwall

Panorama B-scan



Imaging of individual rebars and pipes

Back wall with multiple echos for accurate pulse velocity determination

1.2 meter fibre reinforced concrete scanned in only 20 seconds

Pundit Array Transducer

Rugged, Lightweight and Scalable



Double Handle Upgrade For Additional Control


- ✓ Buttons on both handles
- ✓ Optimize gain settings and trigger a measurement



The technology

The Pundit 250 Array is based on the ultrasonic multi-channel pulse echo technology using 8 channels. One channel transmits and the echoes are received by the other seven channels. Each channel transmits in turn.

A complete measurement consists of 28 A-scans. These are used to compute and display a B-scan in real-time using the Synthetic Aperture Focusing Technique (SAFT). Coupling two transducers results in a 16 channel aperture processing a total of 240 A-scans per measurement cycle.



Technical specifications

Pundit Array Transducer

Gain	0 to 80 dB
Analog bandwidth	15 to 100 kHz
Nominal transducer frequency	50 kHz shear wave
Range / resolution	0 to 1000 µs / 1 µs
Pulse voltage	+/-150 V
Pulse shape	Square wave
Pulse delay	8 to 200 ms
Number of channels	8 (with upgrade option to 16)
Battery lifetime	> 7 h
Dimensions	240 x 273 x 153 mm
Weight	~ 3 kg

Pundit Touchscreen


Display	7" colour display 800 x 480 pixels
Memory	Internal 8 GB flash memory
Regional settings	Metric and imperial units and multi-language and timezone supported
Power input	12 V +/-25 % / 1.5 A
Battery	3.6 V, 14 Ah
Battery lifetime	> 8 h (in standard operating mode)
Humidity	< 95 % RH, non condensing
Operating temperature	-10 to +50 °C
IP classification	IP 54
Dimensions	250 x 162 x 62 mm
Weight	~ 1.5 kg (incl. battery)

Master training on ultrasonic testing

Proceq master training courses take place at the Proceq training facilities in Schwerzenbach (Switzerland), Pittsburgh (USA) and Singapore and include classroom lectures and hands-on sessions. The training sessions require a technical background or prior experience with the respective NDT products. Please contact our website or your local Proceq representative.

Ordering Information

Flexible and Future-Proof



Accessories

- 327 30 337 **Pundit Array Transducer Battery Pack Complete**
- 327 30 384S **Rechargeable AA NiMH battery (Set of 6)**
- 327 01 071S **Calibrated Tape (Set of 5)**

Service and Support

Proceq is committed to providing the best support and service available in the industry through the Proceq certified service centers worldwide. This results in a complete support for the Pundit by means of our global service and support facilities.

Warranty Information


Each instrument is backed by the standard Proceq warranty and extended warranty options.

- Electronic portion of the instrument: 24 months
- Mechanical portion of the instrument: 6 months

Subject to change without notice. All information contained in this documentation is presented in good faith and believed to be correct. Proceq SA makes no warranties and excludes all liability as to the completeness and/or accuracy of the information. For the use and application of any product manufactured and/or sold by Proceq SA explicit reference is made to the particular applicable operating instructions.



Proceq – A Success Story since 1954



Market Leader

Proceq SA, founded 1954 in Switzerland, is the global leader in portable measurement solutions for the non-destructive testing of material properties of metal, concrete, rock, paper and composites.

 [Find out more on the Proceq history](#)

Worldwide Local Support

Our team of dedicated experts are available to advise you on our instruments and their applications. In addition you may take further benefits from our instructional videos, evaluation tools, online webinars and of course our live seminars globally.

Swiss Made

Proceq instruments are developed, designed and manufactured in Switzerland. Since 1994, Proceq has been certified to the ISO 9001 standards that guarantee highest quality of processes, products and services.

Experience

Proceq has been a proud innovator in the field of portable non-destructive testing, developing solutions that have conquered the inspection industry for decades. Most famous brands are Equotip®, Schmidt®, Pundit®, Profometer® and Carboteq®.

 Click on the Proceq subsidiaries for more information



Proceq USA
Aliquippa, Pittsburgh, USA
Phone +1 724 512 0330
Fax +1 724 512 0331
info-usa@proceq.com

Proceq South America
São Paulo, Brasil
Phone +55 11 3083 38 89
info-southamerica@proceq.com

Proceq Europe
Schwerzenbach, Switzerland
Phone +41 43 355 38 00
Fax +41 43 355 38 12
info-europe@proceq.com

Proceq UK
Bedford, UK
Phone +44 12 3483 4515
info-uk@proceq.com

Proceq Russia
St. Petersburg, Russia
Phone +7 812 448 35 00
Fax +7 812 448 35 00
info-russia@proceq.com

Proceq Middle East
Sharja, United Arab Emirates
Phone +971 6 557 8505
Fax +971 6 557 8606
info-middleeast@proceq.com

Proceq Asia
Singapore
Phone +65 6382 3966
Fax +65 6382 3307
info-asia@proceq.com

Proceq China
Shanghai, China
Phone +86 21 63177479
Fax +86 21 63175015
info-china@proceq.com



 E-Shop USA

 E-Shop Europe

 E-Shop Asia



Globally organized seminars to help you learn more about our products and applications.
Contact your local representative for further information.

Proceq SA
Ringstrasse 2
8603 Schwerzenbach
Switzerland

810 327 03E ver 05 2017 © Proceq SA, Switzerland. All rights reserved.

