

Laser Hair Removal

Area	Package (8 treatments)	Single Treatments
Abdomen	\$1055	\$155
Areola	\$580	\$85
Lower Arms	\$1055	\$155
Upper Arms	\$1055	\$155
Full Arms	\$2110	\$310
Full Back	\$1835	\$270
Half Back	\$1055	\$155
Extended Bikini	\$1055	\$155
Standard Bikini	\$815	\$120
Center of Brow	\$580	\$85
Buttocks	\$1055	\$155
Full Chest	\$1325	\$195
Half Chest	\$815	\$120
Chin	\$580	\$85
Ears	\$580	\$85
Face	\$1055	\$155
Full Feet	\$815	\$120
Half Feet/toes	\$580	\$85
Inner, Upper Thighs	\$1055	\$155
Full Hands	\$815	\$120
Partial Hands	\$580	\$85
Head	\$1055	\$155
Upper Legs	\$1565	\$230
Lower Legs	\$1565	\$230
Full Legs	\$3130	\$460
Navel	\$580	\$85
Upper Lip	\$580	\$85
Neck	\$815	\$120
Sideburns	\$580	\$85
Underarms	\$815	\$120

You save 15% purchasing the package

Larimar Medical reserves the right to adjust pricing on any laser hair removal treatment based on consultation and evaluation of area to be treated.

What areas can be treated?

- All parts of the body may be treated including face, arms, underarms, legs and back. Sensitive areas like the chest and bikini may also be treated.

Number of treatments required:

- Most areas require 8-12 treatments, however, the number of treatments for optimal results depend on multiple factors: hair thickness, texture, and the area being treated. Hormones, diseases, medications or other factors can affect the treatment outcome. In some areas, in addition to the decrease in the number of hairs, the hairs become very fine and light in color.
- Expect to need more treatments if you are dark skinned, taking hormones, or if you have any history of irregular periods, polycystic ovary disease, or a family history of excessive hair.
- No laser clinic should claim that all of the hairs will be permanently eradicated. Most patients will need a touch-up 1-4 times a year to maintain the improvement.
- About 5% of patients are resistant to any type of hair removal laser. It is very important to have a realistic expectation regarding individual results of laser hair removal.

Treatment intervals:

Multiple treatments are required to achieve sufficient reduction in hair growth because each hair goes through 3 growth phases (anagen, catagen and telogen) and only the hair follicle in the anagen growth phase can be disabled. Decreasing the interval of treatment will not effectively alter the permanency of the hair growth.

- 6-8 week intervals between treatments

Pre-Treatment:

- **The area must be cleanly shaven prior to each laser treatment or a \$50 shaving prep fee will apply. NO** bleaching, tweezing, or waxing 4 weeks before the treatment and throughout the duration of the treatments.
- **Do not tan.** Tanning of any type changes the laser settings and is the most common cause of blistering after laser hair removal. Do not use self-tanners 2 weeks before a treatment.
- All makeup and lotion should be removed prior to treatment.
- Avoid any irritants to your skin, such as products containing retinoic acid or benzoyl peroxide for 1 week before your treatment.
- If antibiotics or any new medications have been started, please inform your provider prior to treatment.

Post-Treatment:

- Redness—may feel like sunburn and last a day after treatment.
- Swelling—may last up to 2-3 days.
- Blistering—rare
- Shedding of the surface hair may occur anywhere between 7-21 days post treatment (this may look like re-growth when actually the hairs are being shed).